# DECENNIAL INDEX

## VOLUME XI, 1938–VOLUME XX, 1947

### AUTHORS AND TITLES


| | Volume and Page |
|---|---|
| ABADIE, PAUL. *See* GIRARD, PIERRE. | |
| ABERNATHY, H. H. Accelerators for latex. Water-soluble *vs.* water-insoluble | XV, 316 |
| ADAMS, M. E. *See* THAYSEN, A. C. | |
| AENGENEYNDT, J., AND KESTERNICH, W. New method for determining the resistance of soft-rubber products to low temperatures | XVIII, 401 |
| ALDOSHIN, F. D. *See* MEDVEDCHUK, P. I. | |
| ALEKSANDROV, A. P., AND LAZURKIN, YU. S. Polymers. I. Highly elastic deformation of polymers. II. Dynamic method of studying elastic materials. III. Technique of mechanical tests of vulcanizates of rubber and plastics | XIII, 886 |
| Strength of amorphous and of crystallizing rubberlike polymers | XIX, 42 |
| ALEKSEEVA, E. N. Structure of the mixed polymer of butadiene and the nitrile of methacrylic acid | XV, 698 |
| ——, AND BELITSKAYA, R. M. Structure of the mixed polymer of butadiene and styrene. | XV, 693 |
| ——, AND KARPOV, L. YA. Structure of a mixed polymer of butadiene and acrylonitrile | XX, 927 |
| ALEXANDER, C. H. *See* GARVEY, B. S., JR. | |
| ALEXANDROV, A., AND DZHIAN, J. Studies of the amorphous state. XVII. Dielectric losses in swollen rubbers | XIV, 877 |
| ——, AND LAZURKIN, YU. S. A study of polymers. I. Highly elastic deformation of polymers | XIII, 886 |
| ALFREY, T., BARTOVICS, A., AND MARK, H. Effect of temperature and solvent type on the intrinsic viscosity of high-polymer solutions | XV, 820 |
| ——, HENDRICKS, J. G., HERSHEY, ROBERT M., AND MARK, HERMANN. Nonsulfur vulcanization. II. An experimental study | XIX, 652 |
| ——, AND MARK, H. Phase transitions in rubber and their connection with the stress-strain curve | XIV, 525 |
| Statistical treatment of crystallization phenomena in high polymers | XV, 462 |
| ALLEN, R. E. *See* SNYDER, A. R. | |
| ——, R. P. Technical microscopy in the rubber industry | XVI, 219 |
| ALTMAN, R. F. A. Analysis of proteins present in Hevea latex | XIII, 505 |
| Analysis of proteins occurring in Hevea latex. II. Properties and identification of the isolated properties | XIV, 300 |
| Natural coagulation of Hevea latex | XX, 1124 |
| Organic analysis of Hevea latex. IV. Amino acids | XIV, 659 |
| V. Ammonia and betaines | XIV, 664 |
| VI. Alkaloids in whole-latex rubber | XIV, 670 |
| VII. Fat acids, resin acids, sterols, and wax alcohols. A preliminary note | XIX, 788 |
| VIII. Development of a general scheme of analysis | XIX, 781 |
| IX. Details of the main fractions | XX, 1133 |
| Van Harpen's hydratant acid | XIV, 154 |
| ——, AND KRAAY, G. M. Separation and identification of lecithins from Hevea latex | XIII, 750 |
| ——. *See* KRAAY, G. M. | |
| AMBROS, OTTO. A study of the formation of rubber in the plant | XI, 57 |
| AMERONGEN, G. J., VAN. Modified method for the direct estimation of the absorption of oxygen by rubber | XIX, 170 |
| Permeability of different rubbers to gases and its relation to diffusivity and solubility | XX, 494 |
| Permeability of rubberlike substances to gases | XX, 479 |
| ——, AND HOUWINK, R. How sulfur is combined in vulcanized rubber | XVI, 834 |
| AMON, F. H., SMITH, W. R., AND THORNHILL, F. S. Identification of carbon black by surface area measurements | XVI, 687 |
| AMPHLETT, P. H. *See* TWISS, D. F. | |
| ANDERSON, J. G. *See* MACKAY, J. G. | |
| ANDÔ, T. *See* MINATOYA, S. | |
| ANDREWS, R. D., TOBOLSKY, A. V., AND HANSON, E. E. Theory of permanent set at elevated temperatures in natural and synthetic rubber vulcanizates | XIX, 1099 |
| ——. *See* TOBOLSKY, A. V. | |
| ANTHONY, R. L., CASTON, R. L., AND GUTH, EUGENE. Equations of state for natural and synthetic rubberlike materials. I. Unaccelerated natural soft rubber | XVI, 297 |
| ——. *See* DART, S. L.; GUTH, EUGENE; HAMILL, W. H.; PETERSON, L. E. | |
| ARIANO, R. Compression tests on vulcanized rubber | XI, 561 |
| Resistance of rubber to dynamic forces. I | XIII, 81 |
| Rubber stretched by forces in two directions perpendicular to one another | XIII, 92 |
| Tension tests with flat (straight) test-pieces | XI, 214 |
| ARMSTRONG, ROBERT T., LITTLE, JULIAN R., AND DOAK, KENNETH W. Chemistry of sulfur-olefin reactions. Application to vulcanization | XVII, 788 |
| AUSTERWEIL, G. Possibility of transforming rubber into an ion exchanger | XX, 769 |
| AVONS, C. H. J. *See* MACKAY, J. G. | |
| BACON, R. G. R., AND FARMER, E. H. Interaction of maleic anhydride with rubber | XII, 200 |
| BADUM, E. Permeability of organic substances to water | XII, 74 |

Volume and Page

BAILEY, W. J. *See* MARVEL, C. S.
BAKER, H. C. Concentration of latex by creaming ..... XI, 75
Distribution of nonrubber substances in preserved latex ..... XIV, 641
II. Acids ..... XVI, 365
Preparation and properties of halogen derivatives of rubber from latex ..... XII, 545
——, W. O. Molecular requirements for synthetic rubbers ..... XVIII, 632
BALDWIN, F. P. *See* ZAPP, R. L.
BALL, J. M., AND BRADLEY, C. E., JR. Effect of temperature on the sunlight deterioration of a rubber compound ..... XV, 647
——. *See* CLARK, G. L.
BANES, F. W., AND EBY, L. T. Quantitative determination of some inhibitors in polymers by ultraviolet-light absorption ..... XX, 55
——. *See* WALL, F. T.
BARE, P. O. *See* STARKWEATHER, H. W.
BARNES, R. BOWLING, LIDDEL, URNER, AND WILLIAMS, VAN ZANDT. Synthetic rubber. A spectroscopic method for analysis and control ..... XVI, 634
——, WILLIAMS, VAN ZANDT, DAVIS, A. R., AND GIESECKE, PAUL. Physical methods of analysis of synthetic and natural rubber ..... XVII, 253, 757
BARNETT, C. E. *See* NELLEN, A. H.
BARR, GUY. Apparatus for measuring slow rates of consumption or evolution of gas in a closed system ..... XV, 201
BARRER, RICHARD M. Permeability in relation to viscosity and structure of rubber ..... XVI, 537, 766
BARTOVICS, A. *See* ALFREY, T.
BASHORE, H. H. Apparatus for evaluating puncture resistance ..... XI, 740
BATEMAN, L. Photochemical breakdown of rubber ..... XIX, 283
Photolysis of rubber ..... XX, 893
——, AND JAFFREY, G. A. Structure of polyisoprenes. IV. Double-bond interaction in certain carbalkoxy-substituted 1,5-dienes ..... XIX, 14
——, AND KOCH, H. P. Structure of Polyisoprenes. III. Ultraviolet absorption spectra. V. Ultraviolet absorption spectra of certain carbalkoxy-substituted 1,5-dienes, and the charge-resonance spectra of glutaconic ester enolate ions ..... XVIII, 637 XIX, 23
BATY, J. A. *See* BURGER, V. L.
BAXTER, J. P., AND MOORE, J. G. Properties and uses of chorinated rubber ..... XII, 82
BEAVER, D. J., AND THRODAHL, M. C. Vulcanization of Buna-S (GR-S) with organic sulfur compounds ..... XVII, 896
——. *See* BOOTH, E. W.
——. *See* THRODAHL, M. C.
BEELEY, F. *See* DAVEY, W. S.
BEHRE, J. Plasticity measurements in the rubber industry. IV ..... XVIII, 646
——, JOHANNES, AND GÖHDE, KARL. New method of investigation in the evaluation of fillers for the rubber industry ..... XIII, 112
BEISCHER, D. *See* VON ARDENNE, M.
BEKKEDAHL, N. Application of thermodynamics to the chemistry of rubber ..... XII, 150
——, AND SCOTT, RUSSELL B. Specific heat of the synthetic rubber Hycar-OR from 15° to 340° K ..... XVI, 310
——, AND WOOD, LAWRENCE A. Crystallization of vulcanized rubber ..... XIV, 347
Influence of the temperature of crystallization on the melting of crystalline rubber ..... XIV, 544
——. *See* WOOD, LAWRENCE A.
BELITSKAYA, R. M. *See* ALEKSEEVA, E. N.
BENNETT, H. Composition of rubber from different botanical sources ..... XVIII, 701
BERENDT, HILDEGARDE. *See* ROTH, W. A.
BERGER, EMIL H. *See* MORRIS, ROSS, E.
——, G. *See* STAUDINGER, H.
BHATNAGAR, S. S., KARIMULLAH, AND SHANKAR, UMA. Extraction of rubber from *Cryptostegia grandiflora* ..... XIX, 193
BIE, G. J., VAN DER. Comparison of different types of rubber obtained from the same field latex ..... XIX, 848
BILLMEYER, B. R. *See* POWERS, P. O.
BILMES, L. Theory of calender effect in rubberlike materials ..... XVIII, 772
BIMMERMAN, H. G. *See* NEAL, A. M.
BIXBY, WILLARD F., AND CRAMER, HOWARD I. Transparent rubber compounds. Effect of chemical composition of magnesium carbonate fillers ..... XIV, 221
BLAKE, J. T., AND BRUCE, P. L. Effect of light on unvulcanized rubber ..... XII, 181
Oxidation of unvulcanized rubber in light ..... XV, 75
——. *See* BRUCE, P. L.
BLAKER, ERNEST. *See* CLARK, GEORGE L.
BLOOMFIELD, GEORGE F. Course of autoöxidation reactions in polyisoprene and allied compounds. III. The oxidation of rubber in the presence of acetic acid or acetic anhydride ..... XVII, 267
Modern views on the chemistry of vulcanization changes. III. Reaction of sulfur with squalene and with rubber ..... XX, 360
Rubber, polyisoprene and allied compounds. IV. Relative tendencies toward substitutive and additive reaction during chlorination ..... XVII, 1
VI. The mechanism of halogen-substitution reactions and the additive halogenation of rubber and dihydromyrcene ..... XVII, 759
VIII. Formation of dialkyl sulfide dihalides, and its bearing on the problem of determining the unsaturation of vulcanized rubber ..... XIX, 287
——, AND FARMER, E. H. Fractionation of rubber ..... XIV, 1, 590
——, AND JEFFREY, G. A. Rubber, polyisoprenes, and allied compounds. VII. Action of nitric oxide ..... XVII, 772
——. *See* FARMER, E. H.
BLOW, C. M. Deposition of rubber onto textile fibres ..... XI, 545
Discoloration of dried latex films ..... XV, 314

| | Volume and Page |
|---|---|
| Estimation of small percentages of rubber in fibrous materials | XV, 672 |
| Measurement of the adhesion of unvulcanized rubber to metal | XX, 597 |
| ——, AND FLETCHER, W. P. Testing of rubber in compression | XVII, 1000 |
| ——, ——, AND SCHOFIELD, J. R. Variation with temperature of the dynamic properties of rubber and synthetic rubberlike materials. II. Compounded rubbers | XVIII, 471 |
| BLOXHAM, J. L. *See* PARKINSON, D. | |
| BOBIŃSKA, J. *See* SAGAJLLO, M. | |
| BOCQUET, M. Problem of making uniform crude rubber and its standardization | XII, 1 |
| BOISSONAS, CHARLES G. Specific heat of strained rubber | XII, 794 |
| ——. *See* MEYER, KURT H. | |
| BOLLAND, J. L. Kinetics of the polymerization of isoprene on sodium surfaces | XIV, 811 |
| ——, AND GEE, GEOFFREY. Kinetic studies in the chemistry of rubber and related materials. II. Kinetics of oxidation of conjugated systems. III. Thermochemistry and and mechanisms of olefin oxidation | XX, 609 |
| ——, AND ORR, W. J. C. Thermal breakdown of rubber | XIX, 277 |
| ——, SUNDALINGAM, A., SUTTON, D. A., AND TRISTRAM, G. R. Analytical methods in rubber chemistry. IV. Determination of peroxidic oxygen | XV, 72 |
| ——. *See* FARMER, E. H. | |
| BONDY, C., AND FREUNDLICH, H. Proteins in preserved Hevea latex | XI, 601 |
| BONGRAND, J. CH. Difficulties in the thorough impregnation of textiles with latex | XI, 538 |
| BONNET, (MISS) ODETTE. *See* COMPAGNON, PATRICE. | |
| BOOTH, E. W., AND BEAVER, D. J. Vulcanization of rubber compounds. Effect of hydrogen sulfide on rate of vulcanization | XIII, 918 |
| BORDERS, A. M., AND JUVE, R. D. Correlation of tensile strength with brittle points of vulcanized diene polymers | XX, 515 |
| ——, ——, AND HESS, L. D. Styrene-diene resins in rubber compounding | XX, 241 |
| BOTT, E. C. B. Reactions between compounding ingredients during vulcanization of rubber | XIV, 45 |
| Resilient energy | XVI, 591, XVII, 435 |
| ——, AND GILL, L. D. Deterioration of vulcanized rubber by copper and manganese compounds | XVII, 221 |
| BOXSER, H. *See* McCARTHY, G. D. | |
| BOYER, R. F., AND SPENCER, R. S. Thermal expansion and second-order transition effects in high polymers. I. Experimental results | XVII, 802 |
| BRADLEY, JR., C. E. *See* BALL, J. M. | |
| BRADY, J. L. *See* CUTHBERTSON, G. R. | |
| BRAENDLE, H. A., VALDEN, E., AND WIEGAND, W. B. Simplified hot tensile test for GR-S | XVIII, 204 |
| ——, AND WIEGAND, W. B. Effect of moisture on curing rate of GR-S | XVIII, 141 |
| GR-S, an elastically inverted polymer | XVII, 632 |
| ——. *See* WIEGAND, W. B. | |
| BRASS, P. D. *See* JORDAN, H. F. | |
| BRAY, R. I. *See* SMITH, W. R. | |
| BRAZIER, S. A., HOLLAND-BOWYER, W., AND MELLERS, C. E. Investigation of the performance of flat and V-type transmission belts | XII, 618 |
| BRECKLEY, JOSEPH. Alkaline materials as accelerators for GR-S | XX, 234 |
| Observations on the flex-cracking characteristics of GR-S (Buna-S) compounds | XVI, 901 |
| BRESLER, S. E., AND FRENKEL, J. I. Character of the thermal motion of long organic chains, with reference to the elastic properties of rubber | XVI, 1 |
| BRILL, R., AND HALLE, F. Rubberlike behavior of an artificial substance (Oppanol) when irradiated with $x$-rays | XI, 687 |
| BROWN, J. R., AND HAUSER, E. A. Chemical structure of vulcanized rubber | XII, 43 |
| ——. *See* HAUSER, E. A. | |
| ——, J. R., JR. *See* LIGHTBOWN, I. E. | |
| BRUCE, P. L., LYLE, R., AND BLAKE, J. T. Heats of vulcanization of synthetic rubbers | XVII, 404 |
| ——. *See* BLAKE, J. T. | |
| BRYAN, CARL E. *See* RABJOHN, NORMAN. | |
| BRYANT, R. C. *See* SCHULTZ, H. A. | |
| BUCHAN, S. Bonding of rubber to metals | XVII, 200 |
| Mastication and rate of set-up. II | XVIII, 441 |
| ——, AND RAE, W. D. Chemical nature of the rubber-to-brass bond | XIX, 968 |
| Physical examination of brass deposits | XIX, 208 |
| ——, AND SHANKS, J. R. Study of the rubber-metal bond | XIX, 956 |
| BUCKINGHAM, R., AND PLANER, G. V. Gelation of rubber sols by ultraviolet light | XIX, 632 |
| Photogelation of rubber sols in the absence of accelerators | XIX, 645 |
| BUIST, J. M. Tear resistance. I. Mechanism of tearing of natural and synthetic rubbers | XVIII, 486 |
| Using the Mooney viscometer | XIX, 821 |
| ——, AND DAVIES, O. L. Statistical evaluation of variations in rubber processes and correlation in physical properties | XX, 288 |
| ——, AND KENNEDY, R. L. Tear resistance. More accurate results using I.C.I. tear cutter | XX, 281 |
| ——, AND MOTTRAM, S. Effect of carbon blacks on the physical properties of natural rubber and Neoprene-GN | XX, 207 |
| ——, AND SEYMOUR, R. C. Position of the rubberlike state on the plastic-elastic scale | XVII, 366 |
| ——, AND WELDING, G. N. Use and misuse of accelerated aging tests | XIX, 444 |
| BULGIN, D. Electrically conductive rubber | XIX, 667 |
| Errors arising in the pendulum test for resilience of rubber | XVII, 1002 |
| BUNKER, H. J. *See* THAYSEN, A. C. | |
| BUNN, C. W. Molecular structure and rubberlike elasticity. I. Crystal structures of $\beta$-gutta-percha, rubber and polychloroprene | XV, 709 |
| II. Stereochemistry of chain polymers | XV, 731 |
| III. Molecular movements in rubberlike polymers | XV, 742 |
| Stereochemistry of the rubber molecule | XV, 704, XVI, 775 |
| ——, AND GARNER, (MRS.) E. V. Crystal structure of rubber hydrochloride | XVI, 848 |
| BURCHFIELD, H. P. Identification of natural and synthetic rubbers | XVII, 968 |

| | Volume and Page |
|---|---|
| BURGER, V. L., DONALDSON, W. E., AND BATY, J. A. Direct determination of rubber hydrocarbon. Chromic acid oxidation method | XVI, 660 |
| BURNETTE, LLEWELLYN WILSON. Production of rubber from furfural | XVIII, 284 |
| BURNS, E. R. *See* SCHOENE, D. L. | |
| ——, J. W. *See* CAMPBELL, A. W. | |
| BUSSE, WARREN F. Effect of vulcanization on rubber structure. A problem in probabilities | XIII, 196 |
| ——, AND CUNNINGHAM, E. N. Mastication of rubber. A study of some of the oxidation processes involved | XII, 163 |
| ——, LAMBERT, J. M., AND VERDERY, R. B. Tackiness of GR-S and other elastomers | XIX, 1163 |
| CALDWELL, S. M., MERRILL, R. A., SLOMAN, C. M., AND YOST, F. L. Dynamic fatigue life of rubber | XIII, 304 |
| Rubber in the automotive industry from the viewpoint of the rubber technologist | XIV, 378 |
| CAJELLI, GIAMPIETRO. Chromatography of rubber solutions | XII, 762 |
| CALDWELL, ERNEST B. *See* MORRIS, ROSS E. | |
| CAMPBELL, A. W. Control of gelling in vulcanizing cements. Nitroparaffins and chloronitroparaffins as inhibitors | XV, 178 |
| Nitroparaffins and derivatives as heat-sensitizers for rubber latices | XVI, 215 |
| ——, AND BURNS, J. W. Nitroparaffins in the rubber industry | XVI, 926 |
| CARLTON, C. A., AND REINBOLD, E. B. Cut growth of Buna-S compounds. A method to determine the rate of cut growth of Buna-S compounds | XVI, 897 |
| CARMAN, F. H., POWERS, P. O., AND ROBINSON, H. A. Swelling of synthetic rubbers in mineral oils | XIII, 936 |
| CARPENTER, A. S. Absorption of oxygen by rubbers | XX, 728 |
| ——, AND TWISS, D. F. Measuring permeability of rubber to various gases | XIII, 326 |
| ——. *See* TWISS, D. F. | |
| CARR, C. W. *See* KOLTHOFF, I. M. | |
| CARRINGTON, J. H. Testing of rubber at low temperatures | XII, 365 |
| CARSWELL, T. S., HAYES, R. F., AND NASON, H. K. Physical properties of polystyrene as influenced by temperature | XV, 639 |
| CARTER, A. S. *See* STARKWEATHER, H. W. | |
| CARTER, WALTER C., SCOTT, ROBERT L., AND MAGAT, MICHAEL. Viscosity-molecular weight relation for natural rubber | XX, 78 |
| CASAZZA, EDMONDO. Quantitative determination of zinc in transparent rubber articles | XIII, 181 |
| CASSAGNE, PAUL. Determination of copper in crude rubber | XX, 308 |
| CASTON, R. H. *See* ANTHONY, R. L. | |
| CAYLA, V. Variability of raw rubber | XII, 420 |
| CHANEY, N. K. *See* TREPP, S. G. | |
| CHATTEN, C. K., ELLER, S. A., AND WERKENTHIN, T. A. Determination of brittle point of rubber materials in cold air | XVII, 751 |
| CHEYNEY, LA VERNE E. Determination of total sulfur in rubber and rubberlike materials. Methylethyl ketone extraction of rubber | XVI, 675<br>XVI, 383 |
| ——, AND DUNCAN, ROBERT W. Temperature coefficient of vulcanization of Buna-S | XVII, 412 |
| ——, AND KELLEY, EVERETT J. Unsaturation of synthetic rubberlike materials | XVI, 280 |
| ——, AND ROBINSON, ARTHUR L. Simple vulcanizates of Buna-S and sulfur. Physical and chemical properties | XVII, 124 |
| ——. *See* KECK, MAX H. | |
| CHOLLAR, R. G. *See* WILSON, G. J. | |
| CHOVIN, P. Proöxygenic effect and the resulting deterioration of rubber | XIX, 296 |
| Proöxygenic effect. Changes which take place in vulcanized rubber | XVIII, 607 |
| CHURCH, H. F., COOPER, L. H. N., AND DAYNES, H. A. Properties of hard rubber. XIV. Influence of some ingredients on surface deterioration in sunlight | XIX, 753 |
| ——, AND DAYNES, H. A. Falling-weight impact test for ebonite | XI, 224 |
| Properties of hard rubber. VII. Measurement of plastic flow as affected by temperature. | XII, 826 |
| XI. Experiments on aging | XVII, 913 |
| XIII. Experiments on thermal effects during vulcanization | XVII, 923 |
| XV. Influence of rubber-sulfur ratio and vulcanization time on the properties of pure rubber-sulfur compositions. (1) Chemical composition, density, and thermal expansion | XIX, 760 |
| XVI. Influence of rubber-sulfur ratio and vulcanization time on the properties of pure rubber-sulfur compositions. (2) Mechanical and electrical properties | XX, 116 |
| XVII. Influence of rubber-sulfur ratio and vulcanization time on the properties of pure rubber-sulfur compositions. (3) Swelling, water absorption, aging, and general discussion of results | XX, 149 |
| XXI. Influence of vulcanization temperature | XX, 1039 |
| CLARK, C. C. *See* MICHALEK, J. C. | |
| CLARK, GEORGE L., GROSS, SIEGFRIED T., AND SMITH, W. HAROLD. *x*-Ray diffraction patterns of crystalline sol rubber prepared from ethereal solution | XII, 482 |
| *x*-Ray diffraction patterns of Hevea, Manihot and other rubbers | XIII, 42 |
| ——, KABLER, MARIAN, BLAKER, ERNEST, AND BALL, JOHN M Hysteresis in crystallization of stretched vulcanized rubber from *x*-ray data. Correlation with stress-strain behavior and resilience | XIV, 27 |
| ——, LE TOURNEAU, R. L., AND BALL, J. M. Hysteresis in the crystallization of stretched vulcanized rubber. II. *x*-Ray studies of the effects of sulfur content and method of curing | XIV, 546 |
| *x*-Ray study of reactions involving accelerators | XVI, 621 |
| ——, AND RHODES, HERBERT D. Practical evaluation of commercial rubber carbon blacks by *x*-ray diffraction | XIII, 655 |
| ——, WOLTHUIS, ENNO, AND SMITH, W. HAROLD. *x*-Ray diffraction patterns of sol, gel and total rubber when stretched, and when crystallized by freezing and from solutions | XI, 32 |
| CLEWS, C. J. BIRKETT. Structure of polychloroprene | XV, 847 |
| Structure of rubber | XII, 119 |
| ——, AND SCHOSSBERGER, F. Structure of stretched rubber | XI, 510 |

| | Volume and Page |
|---|---|
| COE, W. S. *See* CUTHBERTSON, G. R. | |
| COHAN, LEONARD H., AND JOHNSON, C. R. Influence of moisture content of carbon black on rubber properties | XV, 216 |
| ——, AND MACKEY, JAMES F. Conductivity of rubber tread stocks. Effect of properties of carbon black | XVI, 918 |
| COKER, F. J. *See* DAVEY, W. S. | |
| COLE, JOHN O., AND FIELD, JAMES E. Oxidation of GR-S and other elastomers | XX, 747 |
| COLUMBIAN CARBON COMPANY RESEARCH LABORATORIES. Particle size and shape of colloidal carbon as revealed by the electron microscope | XIV, 52 |
| COMMITTEE ON GASES, NATIONAL FIRE PROTECTION ASSOCIATION, CANADA. Electrical properties of conductive rubber, including a recommended method of test for determining electrical conductivity of rubber | XV, 399 |
| COMPAGNON, PATRICE, AND BONNET, (Miss) ODETTE. Anhydride rubber. II. Production and vulcanization | XIX, 319 |
| ——, AND DELALANDE, ANDRÉ. Action of unsaturated compounds on rubber in solution | XX, 689 |
| ——. *See* DUFRAISSE, CHARLES; LE BRAS, JEAN. | |
| COMPTON, JACK. *See* LESSIG, E. T. | |
| CONANT, F. S., AND LISKA, J. W. Some low-temperature properties of elastomers | XVIII, 318 |
| CONOVER, F. S. Effect of various sulfur-accelerator ratios in vulcanized rubber | XIV, 356 |
| CONRAD, CARL M. *See* LYONS, W. JAMES; PHILIPP, HOWARD J. | |
| COOPER, A. Sponge rubber | XVI, 425 |
| ——, L. H. N. *See* CHURCH, H. F. | |
| ——, L. V. Physical testing of synthetic-rubber products | XVII, 974 |
| COPLAN, B. V., ROGERS, S. S., AND HANSEN, L. A. Positively charged latex | XIV, 656 |
| COTTON, F. H. Rational processing | XIV, 762 |
| ——, AND HODSON, W. F. Mixing and moulding without mastication | XIII, 667 |
| ——, AND WESTHEAD, J. Activating influence of metallic oxides on vulcanization in the presence of organic accelerators | XI, 331 |
| COTTON-FEYTIS, EUGÉNIE. Magnetic anisotropy of rubber | XIX, 349 |
| Magnetic anisotropy of stretched rubber as a function of the tension to which it is subjected. | XVIII, 8 |
| COX, E. G., AND JEFFREY, G. A. Crystal structure of β-isoprene sulfone | XVI, 486 |
| CRABTREE, JAMES, AND KEMP, A. R. Accelerated ozone weathering test for rubber | XX, 808 |
| Weathering of soft vulcanized rubber | XIX, 712 |
| CRAGG, L. H. Terminology of intrinsic viscosity and related functions | XIX, 1092 |
| CRAMER, H. I. Industrial progress in synthetic rubberlike polymers | XV, 227 |
| ——, SJOTHUN, I. J., AND ONEACRE, L. E. Direct determination of oxygen in rubber. Adaptation of the ter Meulen method to rubber and its application to the study of aging. | XII, 269 |
| ——. *See* BIXBY, WILLARD F.; WOLF, G. M. | |
| CRANOR, DONALD F. Broad nomenclature for carbon blacks | XVI, 695 |
| CROSSLEY, R. H. *See* MCCARTHY. | |
| ——, ROBERT H. *See* PALMER, HENRY F. | |
| CRUDE RUBBER COMMITTEE, Division of Rubber Chemistry, American Chemical Society. Tentative procedures for testing the variability of normal and concentrated latex | XIII, 36 |
| CRUDE RUBBER COMMITTEE. Report of the Crude Rubber Committee | XIII, 441; XIV, 289, 755; XVII, 529, 757 |
| CUNNEEN, J. I., FARMER, E. HAROLD, AND KOCH, H. P. Rubber, polyisoprenes and allied compounds. V. The chemical linking of rubber and of other olefins with phenol-formaldehyde resins | XVII, 277 |
| CUNNINGHAM, E. N. *See* BUSSE, W. F.; MCCARTHY, G. D. | |
| CUTHBERTSON, G. R., COE, W. S., AND BRADY, J. L. GR-S emulsified with rosin soap | XX, 25 |
| ——. *See* GIBBONS, W. A. | |
| DALE, BROCK. *See* WILLIAMS, DUDLEY. | |
| DALFSEN, J. W., VAN. Determination of the water absorption of crude rubber and of vulcanized rubber | XIII, 400 |
| Effect of rapid stirring on latex and on its creaming | XIV, 315, 883 |
| Permeability of rubber to water vapor | XVI, 388 |
| Vulcanization of latex. Differences in the behavior of fresh, old, and purified latex | XVI, 318 |
| DANIEL, F. K. Dispersion of pigments in aqueous medium. I. Mechanism and evaluation of dispersing agents | XIII, 619 |
| II. Induced dilatancy and its relation to dispersion | XIII, 623 |
| ——, FREUNDLICH, H., AND SÖLLNER, K. The coagulation of latices by polar-nonpolar liquids | XI, 87 |
| Stability of *Ficus elastica* latex | XI, 624 |
| DART, S. L., ANTHONY, R. L., AND GUTH, EUGENE. Rise of temperature on fast stretching of synthetics and natural rubbers | XVI, 178 |
| ——, AND GUTH, EUGENE. Rise of temperature on fast stretching of Butyl rubber | XVIII, 803 |
| ——. *See* MROWCA, B. A. | |
| DAVEY, W. S., AND BEELEY, F. Preservation of latex by sterilization in the presence of a buffer solution | XIII, 787 |
| ——, AND COKER, F. J. Preparation of latex and determination of quality | XI, 459 |
| DAVIES, B. L. Accelerated vulcanization of ebonite | XIX, 948 |
| Strength of vulcanized rubber | XII, 509 |
| ——. *See* WRIGHT, J. M. | |
| DAVIS, A. R. *See* BARNES, R. BOWLING; GIESECKE, PAUL. | |
| ——, ARNOLD R. *See* GRAVES, FLOYD L. | |
| ——, O. L. *See* BUIST, J. M. | |
| DAWSON, T. R. Rubber terminology | XII, 441 |
| ——, AND SCOTT, J. R. Effect of strain on the aging of vulcanized rubber | XIV, 673 |
| DAYNES, H. A. Changes in physical properties of hard rubber shortly after vulcanization. | XVII, 929 |
| Some practical aspects of the theory of diffusion of water through rubber | XII, 535 |
| Theory of water absorption by rubber | XII, 532 |

Volume and Page

——, AND SCOTT, J. R. Hardness testing of vulcanized rubber. II. Comparisons of readings of various instruments ..... XVII, 194
——. *See* CHURCH, H. F.
DEARBORN, R. J. *See* SNYDER, H. R.
DEGER, T. E. *See* WOLF, G. M.
DEHILSTER, C. C. *See* WOLF, G. M.
DEKKER, P. Contributions to the analysis of rubber. III. Determination of copper in raw rubber, in mixtures and in fillers ..... XI, 706
IV. Determination of manganese in crude rubber, in rubber mixtures and in fillers ..... XIII, 430
——. *See* VAN ROSSEM, A.
DEPEW, HARLAN A. Zinc oxide. A product of complex physical and chemical properties .. XIV, 259
DE VRIES, O. Specific gravity of rubber in Hevea latex ..... XIII, 130
Tackiness and consistency of rubber after treatment by alkali ..... XII, 176
DEWEY, BRADLEY, JR. *See* HAUSER, E. A.
——, JANE M. Theory of filler reënforcement ..... XVIII, 605
Theory of reënforcement ..... XX, 607
D'IANNI, J. D., NAPLES, F. J., MARSH, J. W., AND ZARNEY, J. L. Chemical derivatives of synthetic isoprene rubbers ..... XX, 664
DILLON, J. H., AND GEHMAN, S. D. Hysteresis and methods for its measurement in rubber-like materials ..... XX, 827
——, AND PRETTYMAN, I. B. Effects of temperature and humidity on the physical properties of tire cords ..... XIX, 233
——, ——, AND HALL. Hysteretic and elastic properties of rubberlike materials under dynamic shear stresses ..... XVII, 597
——. *See* KELSEY, R. H.; TOBOLSKY, A. V.
DIMOND, ALBERT E., AND HORSFALL, JAMES G. Preventing the bacterial oxidation of rubber ..... XVI, 618
DINSMORE, R. P. *See* GEHMAN, S. D.; SEBRELL, L. B.
DOAK, KENNETH W. *See* ARMSTRONG, ROBERT F.
DOBBIN, R. E., AND ROSSMAN, R. P. Mechanical processing of carbon blacks. Resultant effects in GR-S compounds ..... XX, 537
DOCK, E. H., AND SCOTT, J. R. Properties of hard rubber. XXII. Development of proof impact test for insulating materials. Comparison of pendulum and falling-weight machines ..... XX, 1054
DOEDE, C. M. Relationship between the critical oxidation potentials and antioxidant activities of rubber antioxidants ..... XII, 287
DOGADKIN, B., KARMIN, B., AND GOLBERG, I. Kinetics and optimum phenomenon of vulcanization ..... XX, 933
——, B. A., AND KOVARSKAYA, B. M. Colloidal and chemical investigation of different brands of latex; natural latex; Jatex, Revertex, Revertex-T and Revultex ..... XI, 630
DONALDSON, W. E. *See* BURGER, V. L.
DONER, S. R. *See* MCCARTHY, G. D.
DOSTAL, H. Influence of the temperature on the crystallization of rubber ..... XI, 348
Statistical theory of the elasticity of rubber ..... XII, 56
DOW, R. B. Inhibition of crystallization of rubber by high pressure ..... XII, 496
DRISCOLL, RAYMOND L. *See* ROTH, FRANK L.
DRUMM, PETER J. *See* MCHENRY, JOHN J.
DUBINKER, YU. B. *See* FRUMKIN, L. S.
DUFOUR, RENÉ. *See* LEDUC, HENRI.
DUFRAISSE, CHARLES. A manometer for measuring oxidizability ..... XI, 268
——, AND COMPAGNON, PATRICE. Principles of a method of vulcanization based on condensation reactions. Prosthesis and synesis ..... XIX, 329
——, AND ÉTIENNE, ANDRÉ. Influence of vulcanization on oxidizability in relation to aging ..... XI, 282
——, AND HOUPILLART, JEAN. Applications of ultraviolet spectrography. Study of some accelerators ..... XIV, 1051
——, AND JARRIJON, ANDRÉ. Applications of ultraviolet spectroscopy to a study of the transformations of tetramethylthiuram disulfide when it functions as a direct vulcanizing agent ..... XVII, 941
——, AND LE BRAS, JEAN. Applications of the manometric method for measuring the oxidizability of rubber. Oxidizability and aging in the Geer oven ..... XIII, 604
Influence of vulcanization on the oxidizability of rubber. Vulcanizing agents other than sulfur ..... XII, 805
Ultrarapid testing of rubber. The testing of its oxidizability in one quarter of an hour .. XII, 568
DYER, ELIZABETH, AND MUNROE, DOROTHY LEVIS. Variation of composition of 40:60 isoprene-styrene copolymers with conversion ..... XX, 695
——, J. W. W. *See* STEVENS, H. P.
DZHIAN, J. *See* ALEXANDROV, A.

EBERS, E. S. *See* WHITE, L. M.
EBERT, H. L. *See* STREET, J. N.
EBY, L. T. *See* BANES, F. W.
ECCHER, SILVIO. Action of ozone in the phenomenon of the cracking of rubber subjected to repeated mechanical stresses ..... XIII, 566
ECK, LEO. Contribution to the history of latex ..... XI, 482; XII, 908
History of rubber. Franz Carl Achard's "Experiments on elastic resin" ..... XI, 653
ELEY, D. D. Kinetics of rubberlike elasticity ..... XV, 438; XVI, 756
ELIEL, K. W. Effect of organic accelerators on the temperature coefficient of vulcanization. XIII, 101
ELLIOTT, D. R., AND LIPPMANN, S. A. Thermodynamics of rubber at small extensions .... XVIII, 579
ENDRES, HERBERT A. Derivatives of synthetic rubber ..... XVII, 903
ESKEW, RODERICK K. Natural rubber from Russian dandelion ..... XIX, 856
ESSEX, W. G. New development in rubber reclaiming ..... XIV, 717

| | Volume and Page |
|---|---|
| ÉTIENNE, ANDRÉ. *See* DUFRAISSE, CHARLES. | |
| EVANS, A. G. A. *See* WHITBY, G. S. | |
| EVANS, A. G., MEADOWS, G. W., AND POLYANI, M. Friedel-Crafts catalysts and polymerization | XX, 375 |
| EVANS, EDWARD R. *See* MORRIS, ROSS E. | |
| ——, H. C., AND YOUNG, D. W. Solubility of polybutene in pure solvents | XV, 614 |
| EWART, ROSWELL H. *See* FRENCH, DAVID M.; ROE, CHARLES P. | |
| FARMER, ERNEST HAROLD. Ionic and radical mechanisms in olefinic systems, with special reference to processes of double-bond displacement, vulcanization and photogelling | XVI, 770 |
| α-Methylenic reactivity in olefinic and polyolefinic systems | XV, 765; XVI, 769 |
| Oxidative breakdown of rubber | XIX, 267 |
| Peroxidation in relation to olefinic structure | XX, 366 |
| ——, BLOOMFIELD, G. F., SUNDRALINGAM, A., AND SUTTON, D. A. Course and mechanism of autoöxidation reactions in olefinic and polyolefinic substances, including rubber | XV, 756; XVI, 770 |
| ——, KOCH, H. P., AND SUTTON, DONALD A. Course of autoöxidation reactions in polyisoprenes and allied compounds. VII. Rearrangement of double bonds during autoöxidation | XVII, 285 |
| ——, AND MICHAEL, STEPHEN E. Rubber, polyisoprenes and allied compounds. II. Molecule-linking capacity of free radicals and its bearing on the mechanism of vulcanization and photogelling reactions | XVI, 467 |
| ——, AND NARRACOTT, ERIC S. Autoöxidizability of the alkyl groups in xylene | XVI, 85 |
| ——, AND SHIPLEY, F. W. Modern views on the chemistry of vulcanization changes. I. Nature of the reaction between sulfur and olefins | XX, 341 |
| ——, AND SUNDRALINGAM, ALVAPPILLAI. Course of autoöxidation reactions in polyisoprenes and allied compounds. I. Structure and reactive tendencies of peroxides of simple olefins | XVI, 17 |
| VI. Peroxidation of rubber | XVI, 790 |
| ——, AND SUTTON, DONALD A. Course of autoöxidation reactions in polyisoprenees and allied compounds. II. Hydroperoxidic structure and chain scission in low-molecular polyisoprenes | XVI, 45 |
| XI. Double-bond movement during the autoöxidation of a monoölefin | XIX, 1022 |
| Rubber, polyisoprenes and allied compounds. I. Synthesis of low-molecular polyisoprenes of rubber and squalene | XV, 798 |
| ——, TRISTRAM, G. R., AND BOLLAND, J. L. Analytical methods in rubber chemistry. I. (1) General analytical considerations | XIV, 628 |
| (2) Determination of nitrogen | XIV, 629 |
| (3) Determination of active hydrogen | XIV, 633 |
| ——. *See* BACON, R. G. R.; BLOOMFIELD, GEORGE F.; CUNEEN, J. I. | |
| FERNOW, HELMUT. *See* KERN, WERNER. | |
| FERRI, CESARE. Isomerization of rubber | XI, 350 |
| FERRY, (MISS) J., GEE, GEOFFREY, AND TRELOAR, L. R. G. Interaction between rubber and liquids. VII. Heats and entropies of dilution of natural rubber by various liquids | XIX, 1 |
| ——, JOHN D. *See* SPENCE, D. | |
| FIELD, JAMES E. *See* COLE, JOHN O. | |
| ——, J. E. *x*-Ray study of the proportion of crystalline and amorphous components in stretched rubber | XIV, 555 |
| ——, WOODFORD, D. E., AND GEHMAN, S. D. Applications of infrared methods in the structural examination of synthetic rubber | XIX, 1113 |
| ——. *See* GEHMAN, S. D. | |
| FIELDING, J. H. Exposure cracking of rubber | XX, 1020 |
| Flex life and crystallization of synthetic rubber | XVII, 398 |
| Low-temperature set as a measure of state of vulcanization | XIII, 222 |
| FISCHER, K. (KL.). *See* STAUDINGER, H. | |
| FISHER, HARRY L. Nomenclature of synthetic rubbers | XII, 900 |
| Vulcanization of rubber | XIII, 50 |
| FLETCHER, W. P. Effect of temperature on the mechanical properties of rubberlike materials | XVII, 619 |
| ——, AND SCHOFIELD, J. R. Variation with temperature of the dynamic properties of rubber and synthetic rubberlike materials | XVIII, 306 |
| ——. *See* BLOW, C. M.; MOYAL, J. E. | |
| FLORY, PAUL J. Constitution of three-dimensional polymers and the theory of gelation | XV, 812 |
| Chain structure of vinyl and diene polymers in relation to polymerization mechanism | XX, 903 |
| Effects of molecular structure on physical properties of Butyl rubber | XIX, 552 |
| Molecular weights and intrinsic viscosities of polyisobutylenes | XVI, 493 |
| Tensile strength in relation to molecular weight of high polymers | XIX, 599 |
| ——. *See* REHNER, JOHN, JR. | |
| FORD, T. FOSTER. The properties of rubber cements | XI, 142 |
| FORMAN, DON B. Effect of elastomer crystallization on tests for freeze resistance | XVIII, 149 |
| Heat-resistance of Neoprene-GN vulcanizates | XVII, 173 |
| Trilinear compounding | XV, 349 |
| ——, AND RADCLIFF, R. R. State of cure of Neoprene vulcanizates | XX, 527 |
| ——. *See* GARVEY, B. S., JR. | |
| FOURNIER, HENRI, AND TRILLAT, JEAN JACQUES. *x*-Ray studies of synthetic rubbers. Polychloroprene | XIX, 1088 |
| FRANCE, WESLEY G. *See* HULL, C. M.; OLSEN, S. R. | |
| FRASER, DONALD F. Economics of the use of Neoprene reclaim | XV, 391 |
| Effect of petroleum vulcanizates. I. Effect of lubricating oils | XIV, 196 |
| II. Effect of lubricating and hydraulic oils | XIV, 204 |
| Effect of gasolines | XVII, 185 |
| ——, D. F. *See* YERZLEY, F. L. | |
| FREEMAN, L. M. Oxygen pressure aging. Improved equipment | XI, 722 |
| FREESE, J. A., JR. *See* GARVEY, B. S., JR. | |

Volume and Page

FRENCH, DAVID M., AND EWART, ROSWELL H. Molecular weight of GR-S fractions. Simple glass osmometer for use in hydrocarbon solvents ..... XX, 984
FRENKEL, J. Theory of elasticity, viscosity and swelling in polymeric rubberlike substances. XIII, 264
———. *See* BRESLER, S. E.
FREUNDLICH, H. *See* BONDY, C.; DANIEL, F. K.
ERISMAN, E. *See* TSVEKOV, V. N.
FRITH, ELIZABETH M. Interaction of plasticizers and polymers ..... XVIII, 790
———, AND TUCKETT, R. F. Melting of crystalline polymers ..... XVIII, 256
FROLICH, P. K. *See* SPARKS, W. J.; THOMAS, R. M.
FROST, CHARLES B. *See* RONGONE, RONALD L.
FRUMKIN, L. S., AND DUBINKER, YU. B. Heat conductivity of rubber ..... XIII, 361
Investigation of the thermal conductivity of rubber ..... XI, 359
FULLER, C. S. Investigation of synthetic linear polymers by *x*-rays ..... XIV, 323

GANTMACHER, A., AND MEDVEDEV, S. Change in the Raman spectra of chloroprene and isoprene in the polymerization process ..... XVI, 841
GARDNER, E. R. Factors influencing the T-50 value ..... XIV, 501
———. *See* MACKAY, J. G.
GARNER, (MRS.) E. V. *See* BUNN, C. W.
GARTNER, E. Buna for hard-rubber linings ..... XIV, 899; XVI, 698
GARVEY, B. S., JR. Evaluation of small amounts of synthetic rubber ..... XVI, 679
Immersion test for rubber compounds ..... XIV, 741
———, ALEXANDER, C. H., KÜNG, F. E., AND HENDERSON, D. C. Mixed polymers and vulcanizable plasticizers. Relation to the vulcanization of rubber ..... XIV, 826
———, AND FORMAN, D. B. Chemistry of soft rubber vulcanization. Reversion and non-reversion in low-sulfur compounds ..... XI, 680
———, JUVE, A. E., AND SAUSER, D. E. Hycar-OR. Properties of typical compounds ..... XIV, 728
———, WHITLOCK, M. H., AND FREESE, J. A., JR. Processing characteristics of synthetic tire rubber ..... XVI, 203
———. *See* SARBACH, D. V.
GATOVSKAYA, T. V. *See* PASYNSKIĬ, A. G.
GAZDIK, IVAN. *See* HAHN, STUART H.
GEE, G. Interaction between rubber and liquids. II. Thermodynamical basis of the swelling and solution of rubber ..... XV, 545
Discussion ..... XVI, 752
III Swelling of vulcanized rubber in various liquids ..... XVI, 263
IV. Factors governing the absorption of oil by rubber ..... XVI, 818
V. Osmotic pressures of polymer solutions in mixed solvents ..... XVIII, 236
VI. Swelling and solubility in mixed liquids ..... XVIII, 241
IX. Elastic behavior of dry and swollen rubbers ..... XX, 442
Micellar theory of the structure of rubber ..... XV, 446
Molecular weights of rubber and related materials. I. Experimental methods ..... XV, 43
II. Osmotic pressure and viscosity of solutions of raw rubber ..... XV, 52
III. Correction of Part II ..... XV, 535
V. Interpretation of molecular-weight measurements on high polymers ..... XVIII, 1
Physical chemistry of rubber solutions ..... XVII, 653
GEE, GEOFFREY. Recent advances in the physics and chemistry of rubber. I. Size and shape of the rubber molecule ..... XVIII, 707
III. Solubility and swelling of rubbers ..... XVIII, 716
———, AND MELVILLE, H. W. Kinetics of polymerization reactions ..... XVIII, 223
———, AND ORR, W. J. C. Interaction between rubber and liquids. VIII. New examination of the thermodynamic properties of the system; rubber-benzene ..... XX, 429
———, AND TRELOAR, L. R. G. Relation between molecular weights and physical properties of rubber fractions ..... XIV, 580
Interaction between rubber and liquids. I. Thermodynamical study of the system: rubber-benzene ..... XVI, 89
———, *et al.* Structure and reactions of rubber. A general discussion ..... XVI, 752
———. *See* BOLLAND, J. L.; FERRY, (MISS) J.; TRISTRAM, G. R.
GEER, WILLIAM C. Research coöperation in the rubber industry ..... XI, 263
———, AND WESTCOTT, W. BURTON. Method for the testing of adhesive tape ..... XV, 190
GEHMAN, S. D. Rubber in vibration ..... XV, 860
Stiffening effect of pigments in rubber ..... XVIII, 99
———, AND FIELD, J. E. Colloidal structure of rubber in solution. Effects of precipitants. XI, 663
Colloidal aspects of vulcanization ..... XIII, 275
Observations on the *x*-ray structure of rubber and the size and shape of rubber crystallites. XVII, 640
*x*-Ray investigation of crystallinity of rubber ..... XII, 706
*x*-Ray structure of rubber-carbon black mixtures ..... XIV, 85
———, ———, AND DINSMORE, R. P. *x*-Ray study of rubber hydrochloride ..... XII, 210
———, JONES, P. J., AND WOODFORD, D. E. Heat generation in flexed rubber ..... XVII, 76
———, WOODFORD, D. E., AND STAMBAUGH, R. B. Dynamic properties of rubber. Dependence on pigment loading ..... XIV, 842
———, *See* DILLON, J. H.; FIELD, J. E.; STAMBAUGH, R. B.
GERKE, R. H. Temperature coefficient of vulcanization ..... XIII, 255
———, *et al.* Abridged summary of reports of the Crude Rubber Committee of the Division of Rubber Chemistry of the American Chemical Society ..... XII, 633
———. *See* GIBBONS, W. A.; MOONEY, M.
GESSLER, A. M. *See* ZAPP, R. L.
GIBBONS, W. A., GERKE, R. H., AND CUTHBERTSON, G. R. T-50 test for state of vulcanization. II ..... XII, 576
GIBSON, RALPH E. *See* WOOD, LAWRENCE A.
GIESECKE, PAUL. *See* BARNES, R. BOWLING.
GILL, L. D. *See* BOTT, E. C. B.
GILS, G. E., VAN. Contribution to knowledge of the creaming process ..... XIII, 761

| | Volume and Page |
|---|---|
| Dialysis of latex and the properties of dialyzed latex | XIII, 728 |
| Preliminary studies of the conductivity of latex | XIV, 144 |
| Some remarks on the measurement of the viscosity of latex by means of a capillary viscometer | XIV, 137 |
| Specific gravity of rubber and of serum in Hevea latex | XIII, 422 |
| GIRARD, PIERRE, AND ABADIE, PAUL. Hertzian spectrum of rubber and its micellar constitution | XIX, 1085 |
| High-frequency and low-frequency spectra of rubber and its structure | XX, 910 |
| GLEICHENTHEIL, S., AND NEUMANN, W. Gough-Joule effect in vulcanizates | XI, 508 |
| GOHDE, KARL. *See* BEHRE, JOHANNES. | |
| GOLBERG, I. *See* DOGADKIN, B. | |
| GOLDFINGER, G. Mechanism of reinforcement XVIII, 286, Part II; | XIX, 616 |
| GOPPEL, J. M., AND VAN ROSSEM, A. *x*-Ray investigation of the calender effect in rubber sheets | XIX, 403 |
| GOUGH, V. E., AND PARKINSON, D. Dunlop fatigue test for rubber compounds | XV, 905 |
| ——. *See* GURNEY, W. A.; POWELL, E. F. | |
| GOULD, LOUIS P. Cellular rubbers | XVII, 943 |
| GRAFF, MORRIS M., AND SKAU, EVALD L. Physical-chemical investigations of goldenrod rubber IV. Increase in viscosity and formation of photogels by irradiation of goldenrod rubber in the absence of oxygen | XVIII, 685 |
| GRAFFE, LUCIEN. Machine for the systematic testing of rubber subjected to repeated flexings | XII, 582 |
| GRANT, CARROLL W. *See* JOBELL, CLAUDE E. | |
| GRAVES, FLOYD L. Evaluation of tear resistance in elastomers | XVIII, 414 |
| Improved brittle-point apparatus | XIX, 844 |
| ——, AND DAVIS, ARNOLD L. Evaluating low-temperature stiffness and brittle point in elastometers | XVII, 107 |
| GRAY, PRISCILLA. *See* REHNER, JOHN, JR. | |
| GREEN, A. J. *See* SCHOENE, D. L. | |
| GREEN, B. K. *See* WILSON, G. J. | |
| GREENBERG, H. *See* WHITBY, G. S | |
| GREENE, H. E., AND LOUGHBOROUGH, D. L. Some physical properties of elastomers at low temperature | XVIII, 587 |
| GRIFFITHS, J. P., AND PINNELL, C. R. Production of decorative and ornamental rubber products | XIII, 676 |
| GROSS, SIEGFRIED T. *See* CLARK, GEORGE L. | |
| GROSSE, ARISTID V., MORRELL, JACQUE C., AND MAVITY, JULIAN M. Catalytic dehydrogenation of monoölefins to diolefins. Source materials for synthetic rubber and resins. | XIII, 533 |
| GROTE, H. WALTER. Control tests of uniformity in the manufacture of carbon black | XI, 598 |
| GUCHKOVA, N. *See* MARGARITOV, V. B. | |
| GUREVICH, G. I., AND KOBEKO, P. P. Technique of mechanical tests of vulcanizates of rubber and plastics | XIII, 904 |
| GURNEY, W. A. Adhesion of rubber to brass plate | XIX, 199 |
| Brass-plating | XVI, 930 |
| ——, AND GOUGH, V. E. Moulding anisotropy | XX, 863 |
| GUTH, EUGENE. Observations on the viscosity of rubber solutions | XI, 676 |
| Theory of filler reënforcement | XVIII, 596 |
| ——, AND JAMES, HUBERT M. Elastic and thermoelastic properties of rubberlike materials. A statistical theory | XIV, 596 |
| ——, WACK, PAUL E., AND ANTHONY, ROBERT L. Significance of the equation of state for rubbers | XIX, 1137 |
| ——. *See* ANTHONY, R. L.; DART, S. L.; JAMES, HUBERT M.; MROWCA, B. A.; PETERSON, L. L. | |
| HAASIS, FERDINAND W. Staining rubber in ground or milled plant tissues | XVIII, 208 |
| HABGOOD, B. J. BONDING | XI, 169 |
| ——, AND WARING, J. R. S. Electrically conducting Neoprene and rubber | XV, 146 |
| HAEFELE, JOHN W., AND MCCOLM, E. M. Chemistry of natural rubber | XII, 760 |
| ——. *See* MCGAVACK, JOHN. | |
| HAEGEL, JEAN. Mobility of foreign molecules dissolved in rubber | XIX, 987 |
| HAEHL, A. Effects of proöxygenic substances on reclaimed rubber | XIX, 123 |
| ——, AND LE BRAS, JEAN. Effects of milling on the softness of rubber. I. Temperature and friction | XVII, 436 |
| Influence of milling on the plasticization of rubber | XIX, 938 |
| HAGEN, HARRO. Plasticization of Buna | XVI, 866 |
| HAHN, STUART H. Thermal problems in rubber manufacture | XIV, 683 |
| ——, AND GAZDIK, IVAN. Creep of natural and synthetic rubber compounds in shear | XIV, 433 |
| HALE, R. W. *See* TWISS, D. F. | |
| HALL, C. E., HAUSER, E. A., LE BEAU, D. S., SCHMITT, F. O., AND TALALAY, P. Natural and synthetic rubber fibers. Electron-microscope studies | XVII, 837 |
| ——, G. L. *See* DILLON, J. H. | |
| HALLE, F. *See* BRILL, R. | |
| HAMILL, W. H., MROWCA, B. A., AND ANTHONY, R. L. Specific heats of Hevea, GR-S, and GR-I stocks | XIX, 622 |
| HANNA, NANCY P. *See* SMITH, W. HAROLD. | |
| HANSEN, L. A. *See* COPLAN, B. V. | |
| HANSON, E. E. *See* ANDREWS, R. D.; KELSEY, R. H.; LISKA, J. W. | |
| HARPEN, N. H., VAN. Kinetics of coagulation of the latex of *Hevea brasiliensis* and the separation of the hydratant acid | XI, 60 |
| HARRIS, C. O. Some dynamic properties of rubber | XVI, 136 |
| HASLAM, GEORGE S., AND KLAMAN, CLARENCE A. T-50 test applied to zinc oxide compounds | XI, 234 |
| HASTINGS, J. D., AND RHODES, EDGAR. Effect of rubber variability on vulcanization | XIII, 209 |

| | Volume and Page |
|---|---|
| HAUK, V., AND NEUMANN, W. Dependence of the stress on the temperature of rubber elongated to a constant degree | XII, 520 |
| Isothermal and adiabatic stress-strain curves of vulcanized rubber | XII, 64 |
| Time effect in the rapid elongation of rubber | XII, 518 |
| HAUSER, E. A. A contribution to the early history of India rubber | XI, 1 |
| Morphology of rubber latex particles | XIX, 187 |
| ——, AND BROWN, J. R. Chemical reactions during vulcanization | XIII, 65 |
| ——, AND DEWEY, BRADLEY, JR. Creaming of rubber latex | XIV, 308 |
| ——, AND LE BEAU, D. S. Molecular fractionation by diffusion of guayule and Cryptostegia rubber | XX, 70 |
| Studies in compounding guayule rubber. I | XVII, 131 |
| II. | XVII, 136 |
| III. Deresinification of crude guayule rubber | XVII, 142 |
| ——, ——, AND SHEN, YEN. Study of the various molecular fractions of rubber and their behavior during vulcanization | XIX, 602 |
| ——, AND LEGGETT, M. B. Color reactions between clays and amines | XIII, 942 |
| ——, AND SMITH, I. N. Structural studies of the vulcanization of rubber under stretch | XIII, 243 |
| ——, AND SZE, M. C. Chemical reactions during vulcanization. III | XV, 560 |
| ——. *See* BROWN, J. R.; HALL, C. E. | |
| HAVENHILL, R. S., O'BRIEN, H. C., AND RANKIN, J. J. Electrostatic and tensile properties of rubber and GR-S at elevated temperatures | XIX, 428 |
| Electrostatic properties of rubber and GR-S | XVIII, 337 |
| Role of zinc oxide in compounding Government synthetic rubber | XVI, 650 |
| HAYES, R. F. *See* CARSWELL, T. S. | |
| HEDVALL, J. ARVID, AND LARSSON, ATLE. The influence of the crystallographic transformation of sulfur on the course of vulcanization | XI, 317 |
| HEIDE, J. D. Statistical control in the physical testing of rubber | XX, 577 |
| HEILBRON, I. M., JONES, E. R. H., ROBERTS, K. C., AND WILKINSON, P. A. Studies in the sterol group. XLIII. Unsaponifiable portion of the acetone extract of plantation rubber | XV, 91 |
| HENDERSON, D. C. *See* GARVEY, B. S., JR. | |
| HENDRICK, J. V. *See* MCCORTNEY, W. J. | |
| HENDRICKS, J. G. *See* ALFREY, TURNER. | |
| HENDRICKS, S. B., WILDMAN, S. G., AND JONES, E. J. Differentiation of rubber and gutta hydrocarbons in plant materials | XIX, 501 |
| Morphology of latex particles as shown by electron micrographs | XVIII, 173 |
| HENNE, ALBERT L. *See* MIDGLEY, THOMAS, J. | |
| HERINGTON, E. F. G. Study of the mechanism of polymerization reactions by means of size-distribution curves | XIX, 36 |
| HERRMANN, D. B. *See* KEMP, A. R.; WINSPEAR, G. G. | |
| HERSHEY, ROBERT M. *See* ALFREY, TURNER. | |
| HESS, L. D. *See* BORDERS, A. M. | |
| HESSELS, J. H. E. Dispersoid analyses of Hevea latex | XX, 1109 |
| State of polydispersion of Hevea latex | XIX, 76 |
| Part II | XX, 409 |
| HEYWOOD, M. M. Influence on final product of fast and slow vulcanizing rubbers | XII, 423 |
| HILDENBRAND. *See* LE BRAS, JEAN. | |
| HILL, F. B., JR. *See* STARKWEATHER, H. W. | |
| HILTON, F. Analytical methods in rubber chemistry. V. Estimation of the oxygen of highly autoöxidized rubber contained in carboxyl, ester, carbonyl, epoxide and hydroxyl groups | XV, 965 |
| HINTENBERGER, H., AND NEUMANN, W. Behavior of raw rubber when stretched isothermally | XI, 647 |
| HOCK, LOTHAR, AND LEBER, HEINRICH. Effect of silent electric discharges on rubber solutions | XIII, 831 |
| HODSON, W. F. *See* COTTON, F. H. | |
| HOEKSTRA, H. A., AND HOEKSTRA, J. Apparatus for measuring compressibility and permanent set of rubber and rubberlike materials at various temperatures | XII, 861 |
| HOEKSTRA, J. High-speed apparatus for determination of plasticity in rubber works, and some results | XII, 434 |
| Stability of chlorinated rubber and its fractions | XIII, 582 |
| ——. *See* HOEKSTRA, H. A. | |
| HOLLAND-BOWYER, W. *See* BRAZIER, S. A. | |
| HOLLISTER, JOSEPH W *See* MORRIS, ROSS E. | |
| HOLMBERG, BROR. Polyprene and thioglycolic acid | XX, 978 |
| HOLOWCHAK, JOSEPH. *See* REHNER, JOHN, JR. | |
| HOLT, WILLIAM L. *See* ROTH, FRANK L. | |
| HOPPLER, F. Rheologic and elastometric measurements of rubber products | XV, 115 |
| HORSFALL, JAMES G. *See* DIMOND, ALBERT E. | |
| HOUPILLART, JEAN. *See* DUFRAISSE, CHARLES. | |
| HOUWINK, R. A few corrections of statistical theories of the high elasticity of rubber | XII, 498 |
| Oxidation of rubber and its colloidchemical results | XVI, 571 |
| ——. *See* AMERONGEN, G. J. VAN. | |
| HUBLIN, ROGER A. Capacity of rubber mixtures to be moulded | XIX, 466 |
| Evaluation of reclaimed rubber | XIV, 696 |
| New method for determining the filler content of vulcanized rubber | XIX, 482 |
| New method of determination of fillers in vulcanized rubber | XIII, 931 |
| HUGGINS, MAURICE L. Comparison of the structures of stretched linear polymers | XVIII, 763 |
| Molecular weights of high polymers | XVII, 38 |
| New approach to the theory of rubberlike elasticity | XIX, 511 |
| Properties of rubber solutions and gels | XVI, 550 |
| HULL, C. M., OLSEN, S. R., AND FRANCE, WESLEY G. Sulfur bond in vulcanizates. Mineral sulfide as index of disulfide cross-bonding | XX, 627 |
| ——. *See* OLSEN, S. R. | |

| | Volume and Page |
|---|---|
| HUMMER, R. W. *See* STEWARD, W. S. | |
| HUNTER, J. S. Effect of accelerators on the heat embrittlement of GR-S vulcanizates | XVIII, 157 |
| HURKA, V. R. *See* STARKWEATHER, H. W. | |
| HURUKAWA, ZYUNZI, AND NAKAGUTI, KÔHEI. Synthetic rubber from acetylene. III. Preparation of butadiene by catalytic hydrogenation of monovinylacetylene in the gaseous phase | XIII, 856 |
| ——, AND TUKAMOTO, TADASI. Synthetic rubber from acetylene. IV. Preparation of butadiene by catalytic hydrogenation of monovinylacetylene in solution | XIII, 858 |
| INGMANSON, J. H. Digest of coöperative test program on accelerated light aging of rubber | XVI, 668 |
| ——. *See* KEMP, A. R. | |
| INSKEEP, G. E. *See* MARVEL, C. S.; RABJOHN, NORMAN. | |
| IPATIEFF, VLADIMIR N., AND SCHAAD, RAYMOND E. Destructive hydrogenation of high-molecular-weight polymers. Isobutene polymer, butadiene polymer, and natural rubber | XIII, 849 |
| JAMES, HUBERT M., AND GUTH, EUGENE. Theory of rubber elasticity for development of synthetic rubbers | XVI, 286 |
| ——. *See* GUTH, EUGENE. | |
| ——, ROBERT R. *See* MORRIS, ROSS E. | |
| JARRIJON, ANDRÉ. Applications of ultraviolet spectrography. Study of the transformation which tetramethylthiuram disulfide undergoes during the process of vulcanization | XIX, 1061 |
| Hardening of crude rubber | XIX, 400 |
| ——, AND LEPETIT, FRANCIS. Modifications of chlorinated rubber brought about by organic bases. Piperidine | XX, 457 |
| ——. *See* DUFRAISSE, CHARLES. | |
| JEANNERAT, JEAN. *See* MEYER, KURT H. | |
| JEFFREY, G. A. Structure of polyisoprenes. I. Crystal structure of geranylamine hydrochloride | XIX, 351 |
| II. Structure of β-gutta-percha | XVIII, 280 |
| ——. *See* BATEMAN, L.; BLOOMFIELD, GEORGE F.; COX, E. G. | |
| JOHNSON, C. R. *See* COHAN, LEONARD H. | |
| ——, E. B., AND SCOTT, J. R. Experiments on the preparation of transparent vulcanized rubbers | XVI, 445 |
| ——, E. J. *See* HENDRICKS, S. B. | |
| ——, E. R. H. *See* HEILBRON, I. M. | |
| ——, H. W. *See* RABJOHN, NORMAN. | |
| ——, ROBERT H. Manometric test for oxygen absorption by vulcanized rubber | XV, 83 |
| JONES, FORDYCE. Improved packing of rubber | XI, 439 |
| ——, AND PEARCE, W. H. Use of the pendulum in rubber testing | XII, 403 |
| JONES, H. Plasticizers in rubbers and plastics | XX, 184 |
| ——, H. C. Refractometer studies on rubber-pigment mixtures | XIII, 649 |
| ——, AND SNYDER, E. G. Effect of temperature on the resilience of natural and synthetic rubber | XVI, 881 |
| ——, AND YIENGST, H. A. Dilatometer studies of pigment-rubber systems | XIV, 113 |
| JONES, P. J. *See* GEHMAN, S. D. | |
| JORDAN, CHARLES B. *See* MORRIS, ROSS E. | |
| ——, H. F. The KOH-number test and its application to the compounding of zinc oxide in rubber latex | XII, 590 |
| ——, BRASS, P. D., AND ROE, C. P. Temperature correction in formula for viscosity of latex | XIV, 176 |
| ——. *See* SHRIVER, G. E. | |
| ——, WILBUR, F. *See* NOVOTNY, CHAS. K. | |
| JUVE, A. E. Processing characteristics of synthetic rubbers and their use in the manufacture of extruded products | XVII, 932 |
| ——. *See* GARVEY, B. S., JR.; MCCARTHY, G. D. | |
| ——, R. D. *See* BORDERS, A. M. | |
| KABLER, MARIAN. *See* CLARK, GEORGE L. | |
| KAMBARA, SYÛ. Studies of synthetic rubber. III. Influence of irradiation with ultraviolet light on the degree of polymerization and structural viscosity of various synthetic rubbers | XIV, 724 |
| KARIMULLAH. *See* BHATNAGAR, S. S. | |
| KARMIN, B. *See* DOGADKIN, B. | |
| KARPOV, L. YA. *See* ALEKSEEVA, E. N. | |
| KECK, MAX H., AND CHEYNEY, LA VERNE E. Structural changes in vulcanization of Buna-S | XIX, 534 |
| KEDROV, B. M Formula for determining the viscosity of latex | XII, 112 |
| KEEN, W. NEWLIN. du Pont modified Williams plastometer | XVII, 994 |
| KEILEN, J. J., AND POLLAK, ARTHUR. Lignin for reënforcing rubber | XX, 1099 |
| KELLEY, EVERETT J. *See* CHEYNEY, LA VERNE E. | |
| KELSEY, R. H., AND DILLON, J. H. Rheological properties of natural and synthetic rubbers | XVII, 621 |
| ——, AND HANSON, E. E. Method for preparing rubber latex specimens for the electron microscope | XX, 602 |
| KEMP, A. R. Composition and colloidal properties of balata latex | XII, 470 |
| Composition and structure of Hevea latex | XI, 394 |
| ——, AND HERRMANN, D. B. Dielectric measurements in the study of carbon black and zinc oxide dispersion in rubber | XII, 317 |
| ——, INGMANSON, J. H., AND MUELLER, G. S. Oxidation of vulcanized rubber. Effect of temperature, state of cure and thickness | XIII, 375 |
| ——, MALM, F. S., AND STIRATELLI, B. Solubility and diffusion of sulfur in synthetic elastomers | XVII, 693 |
| ——, ——, AND WINSPEAR, G. G. Brittle temperature of rubber under variable stress | XVI, 609 |

| | Volume and Page |
|---|---|
| ——, Winspear, G. G., and Stiratelli, B. Diffusion of sulfur in rubber | XIII, 807 |
| ——, and Peters, H. Molecular weight of sol and gel in crude Hevea rubber | XIII, 11 |
| Cryoscopic and viscosity studies of polyisobutylene. Cryoscopic deviation of polyisobutylene solutions from Raoult's law | XVI, 69 |
| Fractionation and molecular weight of rubber and gutta-percha | XV, 1 |
| Sol and gel in Hevea latex and crude rubber. Influence of oxidation on gel-sol transformation | XIII, 28 |
| Unsaturation of butadiene and related polymers as determined by iodine chloride addition | XVII, 61 |
| Viscosity and cryoscopic data on polystyrene. Discussion of Staudinger's viscosity rule | XVI, 58 |
| Viscosity-molecular weight of rubber. Cryoscopic deviation of rubber solutions from Raoult's law | XV, 60 |
| ——, and Straitiff, W. G. Hevea latex. Effect of proteins and electrolytes on its colloidal behavior | XIII, 705 |
| Structural features of Buna-S. Relation to physical properties | XVIII, 41 |
| ——, Winspear, G. G., and Stiratelli, B. Diffusion of sulfur in rubber | XIII, 807 |
| ——. *See* Crabtree, James; Ingmanson, J. H.; McMahon, W.; Selker, M. L.; Taylor, R. L.; Winspear, G. G. | |
| Kennedy, R. L. *See* Buist, J. M. | |
| Kern, Werner, and Fernow, Helmut. Polymerization of methacrylonitrile. Polymethacrylonitrile | XVIII, 267 |
| Macromolecular compounds. CCCII. Polymerization of acrylonitrile. Polyacrylonitrile | XVII, 356 |
| Kesternich, W. *See* Aengeneydt, J. | |
| Kheraskova, E., and Korsunskaya, E. New method for the direct determination of rubber | XI, 438 |
| Khimudis, N. S. *See* Medvedchuk, P. I. | |
| Kilbourne, F. L. *See* Palmer, H. F. | |
| Kimmich, E. G. Rubber in compression | XIV, 407 |
| Kinell, Per-Olof. Elasticity measurements of polychloroprenes | XX, 1077 |
| King, Glen E. Bend-brittle and shatter points of rubberlike materials | XVII, 100 |
| Kirchhof, F. Sensitive detection of organically combined bromine | XII, 103 |
| Kirilina, V. *See* Mikhailov, G. P. | |
| Kirsch, W. *See* Thiessen, P. A. | |
| Kish, Geo. D. Method of testing the elasticity of synthetic rubbers at low temperatures | XVI, 888 |
| Klassen, J. *See* Turrall, Wm. T. | |
| Klebsattel, C. A. *See* Sparks, W. J. | |
| Knapp, R. C. *See* Morron, J. D. | |
| Kobeko, P. P. *See* Gurevich, G. I. | |
| Koch, E. A. Introduction of the bending-strength test for soft rubber as a means of determining the freezing point and changes in elastic properties of soft rubber at high and low temperatures | XIV, 799 |
| ——. *See* Bateman, L.; Cuneen, J. I.; Farmer, E. Harold; Schoon, Th. | |
| Kolthoff, I. M., Lee, T. S., and Carr, C. W. Determination of polystyrene in GR-S rubber | XX, 546 |
| Koningsberger, C. *See* Salomon, G. | |
| ——, and Salomon, G. Preparation and properties of rubberlike high polymers. I. Polymerization of dienes and vinyl compounds in bulk | XIX, 1029 |
| II. Polymerization of mixtures in bulk | XX, 380 |
| Kornfel'd, M., and Poznyak, V. Mechanical properties of raw and vulcanized rubbers during periodic deformation | XIII, 316 |
| Korsunskaya, E. *See* Kheroskova, E. | |
| Kosten, C. W. Rubber as antivibration material | XIII, 686 |
| Static and dynamic properties of rubber under compression | XII, 381 |
| ——, and Zwikker, C. Properties of sponge rubber as a material for damping vibration tion and shock | XII, 105 |
| Kovarskaya, B. M. *See* Dogadkin, B. A. | |
| Kraay, G. M. *See* Altman, R. F. A. | |
| ——, and Altman, R. F. A. Notes on the method of Roberts for the analysis of raw rubber | XIII, 124 |
| Kratky, O., Philipp, H., Posnansky, K. W., and Schossberger, P. A new transformation product of rubber | XI, 661 |
| Küng, F. E. *See* Garvey, B. S., Jr. | |
| Kusov, A. Fibrous properties and abrasion resistance of synthetic rubber compounds | XIV, 786 |
| Ladd, Wm. A. *See* Wiegand, W. B. | |
| Lainé, Paul, and Roux, André. Hardness tests at low temperatures | XIX, 933 |
| Laitinen, H. A., and Nelson, J. S. Determination of hydroperoxides in rubber and synthetic polymers | XX, 45 |
| Lambert, J. M. *See* Busse, W. F. | |
| Larrick, Lewis. Standardization of durometers | XIII, 969 |
| Larsson, Atle. *See* Hedvall, J. Arvid. | |
| Latshaw, Elmer. An elastic theory for rubber | XV, 790 |
| Lawson, J. Keith. *See* Rabjohn, Norman. | |
| Lazurkin, Yu. S. Dynamic method of studying elastic materials | XIII, 898 |
| ——. *See* Aleksandrov, A. P. | |
| Le Beau, D. S. *See* Hall, C. E.; Hauser, E. A. | |
| Leber, Heinrich. *See* Hock, Lothar. | |
| Le Bras, Jean. Autoöxidation of rubber and mechanisms of protection against oxygen | XX, 972 |
| Influence of vulcanization on the oxidizability of rubber. II. Vulcanizing agents other than sulfur | XIX, 876 |
| A new material; anhydride rubber. I | XIX, 313 |
| Two methods of protection against oxygen and the improvement which results from their combined use. I. Observations on the mechanism of protection | XX, 949 |
| Two modes of action of antioxidants in rubber | XVIII, 22 |

Volume and Page

——, AND COMPAGNON, PATRICE. Chemistry of rubber. Interaction of ethylenic compounds and rubber ... XX, 938
——, AND HILDENBRAND. Protection of rubber against oxygen by a deactivating effect ... XX, 427
——, AND VIGER, FRANÇOISE. Two methods of protection against oxygen and the improvement which results from their combined use. II. Combination of the two modes of action ... XX, 962
——. *See* DUFRAISSE, CHARLES; HAEHL, A.
LEDUC, HENRI. Some applications of high-frequency electric currents to the latex industry ... XI, 570
——, AND DUFOUR, RENÉ. Concentration of latex by means of electric currents of high frequency ... XIX, 486
LEE, T. S. *See* KOLTHOFF, I. M.
LEEPER, H. M. Simple cold test for vulcanized polymers ... XX, 859
LEGGETT, M. B. *See* HAUSER, E. A.
LEPETIT, F. Thermoplasticity of chlorinated rubber ... XX, 249
——. *See* JARRIJON, ANDRÉ.
LESSIG, E. T. Goodrich flexometer ... XI, 249
——, AND COMPTON, JACK. Single-cord compression adhesion test for evaluating the adhesion of vulcanized rubber to cord ... XIX, 223
LE TOURNEAU, R. L. *See* CLARK, G. L.
LEWIS, T. R. G. Abrasion tests on rubber ... XX, 253
——, W. K., SQUIRES, LOMBARD, AND NUTTING, ROBERT D. Mechanism of rubber vulcanization with sulfur ... XI, 107
LICHTENBERGER, J., AND NAFTALI, M. Action of pyridine on chlorinated rubber ... XIII, 133
LIDDEL, URNER. *See* BARNES, R. BOWLING.
LIGHTBOWN, I. E., VERDE, L. S., AND BROWN, J. R., JR. Performance of Butyl inner tubes. Influence on tire life ... XX, 1086
——. *See* SPARKS, W. J.; THOMAS, R. M.
LINHORST, E. F. *See* MORRON, J. D.
LINQUIST, J. RAYMOND. *See* MCKENNON, FORREST L.
LINSCOTT, CHESTER E. *See* MCGAVACK, JOHN.
LIPPMANN, S. A. *See* ELLIOTT, D. R.
LISKA, JOHN W. Effect of low temperatures on Young's modulus of elastomers ... XVII, 421
LISKA, J. W. *See* CONANT, F. S.
——, AND HANSON, E. E. Static electric problems in tires ... XV, 678
LITTLE, JULIAN R. *See* ARMSTRONG, ROBERT F.
LIVINGSTON, H. K., AND WALSH, R. H. Control of pH of Neoprene latex ... XX, 884
LONDON ADVISORY COMMITTEE FOR RUBBER RESEARCH. Report of Conference on postwar preparation and packing of rubber ... XIX, 865
LONGMAN, S. Vistanex polybutene-rubber blends ... XIV, 386
LOUGHBOROUGH, D. L. *See* GREENE, H. E.
LOW, RODOLFO. Azo dyes derived from rubber ... XI, 515
LUCAS, FRANCIS F. Motion picture study of balata and Hevea latices, with observations on Buna-S and Neoprene latices ... XVI, 509
Ultraviolet microscopy of Hevea rubber latex ... XI, 405
LUKE, C. L. Determination of mercury in rubber ... XVII, 234
Determination of total sulfur in rubber ... XVII, 227; XVIII, 663
LYLE, R. *See* BRUCE, P. L.
LYONS, W. JAMES, NELSON, MARY L., AND CONRAD, CARL M. H test for evaluating the adhesive properties of tire cord in natural and GR-S rubbers ... XX, 268

MCCARTHY, G. D., JUVE, A. E., BOXSER, H., SANGER, M., DONER, S. R., CUNNINGHAM, E. N., MCWHORTER, J. R., AND CROSSLEY, R. H. High-temperature oven-aging of oil-resisting synthetic-rubber compounds ... XVIII, 667
MCCLELLAN, PAUL P. *See* PARK, C. R.
MCCOLM, E. M. Hevea latex sludge. Existence of a sludge fraction in fresh unpreserved latex ... XIII, 517
——. *See* MAEFELE, J. W.
MCCORTNEY, W. J., AND HENDRICK, J. V. Cold resistance of synthetic rubber ... XIV, 736
MCGAVACK, J. Hevea latex of large particle size ... XIII, 415
Proper preservation and storage of latex ... XX, 879
——, LINSCOTT, CHESTER E., AND HAEFELE, JOHN W. USF, a new crude rubber ... XVI, 560
——, AND RHINES, C. E. Hevea latex. Correlation of nitrogen and ash with total solids content ... XIII, 744
MCHENRY, JOHN J., DRUMM, PETER J., AND O'CONNOR, WILLIAM F. Preparation of 2,3-dimethylbutadiene and its polymerization to "methyl rubber" ... XVIII, 785
MACKAY, J. G., ANDERSON, J. G., AND GARDNER, E. R. Hysteresis tests on tire compounds ... XIV, 421; XIV, 938
——, AND AVONS, C. H. J. Determination of free sulfur in vulcanized rubber ... XIV, 520; XV, 376
MACKAY, J. W. Extraction of water-soluble accelerators in water cure ... XI, 591
Preparation and testing of latex compounds ... XI, 658
MCKENNON, FORREST L., AND LINQUIST, J. RAYMOND. Solution method for the compounding of goldenrod rubber ... XVIII, 679
MACKEY, JAMES F. *See* COHAN, LEONARD H.
MCMAHON, W., AND KEMP, A. R. Pigment incorporation in GR-S through latex ... XVIII, 122
MCMURDIE, H. F. *See* HENDRICKS, S. B.
MCPHERSON, ARCHIBALD T. Central organization for fundamental research on rubber ... XV, 221
Vulcanization by the Peachey process ... XX, 182
——. *See* SCOTT, ARNOLD H.
MCWHORTER, J. F. *See* MCCARTHY, G. D.
MADGE, E. W. Artificial latices ... XVII, 533
MAGAT, MICHAEL. *See* CARTER, WALTER C.
MAHONEY, JOHN F., AND MITCHELL, JOHN H. Improved semimicrodetermination of sulfur in organic materials. Peroxide-carbon fusion followed by a titration using tetrahydroxyquinone indicator ... XV, 378

| | Volume and Page |
|---|---|
| MALLARD, PAUL A. *See* MORRIS, ROSS E. | |
| MALM, F. S. *See* KEMP, A. R.; WINSPEAR, F. S. | |
| MARGARITOV, V. B., AND GUCHKOVA, N. Vulcanization of rubber by nitrogen compounds | XIV, 835 |
| MARGARITOV, V., AND SEREBRYANNIKOVA, L. Solvation in dispersed systems. XII. Influence of surface-active substances on the structure of rubber fractions | XVI, 86 |
| MARK, H. Intermolecular forces and mechanical behavior of high polymers | XVI, 268 |
| Phase transition and elastic behavior of high polymers | XV, 452 |
| Rubber elasticity and gas elasticity | XII, 124 |
| ——, AND MEYER, KURT H. Crystal structures of cellulose and of rubber | XII, 734 |
| ——, AND POSNANSKY, K. W. New types of transformation products of rubber | XIII, 519 |
| ——. *See* ALFREY, T. | |
| MARKER, RUSSELL E., AND WITTLE, EUGENE L. Sterols. L. The isolation of caoutchicol | XIII, 302 |
| MAROVICH, V. P. *See* MEDVEDCHUK, P. I. | |
| MARSH, J. W. *See* D'IANNI. | |
| MARTIN, G. Funtumia and Ceara *vs.* Hevea | XVII, 541 |
| ——, GEORGE. Relations between the quality of latex and its chemical composition | XIX, 494; XX, 608 |
| Wild rubber of tropical Africa | XVII, 240 |
| ——, S. M., JR. Gasoline-diffusion resistance of Thiokol Type F | XIV, 929 |
| Low-temperature flexing apparatus | XVI, 692 |
| MARTY, A. Improvements in methods for the rapid analysis of rubber | XII, 609 |
| MARVEL, C. S., BAILEY, W. J., AND INSKEEP, G. E. Sodium-catalyzed copolymerization of 1,3-butadiene and styrene | XX, 1 |
| MARZETTI, B. An accelerated aging test at room temperature | XII, 283 |
| MASON, CHARLES F. Rubber resins | XVI, 731 |
| MATHUR, M. L. *See* SIDDIQUI, RAFAT HUSAIN. | |
| MAVITY, JULIAN M. *See* GROSSE, ARISTID V. | |
| MAY, E. J. Production of industrial sponge rubber | XVI, 432 |
| MEADOWS, G. W. *See* EVANS, A. G. | |
| MEDVEDCHUK, P. I., ALDOSHIN, F. D., MAROVICH, V. P., AND REPMAN, A. V. Reactions of iodine, iodine chloride and thiocyanogen with the hydrocarbons of natural rubber and synthetic rubber | XVIII, 24 |
| ——, KHIMUDIS, N. S., AND NEMIROVSKII, YA. N. Vulcanization of rubber in an ultra-high frequency field | XIII, 262 |
| MEDVEDEV, S. *See* GANTMACHER, A. R. | |
| MEEHAN, E. J. Composition of butadiene-styrene copolymers prepared by emulsion polymerization | XX, 14 |
| Spectrophotometric determination of styrene content of butadiene-styrene copolymers | XIX, 1077 |
| ——, PARKS, T. D., AND LAITINEN, H. A. Comparison of ultraviolet absorption and chlorine analysis methods for composition of butadiene-*p*-chlorostyrene copolymers | XX, 313 |
| MEER, S., VAN DER. Vulcanization of rubber with phenol-formaldehyde derivatives. I and II | XVIII, 853 |
| Insufficiency of the chromane theory | XX, 173 |
| MELLERS, C. E. *See* BRAZIER, S. A. | |
| MELNIKOV, A. I. *See* PATRIKEEV, G. A. | |
| MELVILLE, H. W. Mechanism of polymerization reactions | XIII, 557 |
| ——. *See* GEE, G. | |
| MENADUE, F. B. Highly reactive sulfur or the reaction of ammonia and sulfur chloride in rubber solutions | XI, 92 |
| Setting-up or scorchability test of compounded rubbers | XVII, 213 |
| MERRILL, R. A. *See* CADWELL, S. M. | |
| MEYER, KURT H. Fusion curves of rubber and gutta-percha | XI, 658 |
| Researches on rubber and rubberlike substances | XII, 31 |
| ——, AND JEANNERAT, JEAN. Properties of polymers in solution. X. Ultrafiltration of rubber solutions | XII, 774 |
| ——, AND WERTHEIM, M. Molecular weight and constitution of natural rubber | XV, 17 |
| ——, WOLF, EBERHARD, AND BOISSONAS, CH. G. Heat of dilution in the system: rubber-toluene | XII, 504 |
| ——, AND WYK, A. J. A. VAN DER. Molecular processes during the deformation of rubber-like elastic bodies | XIX, 525 |
| Thermoelastic properties of rubber | XX, 416 |
| ——. *See* MARK, H. | |
| MICHAEL, STEPHEN E. *See* FARMER, ERNEST HAROLD. | |
| MICHALEK, J. C., AND CLARK, C. C. Dichlorostyrenes and their polymers | XVIII, 424 |
| MIDGLEY, THOMAS, JR., HENNE, ALBERT L., AND RENOLL, MARY W. Natural and synthetic rubber. XVIII. The protein from natural rubber and its amino acid constituents | XI, 5 |
| MIGHTON, C. J. *See* STARKWEATHER, H. W. | |
| MIKHAILOV, G. P., AND KIRILINA, V. Study of elastic relaxation by a resonance method | XIV, 858 |
| MILLER, A. R. Vapor pressure equations of solutions and the osmotic pressure of rubber | XVI, 805 |
| ——, C. J. *See* STEVENS, H. P. | |
| MILLIGAN, A. G., AND SHAW, J. E. Measurement of the absorption of oxygen by vulcanized rubber in air | XII, 261 |
| MINATOYA, S., AND ANDÔ, T. Proposed new method of retarding the aging of vulcanized rubber by means of peroxides and nitro compounds | XII, 292 |
| MISCH, LORE C., AND WYK, A. J. A. VAN DER. Lattice of rubber | XIII, 547 |
| MITCHELL, J. H., RICE, M. A., AND RODERICK, D. B. Rubber analysis of plants in South Carolina | XV, 978 |
| ——, JOHN H. *See* MAHONEY, JOHN F. | |
| MITTON, PHILIP. *See* MORRIS, ROSS E. | |
| MOAKES, R. C. W., AND SCOTT, J. R. Vulcanization testing of reclaim. Relation between results obtained in reclaim-sulfur and tire-tread mixes | XX, 301 |
| MONTERMOSO, JUAN C. *See* MORRIS, ROSS E. | |
| MOONEY, MELVIN. Rheology of processing quality of raw rubbers | XX, 1029 |
| ——, M. Viscometer for measurements during thixotropic recovery. Results with compounded latex | XX, 585 |

Volume and Page

——, AND GERKE, R. H. Torsional hysteresis test for rubber ..... XIV, 35; XV, 158
——, WOLSTENHOLME, W. E., AND VILLARS, D. S. Drift and relaxation of rubber ..... XVII, 576
MOORE, J. G. *See* BAXTER, J. P.
MORGAN, L. B., AND NAUNTON, W. J. S. Mechanism of oxidation of rubber and its bearing on accelerated aging tests. I and II ..... XII, 235
MORLEY, J. F., PORRITT, B. D., AND SCOTT, J. R. Reproducibility of tensile, permanent set, and hardness test results in the same laboratory ..... XX, 551
——, AND SCOTT, J. R. Comparison of the bromine and nitric acid methods of estimating sulfur in acetone extracts ..... XX, 315
Effect of buffing in preparing dumb-bell tensile specimens ..... XX, 329
——, ——, AND WILLOTT, W. H. Comparison of methods of examining the scorching of rubber stocks ..... XVIII, 460
MORRELL, JACQUE C. *See* GROSS, ARISTID, V.
MORRIS, ROSS E. Polysulfide theory of accelerator action during vulcanization ..... XV, 590
——, HOLLISTER, JOSEPH W., AND MALLARD, PAUL A. Cure of GR-S in thick articles ..... XVII, 984
Cold-compression sets of natural and synthetic vulcanizates ..... XIX, 151
——, JAMES, ROBERT E., BERGER, EMIL H., AND WERKENTHIN, THEODORE A. Effect of petroleum solvents on the cold resistance of synthetic vulcanizates ..... XVII, 116
——, ——, CALDWELL, ERNEST B., AND WERKENTHIN, THEODORE A. Compounding of guayule rubbers. Effect of various factors on physical properties ..... XVII, 161
——, ——, AND EVANS, EDWARD R. Low temperature stiffness test for elastomers ..... XVIII, 192
——, ——, AND WERKENTHIN, THEODORE A. Brittle points of natural and synthetic rubber stocks ..... XVII, 92
Compounding of guayule rubber. Effect of accelerator-curing agent combinations ..... XVII, 150
Sunlight and accelerated light aging of synthetic rubbers ..... XVI, 209
——, AND JORDAN, CHARLES B. *x*-Ray diagram of a Buna-S vulcanizate ..... XVIII, 20
——, MITTON, PHILIP, MONTERMOSO, JUAN C., AND WERKENTHIN, THEODORE A. Effect of petroleum products on Buna-S vulcanizates ..... XVI, 910
——, ——, SEEGMAN, IRVIN P., AND WERKENTHIN, THEODORE A. Compounding of GR-S ..... XVII, 704
——. *See* WERKENTHIN, T. A.
MORRISON, G. D., AND SHEPHERD, T. Thiuram disulfides in compounding ..... XX, 803
MORRON, J. D., KNAPP, R. C., LINHORST, E. F., AND VIOHL, P. Effect of temperature on the vibration characteristics of natural and synthetic rubbers ..... XVIII, 83
MORSS, HENRY A. An *x*-ray study of stretched rubber ..... XI, 352
MOTTRAM, S. *See* BUIST, J. M.
MOYAL, J. E. Deformation of rubberlike materials ..... XVIII, 97
——, AND FLETCHER, W. P. Free and forced vibration methods in the measurement of the dynamic properties of rubbers ..... XIX, 163
MROWCA, B. A. *See* HAMILL, W. H.
——, DART, S. L., AND GUTH, EUGENE. Retraction and stress propogation in natural and synthetic gum and tread stocks ..... XVIII, 557
MUELLER, G. S. *See* KEMP, A. R.
MULLINS, L. Effect of temperature on resilience ..... XX, 998
Evaluation of physical properties of rubber vulcanizates at low temperatures ..... XIX, 915
MUNROE, DOROTHY LEWIS. *See* DYER, ELIZABETH.
MURPHREE, E. V. *See* THOMAS, R. M.
MURPHY, E. A. Electrodecantation for concentrating and purifying latex ..... XVI, 529
Testing and control of latex supplies ..... XII, 885

NAFTALI, M. *See* LICHTENBERGER, J.
NAKAGUTI, KÔHEI. *See* HURUKAWA, ZYUNZI.
NAPLES, F. J. *See* D'IANNI, J. D.
NARRACOTT, ERIC S. *See* FARNER, ERNEST HAROLD.
NASON, H. K. *See* CARSWELL, T. S.
NAUNTON, W. J. S. Rubber photogels ..... XVI, 768
——, AND WARING, J. R. S. Fatigue in rubber. II ..... XII, 332;
III ..... XII, 845
——. *See* MORGAN, L. B.
NAYLOR, RALPH F. Behavior of ketene towards olefins and olefinic peroxides ..... XIX, 63
Distribution of oxygen in oxidized rubbers ..... XVIII, 32
Modern views on the chemistry of vulcanization changes. II. Role of hydrogen sulfide. XX, 353
Reactivity of isoprenic and analogous hydrocarbons towards thiocyanic acid and dithiocyanogen ..... XIX, 34
NEAL, A. M., BIMMERMAN, H. G., AND VINCENT, J. R. Effect of temperature and pressure on oxygen pressure aging ..... XVI, 453
——, AND OTTENHOFF, PIETER. Factors influencing the plasticity and recovery of GR-S. XVII, 875
NEALE, A. E. T. *See* TWISS, D. F.
NEDERVEEN, G. VAN. Color measurements of latices, and of rubber films prepared from them ..... XIV, 884
Impregnation of cotton yarns with latex ..... XV, 323
NELLEN, A. H., AND BARNETT, C. E. Processing characteristics of rubber compounds as affected by pigment particle size and surface ..... XI, 585
NELSON, J. S. *See* LAITINEN, H. A.
——, MARY L. *See* LYONS, W. JAMES.
NEMIROVSKIĬ, YA. N. *See* MEDVEDCHUK, P. I.
NEUMANN, W. *See* GLEICHENTHEIL, S.; HAUCK, V.; HINTENBERGER, H.
NEWTON, E. G. Curing rate of rubber. Effect of phosphate buffer mixtures on the rate of cure of crepe rubber ..... XV, 580
——, AND WILLSON, E. A. Evaluation of the buffer capacity of crude rubbers ..... XV, 572
——, R. G. Mechanism of exposure-cracking of rubbers, with a review of the influence of ozone ..... XVIII, 504
Quantitative method of expressing flex-cracking results ..... XIII, 694

| | Volume and Page |
|---|---|
| ——, AND SCOTT, J. R. Accelerated aging of vulcanized rubber. Factors determining the relation between oven and bomb aging | XX, 760 |
| ——. *See* SCOTT, J. R. | |
| NICKERSON, R. F. Cotton fibres. Constitution, structure, and mechanical properties | XIV, 273 |
| NOBLE, R. J. Purified latex and rubber | XII, 672 |
| NORTON, FRANCIS J. Action of ozone on rubber and other materials | XIII, 576 |
| NOVOTNY, CHAS. K., AND JORDAN, WILBUR F. Machine and methods for testing the mechanical stability of latex | XV, 172 |
| NUMAZIRI, SEIITI. Studies of hard rubber reactions. VI. Liberation of so-called free sulfur and changes in the acetone extract of vulcanized rubber by repeated extraction and heating | XIII, 598 |
| VII. True free sulfur from pure rubber-sulfur compound and changes in the acetone extract during repeated extraction and heating | XIII, 601 |
| VIII. The corrected coefficient of vulcanization and its maximum value in an accelerated rubber compound | XIII, 926 |
| NUTTING, ROBERT D. *See* LEWIS, W. K. | |
| OBERTO, S. Fluorescence of vulcanization | XI, 310 |
| O'BRIEN, H. C. *See* HAVENHILL, R. S. | |
| O'CONNOR, H. F., AND SWEITZER, C. W. Latex compounding of GR-S | XVII, 741 |
| ——, WILLIAM F. *See* MCHENRY, JOHN J. | |
| OGG, C. L. *See* WILLITS, C. O. | |
| OKITA, T. Influence of copper on rubber. VII. Effects of metallic salts on the evolution of hydrogen sulfide | XII, 78 |
| Studies on deproteinized rubber. V. Effects of several proteins | XII, 71 |
| OLSEN, S. R., HULL, C. M., AND FRANCE, WESLEY G. Sulfur bond in vulcanizates. Implications of halogen reactions | XX, 627 |
| ——. *See* HULL, C. M. | |
| ONEACRE, L. E. *See* CRAMER, H. I. | |
| ORR, W. J. C. *See* BOLLAND, J. L.; GEE, GEOFFREY. | |
| OSBERG, E. V. History of the Division of Rubber Chemistry of the American Chemical Society | XIII, 1 |
| OTTENHOFF, PIETER. *See* NEAL, ARTHUR M. | |
| OWEN, E. W. B. Processes of reclaiming rubber and their relative merits | XVII, 544 |
| PALMER, HENRY F., AND CROSSLEY, ROBERT H. Natural aging of reclaimed rubber | XVI, 417 |
| Reclaimed rubber. Application of the T-50 test | XIV, 247 |
| Test formulas for reclaimed rubber | XV, 183 |
| ——, AND KILBOURNE, F. L., JR Chloroform extract of reclaimed rubber | XIII, 633 |
| PARK, CHULLCHAI. Crystallization of crude rubber | XII, 778 |
| Second report of the investigation of the crystallization of crude rubber | XIII, 539 |
| ——, C. R. Relations between vulcanization and reinforcement | XIII, 103 |
| ——, AND MCCLELLAN, PAUL P. Flocculation of pigment in carbon black-rubber mixtures | XI, 575 |
| PARKER, L. F. C. Identification of raw and vulcanized rubberlike polymers. I. Reaction time in a mixture of nitric and sulfuric acids | XVIII, 659 |
| II. Determination of swelling ratios | XVIII, 896 |
| ——, AND WAKE, W. C. Weber color test for the identification of natural rubber | XVIII, 902 |
| PARKINSON, D. Carbon black in compounding rubber | XIV, 98 |
| Carbon blacks in GR-S | XIX, 100 |
| Effect of diameter and surface area of carbon black particles on certain properties of rubber compounds | XVII, 451 |
| ——, AND BLOXHAM, J. L. Behavior of natural rubber and GR-S under repeated stress cycles | XIX, 417 |
| ——. *See* GOUGH, V. E.; TIDMUS, J. S. | |
| PARKS, T. D. *See* MEEHAN, E. J. | |
| PARRIS, R. W., AND SCOTT, J.R. Propertieof hard rubber. IX. Swelling in various liquids (XIII of swelling of rubber) | XV, 280 |
| PASELLI, PIERO. Rubber solvents which are economically self-sufficing | XIV, 227 |
| PASTERNACK, D. S. *See* WHITBY, G. S. | |
| PASYNSKII, A. G., AND GATOVSKAYA, T. V. Molecular weight and polydispersivity of rubber by diffusion measurements | XX, 377 |
| PATRIKEEV, G. A., AND MELNIKOV, A. I. Tear resistance of rubber compounds | XIV, 863 |
| PATRYN, T. Experiments on the determination of the activity of carbon black by its power of adsorbing carbon tetrachloride vapor | XIII, 437 |
| ——, AND PILAT, S. Some physico-chemical properties of carbon blacks | XIV, 934 |
| PEAKER, C. R. Procedure for determining physical properties of films from GR-S latices | XIX, 190 |
| PEARCE, W. H. *See* JONES, F. B. | |
| PELZER, H. Kinetic theory of the elasticity of rubber | XI, 644 |
| PENN, WILLIAM S. Specific influences in the polymerization of dienes. Chemical factors influencing the homogeneity of synthetic rubbers during production | XVIII, 213 |
| PENNELL, C. R. *See* GRIFFITHS, J. P. | |
| PERIN, R J. Effect of operating conditions on the life of rubber belts | XIII, 962 |
| PETERS, CHAUNCEY G. *See* WOOD, LAWRENCE A. | |
| ——, H. *See* KEMP, A. R. | |
| ——, HENRY. *See* KEMP, A. R. | |
| PETERSON, L. E., ANTHONY, R. L., AND GUTH, EUGENE. Equation of state of some synthetic rubbers | XVI, 290 |
| PETROV, K. *See* ZEIDE, O. A. | |
| ——, K. D. Mechanism of the action of mercaptobenzothiazole and of its derivatives in the vulcanization process | XVII, 56 |
| PETROVA, A. *See* TSVETKOV, V. N. | |
| PHILIPP, H. *See* KRATKY, O. | |

| | Volume and Page |
|---|---|
| ——, Howard J., and Conrad, Carl M. Control of elongation in highly stretched cotton tire cord | XIX, 253 |
| Philippoff, W. Comparative viscometric investigations of solutions of crepe rubber and Buna rubber | XI, 372 |
| Pickett, F. N. Distillation products from waste rubber | XIV, 406 |
| Piddlesden, J. H. Concentration of latex by centrifugal machines | XIV, 160 |
| Pilat, S. *See* Patryn, T. | |
| Piper, G. H. Application of rubber latex to woolen hosiery | XV, 895 |
| ——, and Scott, J. R. Rubber plastometer with uniform rate of shear. Shearing-cone plastometer | XIX, 822 |
| Plaizier, J. A. *See* Rossem, A. Van. | |
| Planer, G. V. *See* Buckingham, R. | |
| Polanyi, M. *See* Evans, A. G. | |
| Pollak, Arthur. *See* Keilen, J. J. | |
| Popham, F. J. W. *See* Stevens, H. P. | |
| Porritt, B. D. *See* Morley, J. F. | |
| Posnansky, K. W. *See* Kratky, O.; Mark, H. | |
| Powell, E. G., and Gough, V. E. Mechanism of rubber cracking | XIX, 406 |
| Powers, P. O. *See* Carman, F. H. | |
| ——, and Billmeyer. Swelling of synthetic rubbers in mineral oils. Effect of temperature and aniline point | XVIII, 452 |
| ——, and Robinson, H. A. Swelling of synthetic rubbers in mineral oils | XV, 597 |
| Poznyak, V. *See* Kornfel'd, M. | |
| Prettyman, I. B. Thermal decomposition of natural and synthetic rubber stocks | XVI, 127 |
| Tread cracking of natural and synthetic rubber stocks | XVII, 441 |
| ——. *See* Dillon, J. H.; Tobolsky, A. A. | |
| Proske, G. Polarographic determination of organic accelerators of vulcanization | XIV, 914 |
| Possibilities of utilizing the polarographic method in rubber laboratories. I | XIV, 470 |
| Swelling measurements in the rubber laboratory | XIV, 489 |
| Pummerer, Rudolf, and Richtzenhain, Hermann. Rubber XVIII. Various ozonides of rubber and the problem of the existence of the primary ozonides of Harries | XI, 7 |
| Quinn, N. G. Vulcanizing of ebonite. Controlled curing of natural and synthetic-rubber ebonites of large cross-section | XVII, 192 |
| Rabjohn, Norman, Bryan, Carl E., Inskeep, G. Esler, Johnson, H. W., and Lawson, J. Keith. Study of the structure of butadiene polymers by means of ozonolysis | XX, 916 |
| Rachner, Manfred. Estimation of the stability of rubber solutions | XI, 558 |
| Radcliff, R. R. *See* Forman, D. B. | |
| Radcliffe, M. R. *See* Raynolds, J. W. | |
| Rae, W. D. *See* Buchan, S. | |
| Rankin, J. J. *See* Havenhill, R. S. | |
| Rapoport, J. B. *See* Zelinski, N. D. | |
| Raynolds, J. W., Radcliffe, M. R., and Vogel, M. R. Solvents and plasticizers for chlorinated rubber | XV, 626 |
| Rehner, John, Jr. Elastic deformation and molecular weight in polyisobutylene | XIX, 1047 |
| Structure of copolymers of isobutylene and isoprene | XVII, 346 |
| Theory of filler reënforcement in natural and synthetic rubber. Stresses in and about the particles | XVII, 865 |
| Unsaturation of polyisobutylenes and Butyl rubber. Reactions with nitrosobenzene, thiocyanogen, iodine monochloride and ozone | XVII, 679 |
| ——, and Flory, Paul J. Vulcanization reactions in Butyl rubber. Action of dinitroso, dioxime, and related compounds | XIX, 900 |
| ——, and Gray, Priscilla. Determination of unsaturation in Butyl rubber | XVIII, 887 |
| ——, and Holowchak, Joseph. Determination of total and combined sulfur in Butyl rubber | XVII, 738 |
| Reinbold, E. B. *See* Carlton, C. A. | |
| Reiner, St. Experiments on the degradation of Buna-S. I | XIV, 372 |
| Reiss, K. H. Stiffness of rubber on bending, or its dynamic hardness. The method of resonance vibrations | XVIII, 394 |
| Reitlinger, S. A. Gas permeability and the microstructure of polymers | XIX, 385 |
| Renoll, Mary W. *See* Midgley, Thomas, Jr. | |
| Repman, A. V. *See* Medvedchuk, P. I. | |
| Research Association of British Rubber Manufacturers. Antioxidant influence of sulfur in mastication of rubber | XVIII, 438 |
| Comparison of plasticity values as determined by the Williams parallel-plate and the Mooney plastometers. I and II | XVIII, 877 |
| Effect of metallic poisons, especially manganese, on the aging of vulcanized natural rubber | XX, 821 |
| Rhines, C. E. *See* McGavack, J. | |
| Rhodes, Edgar. Variation in the composition and properties of fresh latex and subsequent changes on ammoniation | XII, 646 |
| Viscosity of preserved and concentrated latex. I and II | XII, 655 |
| ——, and Smith, H. Fairfield. Viscosity of preserved and concentrated latex. I. Relationship between dry rubber content and viscosity | XIII, 474 |
| ——. *See* Hastings, J. D. | |
| Rhodes, Herbert D. *See* Clark, Geo. L. | |
| Rice, M. A. *See* Mitchell, J. H. | |
| Richardson, David. *See* Webkenthin, T. A. | |
| Richtzenhain, Hermann. *See* Pummerer, Rudolf. | |
| Roberts, J. B., Jr. Determination of free carbon in rubber | XIV, 241 |
| ——, K. C. Caoutchol component of natural rubber. A correction | XV, 843 |
| Components of Hevea latex. II. Seasonal variations in the composition of a typical seedling latex | XI, 445 |

Volume and Page

III. Analysis of plantation rubber and of creamed latices ... XI, 452
IV. Effect of ammoniation on latex ... XI, 455
——, KENNETH C. Chemistry of natural rubber. III. The effect of ammoniation on the latex of *Hevea brasiliensis* ... XII, 465
——. *See* HEILBRON, I. M.
ROBEY, RICHARD F., AND WIESE, HERBERT K. Determination of peroxides in synthetic rubbers ... XVIII, 874
——, ——, AND MORELL, CHARLES. Stability of butadiene ... XIX, 475
ROBINSON, ARTHUR L. *See* CHEYNEY, LA VERNE.
——, H. A. *See* CARMAN, F. H.; POWERS, P. O.
——, J. G. Analysis of organic accelerators ... XI, 728
Electrical resistivity of rubber compounds ... XV, 128
——. *See* MACKAY, J. G.
RODERICK, D. B. *See* MITCHELL, J. H.
ROE, C. P. *See* JORDAN, H. F.
——, AND EWART, ROSWELL H. Electrophoretic study of the proteins in rubber latex serum ... XVI, 543
ROELIG, H. Buna in the manufacture of cables ... XIII, 948
Dependence of damping and dynamic modulus on temperature as a means of evaluating the elastic behavior of raw and vulcanized rubber. Dynamic resistance of soft rubber to cold ... XVIII, 62
Dynamic evaluation of damping and durability of rubber compounds ... XII, 394
ROGERS, S. S. *See* COPLAN, B. V.
ROHDE, E. Contribution to the characterization of the plastic-elastic state ... XII, 799
ROHNER, MARGARET. *See* STAMBAUGH, R. B.
RONGONE, RONALD L., FROST, CHARLES B., AND SWART, GILBERT H. Incorporation of carbon black into GR-S latex on a production scale ... XVIII, 130
ROSSEM, A., VAN, AND DEKKER, P. Oxidation products of rubber ... XII, 225
——, AND PLAIZIER, J. A. Studies of the system latex-colloidal clay ... XI, 433
——. *See* GOPPEL, J. M.
ROSSMAN, R. P. *See* DOBBIN, R. E.
ROTH, FRANK L., DRISCOLL, RAYMOND L., AND HOLT, WILLIAM L. Frictional properties of rubber ... XVI, 155
——, AND HOLT, WILLIAM L. Tensile properties of rubber compounds at high rates of stretch ... XIII, 348
——, AND WOOD, LAWRENCE A. Some relations between stress, strain and temperature in a pure-gum vulcanizate of GR-S synthetic rubber ... XVIII, 353
——. *See* WOOD, LAWRENCE A.
——, W. A., WIRTHS, GERHILDE, AND BERENDT, HILDEGARD. Heats of combustion and specific heats of Buna-S treated in various ways ... XV, 874
ROUX, ANDRÉ. *See* LAINÉ, PAUL.
ROWE, J. W. *See* STEVENS, H. P.
RUBBER CHEMICALS DIVISION, E. I. DU PONT DE NEMOURS & CO. Hardness testing of vulcanized elastomers ... XVIII, 448
RUSH, IAN C. Effect of moisture on GR-S. Rate of cure and physical properties ... XIX, 773

SACKETT, G. A. Report of the Crude Rubber Committee, presented to the Division of Rubber Chemistry, April 26, 1944 ... XVII, 757
SAGAJŁŁO, M., BOBIŃSKA, J., AND SAGANOWSKI, H. Behavior of rubber at low temperatures ... XII, 344
SAGANOWSKI, H. *See* SAGAJŁŁO, M.
SAGER, THERON P. Permeability of elastic polymers to hydrogen ... XIV, 444
Permeability of organic polysulfide resins to hydrogen ... XI, 163
——, AND SUCHER, MAX. Permeability of Neoprene to gases ... XII, 875
SALOMON, G. *See* KONINGSBERGER, O.
——, AND KONINGSBERGER, C. Preparation and properties of rubberlike high polymers. III. Polymerization of mixtures in emulsion ... XX, 392
SANDERS, P. A. *See* STARKWEATHER, H. W.
SANDS, G. D. *See* WALL, F. T.
SANGER, M. *See* MCCARTHY, G. D.
SARBACH, D. V., AND GARVEY, B. S., JR. Solubilities of unvulcanized rubbers ... XX, 990
SARRUT, JEAN. Preparation of positive latex ... XX, 63
SASTRI, V. V. K. *See* SIDDIQUI, RAFAT HUSAIN.
SAUSER, D. A. *See* GARVEY, B. S., JR.
SAUTER, ERWIN. Highly polymeric compounds. CLXIV. Unit cell diagrams and the microstructure of single crystals of rubber. Determination of the lattice of macromolecules of rubber according to new *x*-ray methods ... XII, 719
Macromolecular compounds. CCXVI. Determination of the lattice of rubber ... XIII, 284
SAYLOR, CHARLES PROFFER. *See* SMITH, W. HAROLD.
SCHAAD, RAYMOND E. *See* IPATIEFF, VLADIMIR N.
SCHALLAMACH, ADOLF. Heat conductivity of rubber at low temperatures ... XIII, 830; XV, 142
Long spacing in rubber ... XV, 780; XVI, 775
SCHMIDT, ERNST, AND STAMBERGER, PAUL. Some properties of rubber latex ... XI, 479
SCHMITT, F. O. *See* HALL, C. E.
SCHOENE, D. L., GREEN, A. J., BURNS, E. R., AND VILA, G. R. Development of a better processing GR-S ... XX, 794
SCHOFIELD, J. R. *See* BLOW, C. M.; FLETCHER, W. P.
SCHOON, TH., AND KOCH, H. W. Investigations of rubber fillers. I. Particle size and characteristic form of carbon blacks, and their influence on the properties of rubber mixtures, as judged by ultramicroscopic photographs ... XIV, 920
SCHOSSBERGER, F. *See* CLEWS, C. J. B.; KRATKY, O.
SCHULTZ, H. A., AND BRYANT, R. C. New extrusion plastometer ... XVII, 745
SCHWARZENBACH, H. A. Light scattering in stretched rubber ... XIII, 285
SCHWEITZER, OTTO. Creaming of rubber latex ... XIII, 408

Volume and Page

SCOTT, ARNOLD H., AND MCPHERSON, ARCHIBALD T. Dielectric constant, power factor, and conductivity of the system; rubber-calcium carbonate ..... XV, 879
SCOTT, J. R. Aging of rubber in the oxygen bomb at room temperature ..... XVI, 924
Behavior of ebonite towards organic liquids ..... XI, 147
Experiments on synthetic rubbers of the butadiene type. II. Mechanical and electrical properties of Buna ebonites ..... XVII, 719
III. Buna ebonites: degree of vulcanization, and resistance to water, organic liquids and light ..... XVII, 724
Hardness testing of vulcanized rubber. III. Investigation of the ball indentation test. I. XVII, 494
Influence of exposing vulcanized rubber to light on its subsequent aging in the dark ..... XVII, 216
Methods of calculating and representing rheological properties, using data from the parallel-plate plastometer ..... XIX, 461
Oil-resisting rubber. XII. Vulcanized rubbers containing organic accelerators ..... XII, 842
Plastic-elastic behavior of ebonite ..... XV, 826; XVI, 754
Properties of hard rubber. XVIII. Swelling of rubber. XV. Action of hydrocarbon oils, at high temperatures ..... XX, 171
Shellac as an ingredient of rubber compositions ..... XIX, 125
——, AND NEWTON, R. G. R. A. B. R. M. hardness meter ..... XIV, 514
——, AND WILLOTT, W. H. Estimation of carbon black in Neoprene compounds ..... XIV, 752
——. *See* DAWSON, T. R.; DAYNES, H. A.; DOCK, E. H.; JOHNSON, E. B.; MOAKES, R. C. W.; MORELY, J. F.; NEWTON, R. G.; PARRIS, R. W.; PIPER, G. H.
——, ROBERT L. *See* CARTER, WALTER C.
——, RUSSELL B. *See* BEKKEDAHL, NORMAN.
SEARS, W. C. Infrared spectra of rubber and high polymers ..... XIV, 572
SEBRELL, L. B. Charles Goodyear Memorial Lecture. The second mile ..... XVI, 713
——, AND DINSMORE, R. P. Properties of some synthetic rubbers ..... XVI, 857
SEEGMAN, IRVIN P. *See* MORRIS, ROSS E.
SEIFRIZ, WILLIAM. Coagulation of latex ..... XIX, 491
SELKER, M. L., AND KEMP, A. R. Sulfur linkage in vulcanized rubbers. 1. Reaction of methyl iodide with sulfur compounds ..... XVII, 303
——, WINSPEAR, G. G., AND KEMP, A. R. Brittle point of rubber on freezing ..... XV, 243
SEREBRYANNIKOVA, L. *See* MARAGARITOV, V. B.
SEYMOUR, R. C. *See* BUIST, J. M.
SHANKAR, UMA. *See* BHATNAGAR, S. S.
SHANKS, J. R. *See* BUCHAN, S.
SHAW, J. E. *See* MILLIGAN, A. G.
SHELTON, J. REID, AND WINN, HUGH. Aging of GR-S vulcanizates in air, oxygen and nitrogen ..... XVIII, 116
Oxidation of GR-S vulcanizates ..... XIX, 696
——. *See* WINN, HUGH.
SHEN, YEN. *See* HAUSER, E. A.
SHEPHERD, T. *See* MORRISON, G. D.
SHEPPARD, N., AND SUTHERLAND, G. B. B. M. Some infrared studies on the vulcanization of rubber ..... XIV, 66
SHIMADA, KEIICHI. Studies of organic accelerators. XVI. (4) Detection and analysis of organic accelerators. Detection of guanidine accelerators in vulcanized rubber ..... XI, 531
XVIII. (6) Detection of dithiocarbamate accelerators in vulcanized rubber ..... XI, 533
XIX. (7) Detection of thiuram accelerators in vulcanized rubber ..... XI, 535
SHIPLEY, F. W. *See* FARMER, E. HAROLD.
SHRIVER, G. E. *See* WHITE, L. M.
——, AND JORDAN, H. F. Multipore. A thin perforate latex sheet ..... XII, 867
SIBIRIAKOFF, I. Tensile tests of plantation rubber ..... XIII, 451
SIBLEY, R. L. Chemical reactions of rubber ..... XVI, 111
SIDDIQUI, RAFAT HUSAIN, WARSI, S. A., AND SASTRI, V. V. K. Coagulation studies of the latex of *Cryptostegia grandiflora* R. Br. A wartime source of vegetable rubber. I. ..... XVIII, 905
——, AND MATHUR, M. L. Coagulation studies of the latex of *Cryptostegia grandiflora* R. Br. A wartime source of vegetable rubber. II. Effect of coagulants on the quality of rubber ..... XVIII, 928
SJOTHUN, I. J. *See* CRAMER, H. I.
SKAU, EVALD L. *See* GRAFF, MORRIS M.
SLEPUSHKINA, E. Rapid detection of accelerators ..... XI, 210
SLOMAN, C. M. *See* CADWELL, S. M.
SMALLWOOD, HUGH M. Limiting law of reinforcement of rubber ..... XVIII. 292
SMEDLEY, H. *See* TURRALL, WM. T.
SMITH, H. FAIRFIELD. Specific gravity of latex and of rubber ..... XIII, 485
Viscosity of preserved and concentrated latex. III. Relationship of viscosity to temperature and dry rubber content ..... XV, 301
—— *See* RHODES, EDGAR.
——, I. N. *See* HAUSER, E. A.
——, W. HAROLD, AND HANNA, NANCY P. Comparison between the observed density of crystalline rubber and the density calculated from *x*-ray data ..... XV, 265
——, AND SAYLOR, CHARLES PROFFER. Optical and dimensional changes which accompany the freezing and melting of Hevea rubber ..... XII, 18
——, AND WING, HENRY J. Behavior of rubber hydrocarbon in a molecular still ..... XII, 789
——. *See* CLARK, GEORGE L.
——, W. R., THORNHILL, F. S., AND BRAY, R. I. Surface area and properties of carbon black ..... XV, 206
——. *See* AMON, F. H.; THORNHILL, F. S.
SNYDER, E. G. *See* JONES, H. C.
SNYDER, H. R., STEWART, JOHN M., ALLEN, R. E., AND DEARBORN, R. J. Mechanism of modifier action in GR-S polymerization. I. ..... XX, 29
—— *See* WIEGAND, W. B.
SOCIÉTÉ DES MATIÈRES COLORANTES ET PRODUITS CHIMIQUES DE SAINT-DENIS, FRANCE Measurement of plasticity of Buna-S with the Williams apparatus ..... XIX, 478

| | Volume and Page |
|---|---|
| SÖLLNER, K. *See* DANIEL, F. N. | |
| SOMERVILLE, A. A. Some properties of two vulcanized pure gum compounds at low temperatures | XII, 370 |
| SPARKS, W. J., LIGHTBOWN, I. E., TURNER, L. B., FROLICH, P. K., AND KLEBSATTEL, C. A. Rubberlike properties of polybutene | XIII, 521 |
| ———. *See* THOMAS, R. M. | |
| SPENCE, D., AND FERRY, JOHN D. Enhanced polymerization and depolymerization of natural rubber by quinones and related compounds | XI, 47 |
| Some causes of variation in the quality of raw rubber and latex. The sol:gel ratio in relation to the ultimate physical properties of rubber | XIII, 185 |
| SPENCER, R. S. *See* BOYER, R. F. | |
| SPRINGER, A. Damping, heat development and length of life of vulcanizates | XVIII, 71 |
| Physicochemical investigations of artificial rubber. III. Discussion of thermal measurements | XV, 854 |
| SQUIRES, LOMBARD. *See* LEWIS, W. K. | |
| SRINIVASAN, P. S. Ultraviolet irradiation of rubber | XIII, 549 |
| STAMBAUGH, R. B. Retraction of stretched rubber | XVII, 617 |
| Vibration properties of rubberlike materials. Dependence on temperature | XVI, 400 |
| ———, ROHNER, MARGARET, AND GEHMAN, S. D. Speed of retraction of rubber | XVIII, 380 |
| ———. *See* GEHMAN, S. D. | |
| STAMBERGER, PAUL. Instability of Hevea latex | XIV, 133 |
| Spontaneous coagulation of rubber latex | XII, 469 |
| ———. *See* SCHMIDT, ERNST. | |
| STARKWEATHER, H. W., BARE, P. O., CARTER, A. S., HILL, F. B., JR., HURKA, V. R., MIGHTON, C. J., SANDERS, P. A., WALKER, H. W., AND YOUKER, M. A. Emulsion polymerization of diene hydrocarbons | XX, 697 |
| ———, AND WAGNER, FREDERICK C. Neoprene cements | XIII, 159 |
| ———, AND WALKER, HERBERT W. Water resistance of Neoprene | XI, 383 |
| STAUDINGER, H. Soluble and insoluble rubber | XII, 117 |
| ———, BERGER, G., AND FISCHER, KL. Macromolecular compounds. CCXCII. Polyisobutylene | XVII, 331 |
| ———, AND FISCHER, KL. Macromolecular compounds. Communication No. 259. Constitution of polymers of butadiene | XV, 523 |
| Communication No. 258. Determination of the molecular weights and the structure of rubber, gutta-percha and balata | XV, 473 |
| ———, HANSJÜRGEN. *See* STAUDINGER, HERMANN. | |
| ———, HERMANN, AND STAUDINGER, HANSJÜRGEN. Macromolecular compounds. CCCXII. Halogen derivatives of rubber hydrocarbons | XVII, 15 |
| STERN, H. J. Marking of uncured rubber mixes | XI, 441 |
| ———, M. D., AND TOBOLSKY, A. V. Stress-time-temperature relations in polysulfide rubbers | XIX, 1178 |
| STEVENS, HENRY P. *Ficus elastica* and Castilloa latices | XII, 688 |
| Photovulcanization. Study of the products of the action of light on rubber under conditions precluding or restricting oxidative degradation | XVIII, 610, 845 |
| Rubber photogelling agents | XIX, 394 |
| Rubber photogels | XIV, 606; XVI, 783 |
| Transparency of rubber and its solutions | XVII, 51 |
| ———, DYER, J. W. W., AND ROWE, J. W. Purification and concentration of rubber latex, with special reference to dialysis | XI, 423 |
| ———, AND MILLER, C. J. Cyclized rubber, particularly halide transformations | XII, 556 |
| ———, AND POPHAM, F. J. Oxidation products of rubber. Rubbone | XI, 523 |
| ———, AND POPHAM, F. J. W. Vulcanization of oxidized rubbers | XII, 541 |
| ———, AND ROWE, J. W. Extraction of raw rubber with acetone | XII, 604 |
| Properties of rubber prepared from dialyzed latex | XII, 695 |
| ———. *See* MACKAY, J. G. | |
| ———, W. L. Standardization of rubber flexing tests | XV, 159 |
| ———, W. H. Wanted—a new aging test | XIV, 749 |
| STEWART, JOHN M. *See* SNYDER, H. R. | |
| ———, WILLIAM S., AND HUMMER, RICHARD W. Inverse correlation between rubber hydrocarbon and a crystalline fraction isolated from latex of *Cryptostegia grandiflora* | XVIII, 693 |
| Inverse correlations between rubber hydrocarbons and insolubles in total solids of latex from *Hevea brasiliensis* | XX, 1140 |
| STIRATELLI, B. *See* KEMP, A. R. | |
| STRAITIFF, W. G. *See* KEMP, A. R. | |
| STREET, J. N., AND EBERT, H. L. Use of synthetic rubber in the automotive industry from the viewpoint of the rubber technologist | XIV, 211 |
| STURGIS, B. M. *See* WILLIAMS, IRA. | |
| SUCHER, MAX. *See* SAGER, THERON P. | |
| SUNDRALINGAM, ALVAPILLAI. *See* FARMER, ERNEST HAROLD; BOLLAND, J. L. | |
| SUTHERLAND, G. B. B. M. *See* SHEPPARD, N. | |
| SUTTON, D. A. *See* BOLLAND, J. L.; FARMER, ERNEST HAROLD. | |
| SWAIN, M. L. *See* WILLITS, C. O. | |
| SWART, GILBERT H. *See* RONGONE, RONALD L. | |
| SWEITZER, C. W. *See* O'CONNOR, H. F. | |
| SZE, M. C. *See* HAUSER, E. A. | |
| TALALAY, ANSELM, AND TALALAY, LEON. SK—the Russian synthetic rubber | XV, 403 |
| ———. *See* TALALAY, LEON. | |
| TALALAY, P. *See* HALL, C. E. | |
| TANAKA, KENZO. Examination of thin rubber films by electron diffraction | XII, 485 |
| TAYLOR, ROLLA H. Factors affecting results obtained with the Mooney viscometer | XIX, 808 |
| Use of the Shore durometer for measuring the hardness of synthetic and natural rubbers | XVII, 512 |
| ———, R. L., AND KEMP, A. R. Sorption of rubber | XI, 485 |
| ———, T. M. Cooling facilities of rubber equipment | XIX, 218 |
| TERTIAN, ROBERT. *See* TRILLAT, JEAN JACQUES. | |

Volume and Page

THAYSEN, A. C., BUNKER, H. J., AND ADAMS, M. E. "Rubber acid" damage in fire hoses.. XVIII, 688
THIES, H. R. Pliolite-rubber mixtures.... XIV, 398
THIESSEN, P. A., AND KIRSCH, W. Crystallization of rubber by pressure.... XII, 12
Crystallization of weakly vulcanized rubber by pressure.... XIII, 48
——, AND WITTSTADT, W. Forced and spontaneous change in the arrangement of the molecules in stretched rubber.... XII, 736
THOMAS, A. The problem of crude rubber.... XIV, 468
——, R. M., LIGHTBOWN, I. E., SPARKS, W. J., FROLICH, P. K., AND MURPHREE, E. V. Butyl rubber. A new hydrocarbon product.... XIV, 177
THOMPSON, H. W., AND TORKINGTON, P. Infrared spectra of compounds of high molecular weight.... XIX, 46
THORNHILL, F. S., AND SMITH, W. R. Effect of reenforcing pigments on rubber hydrocarbons.... XV, 272
——. *See* AMON, F. H.; SMITH, W. R.
THORNLEY, R. F. *See* WERKENTHIN, T. A.
THRODAHL, M. C., AND BEAVER, D. J. Vulcanization of Buna-S (GR-S) with organic sulfur compounds. II.... XVIII, 110
——. *See* BEAVER, D. J.
TIDMUS, J. S., AND PARKINSON, D. Some applications of the microscope to rubber technique. XI, 197
TOBOLSKY, A. V., AND ANDREWS, R. D. Systems manifesting superposed elastic and viscous behavior.... XVIII, 731
——, PRETTYMAN, I. B., AND DILLON, J. H. Stress relaxation of natural and synthetic rubber stocks.... XVII, 551
——. *See* ANDREWS, R. D.; STERN, M. D.
TORKINGTON, P. *See* THOMPSON, H. W.
TRAPEZNIKOV, A. A. Mechanical properties of two-dimensional rubber. The micellar structure of rubber.... XII, 755
TRELOAR, L. R. G. Crystallization phenomena in raw rubber.... XV, 251
Elastic recovery and plastic flow in raw rubber.... XIII, 795
Elasticity of a network of long-chain molecules.....I. XVI, 746; II. XVII, 296; III. XIX, 1009
Recent advances in the physics and chemistry of rubber. II. Kinetic theory of rubber elasticity.... XVIII, 712
IV. Crystallization in rubbers.... XVIII, 724
Statistical length of long-chain molecules.... XIX, 1002
length of rubber molecules.... XVII, 779
Strains in an inflated rubber sheet, and the mechanism of bursting.... XVII, 957
Stress-optical properties of rubber.... XX, 907
-strain data for vulcanized rubber under various types of deformation.... XVII, 813
Thermodynamic study of elastic extension of rubber.... XV, 784
——. *See* FERRY, (MISS) J.; GEE, G.; TRISTRAM, G. R.
TREPP, S. G., WARD, A. L., AND CHANEY, N. K. Compression-tear test for susceptibility to road-cracking of synthetics.... XVIII, 882
TRILLAT, JEAN-JACQUES. Study of rubber-sulfur mixtures by radiomicrography.... XIX, 392
——, AND TERTIAN, ROBERT. Structure of synthetic rubbers. Polyethylene sulfide (Thiorubber).... XIX, 1090
——. *See* FOURNIER, HENRI.
TRISTRAM, G. R. Phosphatides of *Hevea brasiliensis*.... XVI, 536
Proteins of *Hevea brasiliensis*. I. Analysis of a product isolated from dried latex.... XIII, 722
II. Analysis of a product isolated from crepe rubber.... XIV, 895
——, GEE, G., TRELOAR, L. R. G., AND JEFFREY, G. A. Characteristics of wild rubbers.. XVI, 933
——. *See* BOLLAND, J. L.; FARMER, ERNEST HAROLD.
TRUMBULL, H. L. Growing rubber in North America.... XVI, 249
TSVETKOV, V. N., AND FRISMAN, E. Depolarization of light scattered in solutions of rubber-like polymers.... XX, 912
——, AND PETROVA, A. Nature of dynamic double refraction in rubber solutions, and the shape of rubber molecules.... XIX, 360
TUCKETT, R. F. Kinetics of high elasticity in synthetic polymers.... XV, 430
——. *See* FRITH, ELIZABETH M.
TUKAMOTO, TADASI. *See* HURUKAWA, ZYUNZI.
TULEY, W. F. Frosting of vulcanized rubber.... XII, 836
TURNBULL, DAVID. *See* WINN, HUGH.
TURNER, L. B. *See* SPARKS, W. J.
TURRALL, WM. T., KLASSEN, J., AND SMEDLEY, H. Froth flotation of rubber and resin components of milkweed and other plants that contain resins, rubber, balata, or related gummy substances.... XVII, 524
TWISS, D. F. Control by individual incorporation of vulcanizing agents.... XIII, 249
Role of oxygen in the plasticization of rubber.... XVIII, 817
——, AND AMPHLETT, P. H. Coagulation of rubber latex and its control.... XIV, 125
——, AND CARPENTER, A. S. Composition and characteristics of the rubber in Hevea latex.... XII, 448
——, ——, AND AMPHLETT, P. H. Consequences of the electric double layer in rubber technology.... XIII, 611
——, NEALE, A. E. T., AND HALE, R. W. Formation of compounding ingredients in rubber. XIV, 342
——. *See* CARPENTER, A. S.
TYLER, WILLARD P. Determination of zinc in rubber compounds. A new internal indicator method.... XV, 382

UEBERREITER, KURT. Rubber and artificial resins as "liquids with fixed structures".... XIX, 778
UPHAM, F. N. Comparison of abrasion resistance with other physical properties.... XVIII, 405

VALDEN, E. *See* BRAENDLE, H. A.
VAN AMERONGEN, G. J. *See* AMERONGEN, G. J., VAN.
VAN DALFSEN, J. W. *See* DALFSEN, J. W., VAN
VAN DER BIE, G. J. *See* BIE, G. J., VAN DER

| | Volume and Page |
|---|---|
| VAN DER MEER, S. *See* MEER, S., VAN DER. | |
| VAN DER WYK, A. J. A. *See* WYK, A. J. A., VAN DER. | |
| VAN GILS, G. E. *See* GILS, G. E., VAN. | |
| VAN HARPEN, N. H. *See* HARPEN, N. H., VAN. | |
| VAN ROSSEM, A. *See* ROSSEM, A., VAN. | |
| VAN WIJK, D. J. *See* WIJK, D. J., VAN. | |
| VASILIEV, A. A. *See* YAKUBCHIK, A. I. | |
| VERDE, L. S. *See* LIGHTBOWN, I. E. | |
| VERDERY, R. B. *See* BUSSE W. F. | |
| VESTER, C. F. Creaming of Hevea latex by colloids | XI, 608 |
| VIGER, FRANÇOISE. *See* LE BRAS, JEAN. | |
| VILA, GEORGE R. Action of organic accelerators in Buna-S | XVI, 184 |
| Critical analysis of the T-50 test for state of vulcanization | XIII, 389 |
| ———. *See* SCHONE, D. L. | |
| VILLARS, D. S. *See* MOONEY, M. | |
| VINCENT, J. R. *See* NEAL, A. M. | |
| VIOHL, P. *See* MORRON, J. D. | |
| VOGEL, M. R. *See* RAYNOLDS, J. W. | |
| VON ARDENNE, M., AND BEISCHER, D. Investigation of the fine structure of high-molecular substances by the Universal electron microscope. II. The morphology of rubber and Buna | XIV, 15 |
| WACK, PAUL E. *See* GUTH, EUGENE. | |
| WAGNER, FREDERICK C. *See* STARKWEATHER, HOWARD W. | |
| WAKE, W. C. Recent advances in rubber analysis | XIX, 792 |
| ———. *See* PARKER, I. F. C. | |
| WALKER, H. W. *See* STARKWEATHER, H. W. | |
| WALL, FREDERICK T. Statistical lengths of rubberlike hydrocarbon molecules | XVI, 479 |
| Statistical thermodynamics of rubber ..... XV, 468; Part II. XV, 806; Part III. | XVII, 392 |
| ———, BANES, F. W., AND SANDS, G. D. Mechanism of modifier action in GR-S polymerization. II | XX, 41 |
| ———, AND ZELIKOFF, MURRAY. Surface film thicknesses of polymeric substances in relation to molecular structure | XIX, 551 |
| WALSH, R. H. *See* LIVINGSTON, H. K. | |
| WARD, A. L. *See* TREPP, S. G. | |
| WARING, J. R. S. Electrical tests and the problems of cure | XIV, 449 |
| ———. *See* HABGOOD, B. I.; NAUNTON, W. J. S. | |
| WARSI, S. A. *See* SIDDIQUI, RAFAT HUSAIN. | |
| WATTS, JOHN T. Accelerators and colors in sponge rubber | XVI, 438 |
| WEAVER, JOHN V. Determination of scorching of rubber and synthetic compounds by use of the Mooney plastometer | XIV, 458 |
| WEISS, JOSEPH. Theory of filler reinforcement in rubber | XVI, 124 |
| WELDING, G. N. *See* BUIST, J. M. | |
| WENTWORTH, V. H. Absorption of water by rubber. I. Methods of evaluation | XV, 335 |
| Note on the product of a reaction between aqua regia and latex | XV, 332 |
| WERKENTHIN, THEODORE A., RICHARDSON, DAVID, THORNLEY, R. F., AND MORRIS, R. E. Equipment for accelerated light aging of rubber, and methods of evaluation of ultraviolet and sunlight | XV, 358 |
| ———. *See* MORRIS, ROSS E. | |
| WERTHEIM, M. *See* MEYER, KURT H. | |
| WESTCOTT, W. BURTON. *See* GEER, WM. C. | |
| WESTHEAD, J. *See* COTTON, F. H. | |
| WHITBY, G. S., EVANS, A. B. A., AND PASTERNACK, D. S. Influence of chemical structure on imbibition of liquids by rubber. I. ..... XV, 553; | XVI, 752 |
| ———, AND GREENBERG, H. Isolation of amino acids from rubber latex | XV, 96 |
| WHITE, L. M., EBERS, E. S., SHRIVER, G. E., AND BRECK, S. Gel as a definitive property in GR-S technology | XVIII, 833 |
| Objective laboratory testing of the processability of elastomers | XVIII, 826 |
| WHITLOCK, M. H. *See* GARVEY, B. S., JR. | |
| WIEGAND, W. B. Further electron-microscope studies on colloidal carbon, and the role of surface in rubber reënforcement | XV, 657 |
| pH Properties of colloidal carbon | XV, 187 |
| ———, AND BRAENDLE, H. A. Effect of milling on properties of Hevea and Buna rubbers | XVIII, 164 |
| ———, AND LADD, WM. A. Colloidal carbon as revealed by the electron microscope | XV, 664 |
| ———, AND SNYDER, J. W. Joule effect | XIII, 49 |
| Rubber-vulcanizing properties of colloidal carbons | XII, 298 |
| ———. *See* BRAENDLE, H. A. | |
| WIESE, HERBERT K. *See* ROBEY, RICHARD F. | |
| WIJK, D. J., VAN. Determination of resistance of vulcanized rubber to tearing | XI, 689 |
| WILDMÁN, S. G. *See* HENDRICKS, S. O. | |
| WILDSCHUT, A. J. Proportion of crystalline and amorphous components in stretched vulcanized rubber | XIX, 1124 |
| Pseudo-plastic phenomena with vulcanized rubber | XVII, 854 |
| Stress-strain relation of natural and synthetic rubbers | XVII, 826 |
| Vulcanization of rubber with synthetic resins | XIX, 86 |
| WILKINSON, P. A. *See* HEILBRON, I. M. | |
| WILLIAMS, DUDLEY, AND DALE, BROCK. Further studies of the infrared absorption of rubber | XVIII, 10 |
| ———, I. Distribution of combined sulfur in vulcanized rubber and its bearing on the sulfide linkage theory of vulcanization | XII, 191 |
| ———, IRA. Solubility of sulfur in butadiene-styrene copolymer | XVI, 863 |
| Vulcanizing from a thermodynamic viewpoint | XIII, 235 |
| ———, AND STURGIS, B. M. Composite nature of the stress-strain curve of rubber | XIII, 74 |
| ———, VAN ZANDT. *See* BARNES, R. BOWLING. | |

| | Volume and Page |
|---|---|
| WILLITS, C. O., SWAIN, M. L., AND OGG, C. L. Determination of rubber hydrocarbon by a gravimetric rubber bromide method | XX, 320 |
| WILLOTT, W. H. Color measurement and its application in the rubber industry | XII, 611 |
| Properties of hard rubber. XIX. Effect of temperature on cross-breaking strength and elongation | XX, 525 |
| ——. *See* MORELY, J. F.; SCOTT, J. R. | |
| WILLSON, E. A. *See* NEWTON, E. B. | |
| WILSON, G. J., CHOLLAR, R. G., AND GREEN, B. K. Low-temperature flexibility of synthetic elastomers. Effect of aviation gasolines | XVIII, 182 |
| WING, HENRY J. Carbon and hydrogen in rubber hydrocarbon | XX, 982 |
| ——. *See* SMITH, W. HAROLD. | |
| WINN, HUGH, AND SHELTON, J. REID. Fatigue failure of GR-S tread stocks | XVIII, 407 |
| ——, ——, AND TURNBULL, DAVID. Role of carbon in oxidation of GR-S vulcanizates | XX, 469 |
| ——. *See* SHELTON, J. REID. | |
| WINSPEAR, G. G., HERRMANN, D. B., MALM, F. S., AND KEMP, A. R. Comparison of natural and synthetic hard rubbers | XX, 99 |
| ——. *See* KEMP, A. R.; SELKER, M. L. | |
| WIRTHS, GERHILDE. *See* ROTH, W. A. | |
| WITTLE, EUGENE L. *See* MARKER, RUSSELL E. | |
| WITTSTADT, W. External influence and the internal state of rubber | XII, 488 |
| ——. *See* THIESSEN, P. A. | |
| WOLF, G. M., DEGER, T. E., CRAMER, H. I., AND DEHILSTER, C. C. Alkylphenol sulfides as vulcanizing agents | XX, 775 |
| WOLFF, EBERHARD. *See* MEYER, KURT H. | |
| WOLSTENHOLME, W. E. *See* MOONEY, M. | |
| WOLTHUIS, ENNO. *See* CLARK, GEORGE L. | |
| WOOD, LAWRENCE A. Optical properties of rubber | XV, 23 |
| Synthetic rubbers. A review of their compositions, properties, and uses | XIII, 861 |
| Values of the physical constants of rubber | XII, 130 |
| ——, AND BEKKEDAHL, NORMAN. An improved Wiegand rubber pendulum | XII, 529 |
| Crystallization of unvulcanized rubber at different temperatures | XIX, 1145 |
| ——, ——, AND GIBSON, RALPH E. Effect of pressure on the melting of crystalline rubber | XIX, 546 |
| ——, ——, AND PETERS, CHAUNCEY G. Application of the interferometer to the measurement of dimensional changes in rubber | XIII, 290 |
| ——, ——, AND ROTH, FRANK L. Density measurements on synthetic rubbers | XVI, 244 |
| ——, AND ROTH, FRANK L. Stress-temperature relations in a pure gum vulcanizate of natural rubber | XVIII, 367 |
| ——. *See* BEKKEDAHL, NORMAN; ROTH, FRANK L. | |
| WOODFORD, D. E. *See* FIELD, J. E.; GEHMAN, S. D. | |
| WREN, W. G. Application of latex to highway and floor surfacing | XIII, 979 |
| Application of the Langmuir trough to the study of rubber latex | XV, 107 |
| Importance of acidic components in compounding ammonia-preserved latex with zinc oxide | XVI, 342 |
| WRIGHT, J. M. Vulcanization of rubber with *m*-dinitrobenzene | XI, 131 |
| ——, AND DAVIES, B. L. Vulcanization of rubber in the presence of *m*-dinitrobenzene | XI, 319 |
| WYK, A. J. A., VAN DER. Internal friction of vulcanized rubber | XII, 401 |
| ——. *See* MEYER, KURT H.; MISCH, LORE C. | |
| YAKUBCHIK, A. I., VASILIEF, A. A., AND ZHABINA, V. M. Chemical constitution of butadiene rubbers, based on the formic acid and formaldehyde in the decomposition products of their ozonides | XVIII, 780 |
| YERZLEY, FELIX L. Adhesion of Neoprene to metal | XIII, 166 |
| Electrical properties of Neoprene | XVI, 699 |
| Mechanical oscillograph for routine tests of rubber and rubberlike materials | XIII, 149 |
| Vulcanization or other heat treatment by electrical conduction | XVII, 188 |
| ——, AND FRASER, D. F. Effects of low temperatures on Neoprene vulcanizates | XV, 605 |
| YIENGST, H. A. *See* JONES, H. C. | |
| YOST, F. L. *See* CADWELL, S. M. | |
| YOUKER, M. A. *See* STARKWEATHER, H. W. | |
| YOUNG, D. W. *See* EVANS, H. C. | |
| ZAPP, R. L., AND BALDWIN, F. P. Effect of polymolecularity on the deformation of Butyl polymers | XX, 84 |
| ——, AND GESSLER, A. M. Processing behavior of high polymers. Correlation with elastic-plastic properties | XVII, 882 |
| ZARNEY, J. L. *See* D'IANNI, J. D. | |
| ZEIDE, O. A., AND PETROV, K. Mechanism of action of accelerators of vulcanization. Derivatives of mercaptobenzothiazole. II. The transformation of mercaptobenzothiazyl sulfate | XI, 97 |
| ZELIKOFF, MURRAY. *See* WALL, FREDERICK T. | |
| ZELINSKII, N. D., AND RAPOPORT, J. B. Hydropolymerization of rubber. New data on the chemical nature of rubber in connection with its genesis in plants | XV, 33 |
| ZHABINA, V. M. *See* YAKUBCHIK, A. D. | |
| ZIEGLER, KARL. Polymerization of butadiene and the production of artificial rubber | XI, 501 |
| ZOBELL, CLAUDE E., AND GRANT, CARROLL W. Bacterial oxidation of rubber | XVI, 381 |
| ZWIKKER, C. *See* KOSTEN, C. A. | |

# SUBJECT INDEX


Volume and Page

Abrasion resistance, comparison with other physical properties ..... XVIII, 405
  resistance of synthetic-rubber compounds ..... XIV, 786
  tests on rubber ..... XX, 253
Abridged summary of reports of the Crude Rubber Committee of the Division of Rubber Chemistry of the American Chemical Society ..... XII, 633
Absorption of oil by rubber ..... XVI, 818
  of oxygen by rubber ..... XX, 170, 728
  of water by rubber ..... XII, 532
    I. Methods of evaluation ..... XV, 335
  , water, of crude and vulcanized rubber ..... XIII, 400
  , water, of rubber in the raw and vulcanized state ..... XVII, 209
Accelerated aging of vulcanized rubber. Factors determining the relation between oven and bomb aging ..... XX, 760
  aging test at room temperature ..... XII, 283
  ozone weathering test for rubber ..... XX, 808
  vulcanization of ebonite ..... XIX, 948
Accelerator action, polysulfide theory of ..... XV, 590
  , sulfur-, ratios in vulcanized rubber ..... XIV, 356
Accelerators ..... XIX, 1051
  and colors in sponge rubber ..... XVI, 438
  , detection of dithiocarbamate ..... XI, 533
  , detection of thiuram ..... XI, 535
  , effect of, on heat embrittlement of GR-S vulcanizates ..... XVIII, 157
  , effect of organic, on temperature coefficient of vulcanization ..... XI, 101
  for GR-S, alkaline materials as ..... XX, 234
  for latex. Water-soluble *vs.* water-insoluble ..... XV, 316
  , guanidine ..... XI, 531
  of vulcanization, mechanism of action of ..... XI, 97
  of vulcanization, polarographic determination of ..... XIV, 914
  , organic ..... XI, 101; XI, 331, 531, 728; XII, 842; XIV, 914; XVI, 184
  , organic, in Buna-S ..... XVI, 184
  , rapid detection of ..... XI, 210
  , water-soluble, in water cure ..... XI, 591
  , *x*-ray study of reactions involving ..... XVI, 621
Acetic acid or acetic anhydride ..... XIX, 267
  anhydride ..... XIX, 267
Acetone extract ..... XIII, 598
  extract of plantation rubber ..... XV, 91
  extract of vulcanized rubber ..... XIII, 598, 601
  extract, sulfur in ..... XX, 315
  extraction of raw rubber ..... XII, 604
Acetylene, synthetic rubber from ..... XIII, 856
Achard's "experiments on elastic resin" ..... XI, 653
Acid, rubber, damage in fire hoses ..... XVIII, 688
  , van Harpen's hydratant ..... XIV, 154
Acidic components in compounding ammonia-preserved latex ..... XVI, 342
Acids, amino, isolation of ..... XV, 96
  in preserved latex ..... XVI, 365
Acrylonitrile ..... XVII, 356; XX, 927
  Action of organic accelerators in Buna-S ..... XVI, 184
  of ozone in the phenomenon of the cracking of rubber ..... XIII, 566
  of ozone on rubber and other materials ..... XIII, 576
  of pyridine on chlorinated rubber ..... XIII, 133
  of unsaturated compounds on rubber in solution ..... XX, 689
Activating influence of metallic oxides ..... XI, 331
Activity of carbon black ..... XIII, 437
Adhesion, compression, test ..... XIX, 223
  of Neoprene to metal ..... XIII, 166
  of rubber to brass plate ..... XIX, 199
  of unvulcanized rubber to metal ..... XX, 597
Adhesive properties of tire cord ..... XX, 268
  tape ..... XV, 190
Adiabatic stress-strain curves of vulcanized rubber ..... XII, 64
Advances in physics and chemistry of rubber ..... XVIII, 707, 712, 716, 724
Africa, wild rubber of tropical ..... XVII, 240
Aging ..... XI, 282; XV, 358; XVI, 668, 924; XVII, 209, 913; XVIII, 116
  , accelerated ..... XII, 283; XVI, 668; XVII, 209; XIX, 444; XX, 760
  , Geer oven ..... XIII, 604
  , natural, of reclaimed rubber ..... XVI, 417
  , of GR-S vulcanizates in air, oxygen and nitrogen ..... XVIII, 116
  , of hard rubber ..... XX, 149
  , of vulcanized rubber ..... XII, 292; XIV, 673; XVII, 216; XX, 821
  , oven ..... XIII, 604; XVIII, 667
  , oxygen bomb ..... XVI, 924
  , pressure ..... XI, 722; XVI, 453

| | Volume and Page |
|---|---|
| , retarding | XII, 292 |
| , ter Meulen method in study of | XII, 269 |
| test, wanted a new | XIV, 749 |
| tests, accelerated | XII, 235 |
| Air, aging in, of GR-S vulcanizates | XVIII, 116 |
| Alkali, treatment by | XII, 176 |
| Alkaline materials as accelerators for GR-S | XX, 234 |
| Alkaloids in whole-latex rubber | XIV, 670 |
| Alkyl groups in xylene | XVI, 85 |
| Alkylphenol sulfides as vulcanizing agents | XX, 775 |
| American Chemical Society, History of Division of Rubber Chemistry of | XIII, 1 |
| Amines, color reactions between clays and | XIII, 942 |
| Amino acids | XI, 5; XIV, 659; XV, 96 |
| Ammonia and betaines in Hevea latex | XIV, 664 |
| and sulfur chloride | XI, 92 |
| Ammoniation, effect on latex | XI, 455; XII, 465 |
| of fresh latex | XII, 646 |
| Amorphous components in stretched rubber | XIV, 555; XIX, 1124 |
| polymers, strength of | XIII, 886; XIX, 42 |
| state | XIV, 877 |
| Analysis of organic accelerators | XI, 728 |
| of product isolated from dried latex | XIII, 722 |
| of proteins in Hevea latex | XIII, 505; XIV, 300 |
| of rubber | XI, 706; XIII, 124, 430 |
| of synthetic and natural rubber | XVII, 253, 757 |
| of synthetic rubber by spectroscopic method | XVI, 634 |
| organic, of Hevea latex | XIX, 781; XX, 1133 |
| rapid | XII, 609 |
| rubber, of plants in South Carolina | XV, 978 |
| rubber, recent advances in | XIX, 792 |
| Analytical methods in rubber chemistry | I. XIV, 628; IV. XV, 72; V. XV, 965 |
| Anhydride, acetic | XIX, 267 |
| , rubber | I. XIX, 313; II. XIX, 319 |
| Aniline point, effect of, on swelling of synthetic rubber | XVIII, 452 |
| Anisotropy, magnetic | XVIII, 8; XIX, 349 |
| , moulding | XX, 863 |
| Antioxidant influence of sulfur in mastication of rubber | XVIII, 438 |
| Antioxidants | XII, 287; XVIII, 22 |
| Antivibration material, rubber as | XIII, 686 |
| Apparatus, flexing | XVI, 692 |
| for measuring compressibility and permanent set | XII, 861 |
| for measuring slow rates of consumption or evolution of gas in a closed system | XV, 201 |
| , high-speed, for determination of plasticity | XII, 434 |
| , improved brittle-point | XIX, 844 |
| , puncture resistance | XI, 740 |
| Application of infrared methods in the structural examination of synthetic rubber | XIX, 1113 |
| of interferometer to measurement of dimension changes in rubber | XIII, 290 |
| of Langmuir trough to study of rubber latex | XV, 107 |
| of latex to highway and floor surfacing | XIII, 979 |
| of manometric method for measuring oxidizability of rubber | XIII, 604 |
| of rubber latex to woolen hosiery | XV, 895 |
| of thermodynamics to chemistry of rubber | XII, 150 |
| of ultraviolet spectrography | XIX, 1051; XIX, 1061 |
| of ultraviolet spectroscopy | XVII, 941 |
| Aqua regia and latex, reaction between | XV, 382 |
| Artificial latices | XVII, 533 |
| rubber | XI, 501; XV, 854 |
| Ash, correlation of | XIII, 744 |
| Automotive industry, rubber in | XIV, 378 |
| industry, synthetic rubber in | XIV, 211 |
| Autoöxidation of rubber and mechanisms of protection against oxygen | XX, 972 |
| reactions, course and mechanism of | XV, 756; XVI, 770 |
| reactions in polyisoprenes | XVI, 17, 45, 790; XVII, 285; XIX, 267, 1022 |
| Autoöxidizability of the alkyl groups in xylene | XVI, 85 |
| Autoöxidized rubber, oxygen in | XV, 965 |
| Azo dyes derived from rubber | XI, 515 |
| | |
| Bacterial oxidation of rubber | XVI, 381, 618 |
| Balata and Hevea latices, motion picture study of | XVI, 509 |
| latex, colloidal properties of | XII, 470 |
| , structure of | XV, 473 |
| Ball indentation test | XVII, 494 |
| Bases, organic, modification of chlorinated rubber by | XX, 457 |
| Behavior of ebonite towards organic liquids | XI, 147 |
| of ketene towards olefins | XIX, 63 |
| of natural rubber and GR-S under repeated stress cycles | XIX, 417 |
| of raw rubber when stretched isothermally | XI, 647 |
| of rubber hydrocarbon in a molecular still | XII, 789 |
| Behavior of rubber at low temperatures | XII, 344 |
| Belts, rubber, life of | XIII, 962 |
| , transmission | XII, 618 |
| Bend-brittle and shatter points of rubberlike materials | XVII, 100 |
| Bending, stiffness of rubber on | XVIII, 394 |
| strength test for soft rubber to determine freezing point | XIV, 799 |

| | Volume and Page |
|---|---|
| Benzene, rubber-, system | XVI, 89; XX, 429 |
| Betaines, ammonia and in Hevea latex | XIV, 664 |
| Bomb aging | XX, 760 |
| Bonding | XI, 169 |
| of rubber to metals | XVII, 200 |
| Brass deposits, physical examination of | XIX, 208 |
| plate, adhesion of rubber to | XIX, 199 |
| -plating | XVI, 930 |
| , rubber-to-, bond | XIX, 968 |
| Breakdown of rubber, oxidative | XIX, 267 |
| of rubber, photochemical | XIX, 283 |
| of rubber, thermal | XIX, 277 |
| Brittle point apparatus | XIX, 844 |
| point in elastomers | XVII, 107 |
| point of rubber materials in cold air | XVII, 751 |
| point of rubber on freezing | XV, 243 |
| points of natural and synthetic rubber stocks | XVII, 92 |
| points of vulcanized diene polymers | XX, 515 |
| temperature of rubber under variable stress | XVI, 609 |
| Broad nomenclature for carbon blacks | XVI, 695 |
| Bromide, rubber, method for determination of rubber hydrocarbon | XX, 320 |
| Bromine, organically combined, sensitive detection of | XII, 103 |
| Buffer capacity of crude rubbers | XV, 572 |
| mixtures, phosphate | XV, 580 |
| solution, preservation of latex in presence of | XIII, 787 |
| Buffing in dumb-bell test specimens | XX, 329 |
| Buna and crepe rubber, viscometric investigations | XI, 372 |
| ebonites; degree of vulcanization | XVII, 724 |
| ebonites, mechanical and electrical properties of | XVII, 719 |
| for hard rubber linings | XIV, 899; XVI, 698 |
| in the manufacture of cables | XIII, 948 |
| , morphology of rubber and | XIV, 15 |
| , plasticization of | XVI, 866 |
| Buna-S and Neoprene latices | XVI, 509 |
| and sulfur | XIX, 124 |
| , characteristics of GR-S | XVI, 901 |
| , compounds, cut growth of | XVI, 897 |
| , degradation of | XIV, 372 |
| , heats of combustion and specific heat of | XV, 874 |
| , organic accelerators in | XVI, 184 |
| , simple vulcanizates of | XVII, 124 |
| , structural changes in vulcanization of | XIX, 534 |
| , structural features of | XVIII, 41 |
| , temperature coefficient of vulcanization of | XVII, 412 |
| vulcanizates, effect of petroleum products on | XVI, 910 |
| vulcanizates, *x*-ray diagram of | XVIII, 20 |
| (GR-S), vulcanization of | XIX, 896 |
| Bursting, mechanism of | XVII, 957 |
| Butadiene and acrylonitrile, a mixed polymer | XX, 927 |
| , copolymerization of 1,3- | XX, 1 |
| , *p*-chlorostyrene copolymers | XX, 313 |
| polymerization of | XI, 501 |
| polymers | XIII, 849; XV, 523; XX, 916 |
| , preparation of | XIII, 856; XIII, 858 |
| rubbers, chemical constitution of | XVIII, 780 |
| , stability of | XIX, 475 |
| -styrene copolymers | XVI, 861; XIX, 1077; XX, 14 |
| type synthetic rubbers | XVII, 719, 724 |
| , unsaturation of | XVII, 61 |
| Butyl inner tubes | XX, 1086 |
| polymers | XX, 84 |
| rubber. A new hydrocarbon product | XIV, 177 |
| rubber, determination of unsaturation in | XVIII, 887 |
| rubber, effects of molecular structure | XIX, 552 |
| rubber, fast stretching of | XVIII, 803 |
| rubber, total and combined sulfur in | XVII, 738 |
| rubber, unsaturation of | XVII, 679 |
| rubber, vulcanization reactions in | XIX, 900 |
| Cables, Buna in manufacture of | XIII, 948 |
| Calender effect in rubberlike materials | XVIII, 772 |
| effect in rubber sheets | XIX, 403 |
| Caoutchicol, isolation of | XIII, 302 |
| Caoutchol component of natural rubber. A correction | XV, 843 |
| Capacity of rubber mixtures to be moulded | XIX, 466 |
| Carbon and hydrogen in rubber hydrocarbon | XX, 982 |
| black, activity of | XIII, 437 |
| black, control of uniformity of | XI, 598 |
| black, dielectric measurements in study of | XII, 317 |
| black, effect of, on physical properties of natural rubber | XX, 207 |
| black, effect of properties of | XVI, 918 |
| black, identification by surface-area measurements of | XVI, 687 |
| black in compounding rubber | XIV, 98 |

| | Volume and Page |
|---|---|
| black, incorporation of, into GR-S latex | XVIII, 130 |
| black, influence of moisture content of | XV, 216 |
| black in Neoprene compounds | XIV, 752 |
| black, mechanical processing of | XX, 537 |
| black mixtures, rubber-, *x*-ray structure of | XIV, 85 |
| black particles, effect of diameter and surface area of | XIX, 451 |
| black-rubber mixtures. Flocculation of pigment in | XI, 575 |
| black surface area | XV, 206; XVII, 451 |
| blacks, broad nomenclature for | XVI, 695 |
| blacks, effect of, on physical properties of natural rubber | XX, 207 |
| blacks in GR-S | XIX, 100 |
| blacks, particle size and characteristic form of | XIV, 920 |
| blacks, physico-chemical properties of | XIV, 934 |
| blacks, practical evaluation of commercial rubber | XIII, 655 |
| , colloidal | XIV, 52 |
| , colloidal, electron microscope studies | XV, 657, 664; XIV, 52 |
| , colloidal, pH properties of | XI, 187 |
| particle size and shape of | XIV, 52 |
| , colloidal, rubber-vulcanizing properties of | XII, 298 |
| , free, in rubber | XIV, 241 |
| , in oxidation of GR-S vulcanizates | XX, 469 |
| tetrachloride vapor, power of carbon black to adsorb | XIII, 437 |
| Castilloa latices | XII, 688 |
| Catalysts, Friedel-Crafts | XX, 375 |
| Catalytic dehydrogenation of monoölefins to diolefins | XIII, 533 |
| Ceara *vs.* Hevea | XVII, 541 |
| Cellular rubbers | XVII, 943 |
| Cellulose, crystal, structure of | XII, 734 |
| Cements, Neoprene | XIII, 159 |
| , rubber | XI, 142 |
| , vulcanizing, gelling of | XV, 178 |
| Central organization for fundamental research on rubber | XV, 221 |
| Centrifugal machines, latex concentrated by | XIV, 160 |
| Chain, long-, molecules | XVII, 296; XIX, 1009 |
| polymers, stereochemistry of | XV, 731 |
| scission in low-molecular polyisoprenes | XVI, 45 |
| structure of vinyl and diene polymers in relation to polymerization mechanism | XX, 903 |
| Chains, long organic, thermal motion of | XVI, 1 |
| Change in the Raman spectra of chloroprene and isoprene in the polymerization process | XVI, 841 |
| Changes, dimensional, in rubber | XIII, 290 |
| in physical properties of hard rubber shortly after vulcanization | XVII, 929 |
| Character of the thermal motion of long organic chains, with reference to the elastic properties of rubber | XVI, 1 |
| Characteristics of wild rubbers | XVI, 933 |
| Charles Goodyear Memorial Lecture. The second mile | XVI, 713 |
| Chemical constitution of butadiene rubbers, based on the formic acid and formaldehyde in the decomposition products of their ozonides | XVIII, 780 |
| derivatives of synthetic isoprene rubbers | XX, 664 |
| nature of rubber in connection with its genesis in plants | XV, 33 |
| nature of the rubber-to-brass bond | XIX, 968 |
| reactions during vulcanization | XIII, 65; XV, 560 |
| reactions of rubber | XVI, 111 |
| structure of vulcanized rubber | XII, 43 |
| Chemistry of natural rubber | XII, 760 |
| III. Effect of ammoniation on latex of *Hevea brasiliensis* | XII, 465 |
| of rubber, advances in | XVIII, 707, 712, 716, 724 |
| of rubber, application of thermodynamics to | XII, 150 |
| of rubber, interaction of ethylenic compounds and rubber | XX, 938 |
| of soft rubber vulcanization. Reversion and nonreversion in low-sulfur compounds | XI, 680 |
| of sulfur-olefin reactions. Application to vulcanization | XVII, 788 |
| , physical, of rubber solutions | XVII, 653 |
| Chlorinated rubber, action of pyridine on | XIII, 133 |
| rubber, modifications of | XX, 457 |
| rubber, properties and uses of | XII, 87 |
| rubber, solvents and plasticizers for | XV, 626 |
| rubber, stability of | XIII, 582 |
| rubber, thermoplasticity of | XX, 249 |
| Chlorination, tendencies during | XVII, 1 |
| Chlorine analysis methods of butadiene-*p*-chlorostyrene copolymers | XX, 313 |
| Chloroform extract of reclaimed rubber | XIII, 633 |
| Chloronitroparaffins, as inhibitors | XV, 178 |
| Chloroprene, Raman spectra of | XVI, 841 |
| *p*-Chlorostyrene copolymers, butadiene- | XX, 313 |
| Chromane theory, insufficiency of | XX, 173 |
| Chromatography of rubber solutions | XII, 762 |
| Chromic acid oxidation method for direct determination of rubber hydrocarbon | XVI, 660 |
| Clays and amines, color reactions between | XIII, 942 |
| Coagulants, effect of, on quality of rubber | XVIII, 928 |
| Coagulation of *Hevea brasiliensis* latex | XI, 60 |
| of Hevea latex, natural | XX, 1124 |
| of latex | XIX, 491 |
| of latices of polar-nonpolar liquids | XI, 87 |
| of rubber latex and its control | XIV, 125 |
| , spontaneous, of rubber latex | XII, 469 |

| | Volume and Page |
|---|---|
| studies of the latex of *Cryptostegia grandiflora* R. Br. A wartime source of vegetable rubber. I | XVIII, 905 |
| II. Effect of coagulants on quality of rubber | XVIII, 928 |
| Coefficient, temperature, of vulcanization | XIII, 255 |
| of vulcanization | XIII, 926 |
| Cold compression sets of natural and synthetic vulcanizates | XIX, 151 |
| , dynamic resistance to, of soft rubber | XVIII, 62 |
| resistance of synthetic rubber | XIV, 736 |
| of synthetic vulcanizates | XVII, 116 |
| test for vulcanized polymers | XX, 859 |
| Colloidal behavior of Hevea latex, effect of proteins and electrolytes on | XIII, 705 |
| carbon | XIV, 52 |
| carbon as revealed by the electron microscope | XV, 664 |
| carbon, electron-microscope studies on | XV, 657 |
| carbon, pH properties of | XI, 187 |
| carbon, rubber-vulcanizing properties of | XII, 298 |
| and chemical investigation of different brands of latex; natural latex, Jatex, Revertex, Revertex-T and Revultex | XI, 630 |
| clay, studies of system latex- | XI, 433 |
| properties of balata latex | XII, 470 |
| structure of rubber in solution. Colloidal aspects of vulcanization | XIII, 275 |
| Effects of precipitants | XI, 663 |
| Colloidchemical results. Oxidation of rubber and its | XVI, 571 |
| Color measurement and its application in the rubber industry | XII, 611 |
| measurement of latices, and of rubber films prepared from them | XIV, 884 |
| reactions between clays and amines | XIII, 942 |
| test, Weber, for natural rubber | XVIII, 902 |
| Colors in sponge rubbers | XVI, 438 |
| Combined sulfur in Butyl rubber | XVII, 738 |
| Combustion, heats of, and specific heat of Buna-S | XV, 874 |
| Committee, crude rubber, report of | XII, 633; XIII, 441; XIV, 289, 755; XVII, 529, 767 |
| Comparative viscometric investigations of solutions of crepe rubber and Buna rubber | XI, 372 |
| Comparison between the observed density of crystalline rubber and the density calculated from $x$-ray data | XV, 265 |
| of abrasion resistance with other physical properties | XVIII, 405 |
| of bromine and nitric acid methods of estimating sulfur in acetone extracts | XX, 315 |
| of different types of rubber obtained from the same field latex | XIX, 848 |
| of methods of examining the scorching of rubber stocks | XVIII, 460 |
| of natural and synthetic hard rubbers | XX, 99 |
| of plasticity values as determined by the Williams parallel-plate and the Mooney plastometers. I and II | XVIII, 877 |
| of structures of stretched linear polymers | XVIII, 763 |
| of ultraviolet absorption and chlorine analysis methods for composition of butadiene-*p*-chlorostyrene copolymers | XX, 313 |
| Components of Hevea latex. | |
| II. Seasonal variations in composition of typical seedling latex | XI, 445 |
| III. Analysis of plantation rubber and creamed latices | XI, 452 |
| IV. Effect of ammoniation on latex | XI, 445 |
| Composite nature of the stress-strain curve of rubber | XIII, 74 |
| Composition and characteristics of the rubber in Hevea latex | XII, 448 |
| and colloidal properties of balata latex | XII, 470 |
| and structure of Hevea latex | XI, 394 |
| of butadiene-styrene copolymers prepared by emulsion polymerization | XX, 14 |
| of fresh latex | XII, 646 |
| of rubber from different botanical sources | XVIII, 701 |
| Compounding ingredients in rubber | XIV, 342 |
| ingredients, reactions between | XIV, 45 |
| of GR-S latex | XVII, 711 |
| guayule rubber. Effect of accelerator-curing agent combinations | XVII, 150 |
| rubbers. Effect of various factors on physical properties | XVII, 161 |
| of hard GR-S | XVII, 704 |
| , trilinear | XV, 349 |
| , zinc oxide in government synthetic rubber | XVI, 650 |
| Compressibility and permanent set of rubber and rubberlike materials | XII, 861 |
| Compression adhesion test | XIX, 223 |
| , dynamic properties of rubber under | XII, 381 |
| , rubber in | XIV, 407 |
| -sets, cold, of natural and synthetic vulcanizates | XVII, 151 |
| tear test for susceptibility to road-cracking of synthetics | XVIII, 882 |
| , testing of rubber in | XVII, 1000 |
| tests on vulcanized rubber | XI, 561 |
| Concentrated latex, viscosity of | XIII, 474 |
| Concentrating and purifying latex, electrodecantation for | XVI, 529 |
| Concentration of latex by centrifugal machines | XIV, 160 |
| by creaming | XI, 75 |
| by means of electric currents of high frequency | XIX, 486 |
| Condensation reactions | XIX, 329 |
| Conducting, electrically, Neoprene and rubber | XV, 146 |
| Conductive rubber, electrical properties of | XV, 399 |
| rubber, electrically | XIX, 667 |
| Conductivity, dielectric constant, and power factor of the system | XV, 879 |
| , electrical test for determining | XV, 399 |
| , heat, of rubber | XIII, 361 |
| at low temperatures | XIII, 830; XV, 142 |

| | Volume and Page |
|---|---|
| of latex | XIV, 144 |
| of rubber tread stocks. Effect of properties of carbon black | XVI, 918 |
| , thermal | XI, 359 |
| Conference on postwar preparation of rubber | XIX, 865 |
| Consequences of the electrical double layer in rubber technology | XIII, 611 |
| Constitution and molecular weight of natural rubber | XV, 17 |
| of three-dimensional polymers and the theory of gelation | XV, 812 |
| Contribution to analysis of rubber. | |
| III. Determination of copper in raw rubber, in mixtures and in fillers | XI, 706 |
| IV. Determination of manganese in crude rubber, in rubber mixtures and in fillers | XIII, 430 |
| to the characterization of the plastic-elastic state | XII, 799 |
| to the early history of India rubber | XI, 1 |
| to the history of latex | XI, 482; XII, 908 |
| to knowledge of the creaming process | XIII, 761 |
| Control by individual incorporation of vulcanizing agents | XIII, 249 |
| of elongation in highly stretched cotton tire-cord | XIX, 253 |
| of gelling in vulcanizing cements. Nitroparaffins and chloronitroparaffins as inhibitors | XV, 178 |
| of latex supplies, testing and | XII, 885 |
| of pH of Neoprene latex | XX, 884 |
| tests of uniformity in the manufacture of carbon black | XI, 598 |
| Conversion of isoprene-styrene copolymers | XX, 695 |
| Cooling facilities of rubber equipment | XIX, 218 |
| Coöperation, research, in the rubber industry | XI, 263 |
| Copolymerization of 1,3-butadiene and styrene | XX, 1 |
| Copolymers of isobutylene and isoprene | XVII, 346 |
| , spectrophotometric determination of | XIX, 1077 |
| Copper and manganese compounds. Deterioration of vulcanized rubber by | XVII, 221 |
| in crude rubber | XX, 308 |
| in raw rubber | XI, 706 |
| , influence on rubber | XII, 78 |
| Cord, adhesion of vulcanized rubber to | XIX, 223 |
| Correlation of tensile strength with brittle points of vulcanized diene polymers | XX, 515 |
| Cotton fibers. Constitution, structure, and mechanical properties | XIV, 273 |
| yarns, impregnation with latex | XV, 323 |
| Course and mechanism of autoöxidation reactions in olefinic and polyolefinic substances, including rubber | XV, 756; XVI, 770 |
| of autoöxidation reactions in polyisoprenes and allied compounds. | |
| I. Structure and reactive tendencies of peroxides of simple olefins | XVI, 17 |
| II. Hydroperoxidic structure and chain scission in low-molecular polyisoprenes | XVI, 45 |
| III. The oxidation of rubber in the presence of acetic acid or acetic anhydride | XVII, 267 |
| VI. Peroxidation of rubber | XVI, 770 |
| VII. Rearrangement of double bonds during autoöxidation | XVII, 285 |
| XI. Double-bond movement during the autoöxidation of a monoölefin | XIX, 1022 |
| Cracking, exposure, of rubbers | XVIII, 504; XX, 1020 |
| , flex-, characteristics of GR-S (Buna-S) compounds | XVI, 901 |
| , flex-, quantitative method of expression | XIII, 694 |
| , mechanism of | XIX, 406 |
| , action of ozone in | XIII, 566 |
| , tread, of natural and synthetic rubber stocks | XVII, 441 |
| Creamed latices, analyses of plantation rubber and of | XI, 452 |
| Creaming, concentration of latex by | XI, 75 |
| , effect of rapid stirring on latex and on its | XIV, 315 |
| of Hevea latex by colloids | XI, 608 |
| of rubber latex | XIII, 408; XIV, 308 |
| process | XIII, 761 |
| Creep of natural and synthetic rubber compounds in shear | XIV, 433 |
| Crepe rubber, analysis of a product isolated from | XIV, 895 |
| rubber, effect of phosphate buffer mixtures on rate of cure of | XV, 580 |
| Critical analysis of the T-50 test for state of vulcanization | XIII, 389 |
| Cross-bonding, disulfide | XX, 627 |
| -breaking strength and elongation | XX, 525 |
| Crude Hevea rubber, sol and gel in | XIII, 11 |
| Crude Rubber Committee, report of | XIII, 441; XIV, 289, 755; XVII, 529, 757 |
| , abridged summary of | XII, 633 |
| Crude rubber, crystallization of | XII, 778; XIII, 539 |
| rubber, determination of copper in | XX, 308 |
| of manganese in | XIII, 430 |
| rubber, problem of | XIII, 468 |
| rubber, sol and gel in Hevea latex and | XIII, 28 |
| rubber, uniform, problem of | XII, 1 |
| rubber, U.S.F., a new | XVI, 560 |
| rubber, water absorption of | XIII, 400 |
| Cryoscopic data on polystyrene | XVI, 58 |
| deviation of polyisobutylene solutions from Raoult's law | XVI, 69 |
| of rubber solutions from Raoult's law | XV, 60 |
| and viscosity studies of polyisobutylene | XVI, 69 |
| *Cryptostegia grandiflora* R. Br., coagulation studies of | XVIII, 905, 928 |
| , extraction of rubber from | XIX, 193 |
| grandiflora hydrocarbon from latex of | XVIII, 693 |
| , rubber, molecular fractionation of | XX, 70 |
| Crystal structure of $\beta$-isoprene sulfone | XVI, 486 |
| structure of rubber hydrochloride | XVI, 848 |
| structures of cellulose and of rubber | XII, 734 |
| structures of $\beta$-gutta-percha, rubber, and polychloroprene | XV, 709 |

| | Volume and Page |
|---|---|
| Crystalline and amorphous components in stretched rubber | XIV, 555 |
| components in stretched vulcanized rubber | XIX, 1124 |
| polymers, melting of | XVIII, 256 |
| rubber, density of, from *x*-ray data | XV, 265 |
| rubber, influence of temperature on melting | XIV, 544 |
| rubber, melting of | XIX, 546 |
| sol rubber, *x*-ray diffraction patterns | XII, 482 |
| Crystallinity, *x*-ray investigation of | XII, 706 |
| Crystallites, rubber, size and shape of | XVII, 640 |
| Crystallization, elastomer, tests for freeze resistance | XVIII, 149 |
| , inhibition by high pressure | XII, 496 |
| in rubbers | XVIII, 724 |
| of crude rubber | XII, 778 |
| of rubber by pressure | XII, 12 |
| of rubber, influence of temperature on | XI, 348 |
| of stretched vulcanized rubber | XIV, 27, 546 |
| , hysteresis in | XIV, 27 |
| of synthetic rubber, flex life and | XVII, 398 |
| of unvulcanized rubber at different temperatures | XIX, 1145 |
| of vulcanized rubber | XIV, 347 |
| of weakly vulcanized rubber by pressure | XIII, 48 |
| phenomena in high polymers, statistical treatment | XIV, 462 |
| phenomena in raw rubber | XV, 251 |
| Crystallizing rubberlike polymers | XIII, 886; XIX, 42 |
| Crystallographic transformation of sulfur, influence on vulcanization | XI, 317 |
| Cure of GR-S in thick articles | XVII, 984 |
| Curing rate of GR-S, effect of moisture on | XVIII, 140 |
| rate of rubber. Effect of phosphate buffer mixtures on rate of cure of crepe rubber | XV, 580 |
| Cut growth of Buna-S compounds. A method to determine the rate of cut growth of Buna-S compounds | XVI, 897 |
| Cyclized rubber, particularly halide transformations | XII, 556 |
| Damping and dynamic modulus on temperature | XVIII, 62 |
| , dynamic evaluation of | XII, 394 |
| , heat development and length of life of vulcanizates | XVIII, 71 |
| Dandelion, natural rubber from Russian | XIX, 856 |
| Deactivating effect, protection of rubber against oxygen by | XX, 427 |
| Decomposition, thermal, of natural and synthetic rubber stocks | XVI, 127 |
| Decorative rubber products | XIII, 676 |
| Deformation of Butyl polymers | XX, 84 |
| of rubberlike elastic bodies | XIX, 525 |
| of rubberlike materials | XVIII, 97 |
| of vulcanized rubber | XVII, 813 |
| , periodic, mechanical properties during | XIII, 316 |
| Degradation of Buna-S | XIV, 372 |
| Dehydrogenation, catalytic, of monoölefins to diolefins | XIII, 533 |
| Density of crystalline rubber, from *x*-ray data | XV, 265 |
| of hard rubber | XIX, 760 |
| measurements on synthetic rubbers | XVI, 244 |
| Dependence of damping and dynamic modulus on temperature as a means of evaluating the elastic behavior of raw and vulcanized rubber. Dynamic resistance of soft rubber to cold | XVIII, 62 |
| of the stress on the temperature of rubber elongated to a constant degree | XII, 520 |
| Depolarization of light scattered in solutions of rubberlike polymers | XX, 912 |
| Depolymerization of natural rubber by quinones and related compounds | XI, 47 |
| Deposition of rubber on to textile fibres | XI, 545 |
| Deproteinized rubber, effects of several proteins | XII, 71 |
| Deresinification of crude guayule rubber | XVII, 131 |
| Derivatives, halogen, of rubber from latex | XIII, 545 |
| of synthetic isoprene rubbers | XX, 664 |
| of synthetic rubber | XVII, 903 |
| Destructive hydrogenation of high-molecular-weight polymers. Isobutene polymer, butadiene polymer and natural rubber | XIII, 849 |
| Detection of accelerators, rapid | XI, 210 |
| and analysis of organic accelerators | XI, 531 |
| of dithiocarbamate accelerators in vulcanized rubber | XI, 533 |
| of guanidine accelerators in vulcanized rubber | XI, 531 |
| of thiuram accelerators in vulcanized rubber | XI, 535 |
| Deterioration, electrical surface, of Buna ebonites in light | XVII, 729 |
| , proöxygenic effect and resulting | XIX, 296 |
| , sunlight, of a rubber compound | XV, 647 |
| , surface, in sunlight of hard rubber | XIX, 753 |
| of vulcanized rubber by copper and manganese compounds | XVII, 221 |
| Determination of brittle point of rubber materials in cold air | XVII, 751 |
| of copper in crude rubber | XX, 308 |
| , direct, of oxygen in rubber | XII, 269 |
| , direct, of rubber hydrocarbon by chromic acid oxidation method. A new method for | XVI, 660 |
| of fillers in vulcanized rubber | XI, 438 |
| of free carbon in rubber | XIII, 931 |
| of free sulfur in vulcanized rubber | XIV, 241 |
| of hydroperoxides in rubber and synthetic polymers | XIV, 520; XV, 376 |
| of lattice of rubber | XX, 45 |
| of manganese in crude rubber mixtures and fillers | XII, 719; XIII, 284 |
| | XIII, 430 |

| | Volume and Page |
|---|---|
| of mercury in rubber | XVII, 234 |
| of peroxides in synthetic rubbers | XVIII, 874 |
| of polystyrene in GR-S rubber | XX, 546 |
| of resistance of vulcanized rubber to tearing | XI, 689 |
| of rubber hydrocarbon by a gravimetric rubber bromide method | XX, 320 |
| of scorching of rubber and synthetic compounds by use of the Mooney plastometer | XIV, 458 |
| of total and combined sulfur in Butyl rubber | XVII, 738 |
| of total sulfur in rubber | XVII, 227; XVIII, 663 |
| and rubberlike materials | XVI, 675 |
| of unsaturation in Butyl rubber | XVIII, 887 |
| of the water absorption of crude rubber and of vulcanized rubber | XIII, 400 |
| of zinc in rubber compounds. A new internal indicator method | XV, 382 |
| of zinc in transparent rubber articles | XIII, 181 |
| Development of a better processing GR-S | XX, 794 |
| of synthetic rubbers, theory of rubber elasticity for | XVI, 286 |
| Dialkyl sulfide halides, formation of | XIX, 287 |
| Dialysis of latex and the properties of dialyzed latex | XIII, 728 |
| Dialyzed latex | XII, 695 |
| Dichlorostyrenes and their polymers | XVIII, 424 |
| Dielectric constant, power factor, and conductivity of the system: rubber-calcium carbonate | XV, 879 |
| losses in swollen rubbers | XIV, 879 |
| measurements in the study of carbon black and zinc oxide dispersion in rubber | XII, 317 |
| Diene hydrocarbons | XX, 697 |
| polymers | XX, 515 |
| polymers, chain structure of | XX, 903 |
| Dienes, 1,5-, carbalkoxy-substituted | XIX, 14 |
| , polymerization of | XVIII, 213; XIX, 1029 |
| Differentiation of rubber and gutta hydrocarbons in plant materials | XIX, 501 |
| Difficulties in the thorough impregnation of textiles with latex | XI, 538 |
| Diffraction patterns of Hevea, Manihot and other rubbers | XIII, 42 |
| patterns, *x*-ray | XII, 482 |
| Diffusion, gasoline-, resistance of Thiokol Type F | XIV, 929 |
| measurements | XX, 377 |
| of sulfur in rubber | XIII, 807 |
| of sulfur in synthetic elastomers | XVII, 693 |
| of water through rubber | XII, 532 |
| Diffusivity and solubility, relation to, permeability of different rubbers to gases and | XX, 494 |
| Digest of coöperative test program on accelerated light aging of rubber | XVI, 668 |
| Dihydromyrcene, additive halogenation of rubber and | XVII, 759 |
| Dilatancy, induced, and its relation to dispersion | XIII, 619 |
| Dilatometer studies of pigment-rubber systems | XIV, 113 |
| Dilution, heat of, in the system: rubber-toluene | XII, 504 |
| of natural rubber | XIX, 1 |
| Dimensional changes in rubber, measurement of | XIII, 290 |
| 2,3-Dimethylbutadiene, preparation of | XVIII, 785 |
| *m*-Dinitrobenzene, vulcanization of rubber with | XI, 131, 319 |
| Dinitroso and related compounds | XIX, 900 |
| Diolefins, catalytic dehydrogenation of monoölefins to | XIII, 533 |
| Dioxime and related compounds | XIX, 900 |
| Direct determination of oxygen in rubber. Adaptation of the ter Meulen method to rubber and its application to the study of aging | XII, 269 |
| determination of rubber hydrocarbon. Chromic acid oxidation method | XVI, 660 |
| Discoloration of dried latex films | XV, 314 |
| Dispersed systems, solvation in | XVI, 86 |
| Dispersing agents, evaluation of | XIII, 619 |
| Dispersion of pigments in aqueous medium. | |
| I. Mechanism and evaluation of dispersing agents | XIII, 619 |
| II. Induced dilatancy and its relation to dispersion | XIII, 623 |
| , zinc oxide, in rubber | XII, 317 |
| Dispersoidal analyses of Hevea latex | XX, 1109 |
| Distillation products from waste rubber | XIV, 376 |
| Distribution of combined sulfur in vulcanized rubber and its bearing on the sulfide linkage theory of vulcanization | XII, 191 |
| of nonrubber substances in preserved latex | XIV, 641 |
| II | XVI, 365 |
| of oxygen in oxidized rubbers | XVIII, 32 |
| Disulfide cross-bonding | XX, 627 |
| , tetramethylthiuram | XIX, 1061 |
| Disulfides, thiuram, in compounding | XX, 503 |
| Dithiocarbamate accelerators in vulcanized rubber | XI, 533 |
| Dithiocyanogen, reactivity of isoprenic hydrocarbons towards | XIX, 34 |
| Division of Rubber Chemistry of American Chemical Society, History of | XIII, 1 |
| Double-bond displacement, in connection with olefinic systems | XV, 774 |
| -bond movement during autoöxidation of a monoölefin | XIX, 1022 |
| bonds during autoöxidation | XVII, 285 |
| layer, electrical, consequences of | XIII, 611 |
| refraction, dynamic, in rubber solutions | XIX, 360 |
| Drift and relaxation of rubber | XVII, 576 |
| Dry rubber content and viscosity of latex | XIII, 474 |
| Dunlop fatigue test for rubber compounds | XV, 905 |
| du Pont modified Williams plastometer | XVII, 994 |
| Durability of rubber compounds | XII, 394 |
| Durometers, standardization of | XIII, 969 |
| Dynamic evaluation of damping and durability of rubber compounds | XII, 394 |

| | Volume and Page |
|---|---|
| fatigue life of rubber | XIII, 304 |
| forces, resistance of rubber to | XIII, 81 |
| hardness, stiffness of rubber on bending, or its | XVIII, 394 |
| method of studying elastic materials | XIII, 898 |
| modulus, dependence on temperature | XVIII, 62 |
| properties of rubber | XVI, 136; XIX, 163 |
| properties of rubber. Dependence on pigment loading | XIV, 842 |
| properties of rubber and synthetic rubberlike materials | XVIII, 306 |
| properties of rubber, variation of, with temperature | XVIII, 471 |
| shear stresses | XVII, 597 |
| Ebonite, behavior of, towards organic liquids | XI, 147 |
| , impact test for | XI, 224 |
| , plastic-elastic behavior of | XV, 826; XVI, 754 |
| , vulcanization of | XIX, 948 |
| , vulcanizing of | XVII, 192 |
| Ebonites, Buna, degree of vulcanization | XVII, 724 |
| , Buna, mechanical and electrical properties of | XVII, 719 |
| Economics of the use of Neoprene reclaim | XV, 391 |
| Effect of accelerators on the heat embrittlement of GR-S vulcanizates | XVIII, 157 |
| of buffing in preparing dumb-bell tensile specimens | XX, 329 |
| of carbon blacks on the physical properties of natural rubber and Neoprene-GN | XX, 207 |
| of diameter and surface area of carbon black particles on certain properties of rubber compounds | XVII, 451 |
| of elastomer crystallization on tests for freeze resistance | XVIII, 149 |
| of light on unvulcanized rubber | XII, 181 |
| of low temperatures on Young's modulus of elastomers | XVII, 421 |
| of metallic poisons, especially manganese, on the aging of vulcanized natural rubber | XX, 821 |
| of milling on properties of Hevea and Buna rubbers | XVIII, 164 |
| of moisture on curing rate of GR-S | XVIII, 141 |
| of moisture on GR-S. Rate of cure and physical properties | XIX, 773 |
| of operating conditions on the life of rubber belts | XIII, 962 |
| of organic accelerators on the temperature coefficient of vulcanization | XIII, 101 |
| of petroleum products on Buna-S vulcanizates | XVI, 910 |
| of petroleum products on Neoprene vulcanizates. Effect of gasolines | XVII, 185 |
| I. Effect of lubricating oils | XIV, 196 |
| II. Effect of lubricating and hydraulic oils | XIV, 204 |
| of petroleum solvents on the cold resistance of synthetic vulcanizates | XVII, 116 |
| of polymolecularity on the deformation of Butyl polymers | XX, 84 |
| of pressure on the melting of crystalline rubber | XIX, 546 |
| of rapid stirring on latex and on its creaming | XIV, 315, 883 |
| of reënforcing pigments on rubber hydrocarbons | XV, 272 |
| of rubber variability on vulcanization | XIII, 209 |
| of silent electric discharges on rubber solutions | XIII, 831 |
| of strain on the aging of vulcanized rubber | XIV, 673 |
| of temperature and pressure on oxygen pressure aging | XVI, 453 |
| of temperature and solvent type on the intrinsic viscosity of high-polymer solutions | XV, 820 |
| of temperature on the mechanical properties of rubberlike materials | XVII, 619 |
| of temperature on oxidation of vulcanized rubber | XIII, 375 |
| of temperature on resilience | XX, 993 |
| of temperature on the resilience of natural and synthetic rubber | XVI, 881 |
| of temperature on the sunlight deterioration of a rubber compound | XV, 647 |
| of temperature on the vibration characteristics of natural and synthetic rubbers | XVIII, 83 |
| of various sulfur-accelerator ratios in vulcanized rubber | XIV, 356 |
| of vulcanization on rubber structure. A problem in probabilities | XIII, 196 |
| Effects of low temperatures on Neoprene vulcanizates | XV, 605 |
| of milling on the softness of rubber. I. Temperature and friction | XVII, 436 |
| of molecular structure on physical properties of Butyl rubber | XIX, 552 |
| of proöxygenic substances on reclaimed rubber | XIX, 123 |
| of temperature and humidity on the physical properties of tire cords | XIX, 233 |
| Elastic behavior of dry and swollen rubbers | XX, 442 |
| behavior of high polymers, phase transition and | XV, 452 |
| behavior of raw and vulcanized rubber | XVIII, 62 |
| bodies, deformation of | XIX, 525 |
| deformation and molecular weight in polyisobutylene | XIX, 1047 |
| deformation of polymers | XIII, 886 |
| extension of rubber | XV, 784; XVI, 755 |
| materials, dynamic method of studying | XIII, 898 |
| , plastic-, behavior of ebonite | XV, 826; XVI, 754 |
| -plastic properties of high polymers | XVII, 882 |
| plastic-, scale, position of rubberlike state on | XVII, 366 |
| properties of rubber | XVI, 1 |
| properties of rubberlike materials | XVII, 597 |
| properties of soft rubber at high and low temperatures | XIV, 799 |
| recovery and plastic flow in raw rubber | XIII, 795 |
| relaxation by a resonance method, study of | XIV, 858 |
| theory for rubber | XV, 790 |
| and thermoelastic properties of rubberlike materials. A statistical theory | XIV, 596 |
| and viscous behavior | XVIII, 731 |
| Elasticity, high, statistical theories of | XII, 498 |
| kinetic theory of rubber | XVIII, 712 |
| kinetics of high, in synthetic polymers | XV, 430; XVI, 760 |
| kinetics of rubberlike | XV, 438; XVI, 756 |
| measurements of polychloroprenes | XX, 1077 |

| | Volume and Page |
|---|---|
| molecular structure and rubberlike. II | XV, 709, 731; |
| III | XV, 742 |
| of a network of long-chain molecules. I | XVI, 746 |
| II | XVII, 296 |
| III | XIX, 1009 |
| in polymeric rubberlike substances, theory of | XIII, 264 |
| rubber and gas | XII, 124 |
| of rubber, kinetic theory of | XI, 644 |
| of rubber, statistical theories of | XII, 498 |
| of rubber, statistical theory of | XII, 56 |
| of synthetic rubbers at low temperatures | XVI, 888 |
| theory of, in polymeric rubberlike substances | XIII, 264 |
| theory of rubber, for development of synthetic rubbers | XVI, 286 |
| theory of rubberlike | XIX, 511 |
| Elastomers, diffusion of sulfur in synthetic | XVII, 693 |
| Elastometric and rheologic measurements of rubber products | XV, 115 |
| Electric currents of high frequency, concentration of latex by | XIX, 486 |
| currents of high frequency, some applications to latex industry | XI, 570 |
| discharges, silent, effect on rubber solutions | XIII, 831 |
| , static, problems in tires | XV, 678 |
| Electrical conduction, heat treatment by | XVII, 192 |
| conductivity of rubber, test for determining | XV, 399 |
| double layer, consequences of, in rubber technology | XIII, 611 |
| properties of Buna ebonites | XVII, 719 |
| properties of conductive rubber, including a recommended method of test for determining electrical conductivity of rubber | XV, 399 |
| properties of hard rubber | XX, 116 |
| properties of Neoprene | XVI, 699 |
| resistivity of rubber compounds | XV, 128 |
| tests and the problem of cure | XIV, 449 |
| Electrically conducting Neoprene and rubber | XV, 146 |
| conductive rubber | XIX, 667 |
| Electrodecantation for concentrating and purifying latex | XVI, 529 |
| Electrolytes effect on colloidal behavior of Hevea latex | XIII, 705 |
| Electron diffraction, examination of thin rubber films by | XII, 485 |
| micrographs, morphology of latex particles shown by | XVIII, 173 |
| microscope, colloidal carbon as revealed by | XV, 664 |
| microscope, investigation of fine structure of high molecular substances with | XIV, 15 |
| microscope, latex specimens for | XX, 602 |
| microscope and particle size and shape of colloidal carbon | XIV, 52 |
| -microscope studies on colloidal carbon | XV, 657 |
| -microscope studies of natural and synthetic fibers | XVII, 837 |
| Electrophoretic study of the proteins in rubber latex serum | XVI, 543 |
| Electrostatic properties of rubber and GR-S | XVIII, 337 |
| and tensile properties of rubber and GR-S at elevated temperatures | XIX, 428 |
| Elongation, control of, in tire cord | XIX, 253 |
| rapid, time effect in | XII, 518 |
| Embrittlement, heat, effect of accelerators on | XVIII, 157 |
| Emulsion polymerization | XX, 14 |
| polymerization of diene hydrocarbons | XX, 697 |
| polymerization of mixtures in | XX, 392 |
| Energy, resilient | XVI, 591; XVII, 435 |
| Enhanced polymerization and depolymerization of natural rubber by quinones and related compounds | XI, 47 |
| Entropies of dilution of natural rubber | XIX, 1 |
| Equation of state of some synthetic rubbers | XVI, 290 |
| Equations of state for natural and synthetic rubberlike materials. I. Unaccelerated natural soft rubber | XVI, 297 |
| Equipment for accelerated light aging of rubber, and methods of evaluation of ultraviolet and sunlight | XV, 358 |
| rubber, cooling facilities of | XIX, 218 |
| Errors arising in the pendulum test for resilience of rubber | XVII, 1002 |
| Estimation of carbon black in Neoprene compounds | XIV, 752 |
| direct, of absorption of oxygen by rubber | XIX, 170 |
| of small percentages of rubber in fibrous materials | XV, 672 |
| of the stability of rubber solutions | XI, 558 |
| Ethylene polysulfide | XIX, 1090 |
| Ethylenic compounds and rubber | XX, 938 |
| Evaluating low-temperature stiffness and brittle point in elastometers | XVII, 107 |
| Evaluation of the buffer capacity of crude rubbers | XV, 572 |
| of carbon blacks by $x$-ray diffraction | XIII, 655 |
| of fillers for rubber industry, new method | XIII, 112 |
| of physical properties of rubber vulcanizates at low temperatures | XIX, 915 |
| of reclaimed rubber | XIV, 696 |
| of small amounts of synthetic rubber | XVI, 679 |
| of tear resistance in elastomers | XVIII, 414 |
| of thin rubber films by electron diffraction | XII, 485 |
| $x$-ray diffraction, of commercial rubber carbon blacks | XIII, 655 |
| Experiments on the degradation of Buna-S. I | XIV, 372 |
| on the determination of the activity of carbon black by its power of adsorbing carbon tetrachloride vapor | XIII, 437 |
| on the preparation of transparent vulcanized rubbers | XVI, 445 |
| on synthetic rubbers of the butadiene type. II. Mechanical and electrical properties of Buna ebonites | XVII, 719 |

| | Volume and Page |
|---|---|
| III. Buna ebonites: degree of vulcanization, and resistance to water, organic liquids and light | XVII, 724 |
| Exposure cracking of rubber | XX, 1020 |
| External influence and the internal state of rubber | XII, 488 |
| Extraction, methylethyl ketone, of rubber | XVI, 383 |
| of raw rubber with acetone | XII, 604 |
| of rubber from *Cryptostegia grandiflora* | XIX, 193 |
| of water-soluble accelerators in water cure | XI, 591 |
| Extruded products, synthetic rubbers and their use in | XVII, 932 |
| Extrusion plastometer, new | XVII, 745 |
| Factors affecting results obtained with the Mooney viscometer | XIX, 808 |
| influencing the plasticity and recovery of GR-S | XVII, 875 |
| influencing the T-50 value | XIV, 501 |
| Falling-weight impact test for ebonite | XI, 224 |
| -weight machines, comparison of | XX, 1054 |
| Fast and slow vulcanizing rubbers | XII, 423 |
| Fat acids of Hevea latex | XIX, 788 |
| Fatigue failure of GR-S tread stocks | XVIII, 407 |
| in rubber. II | XII, 332; |
| III | XII, 845 |
| life of rubber, dynamic | XIII, 304 |
| test for rubber compounds, Dunlop | XV, 905 |
| Few corrections of statistical theories of the high elasticity of rubber | XII, 498 |
| Fibers of natural and synthetic rubber | XVII, 837 |
| Fibrous materials, estimation of rubber in | XV, 672 |
| properties and abrasion resistance of synthetic rubber compounds | XIV, 786 |
| Ficus elastica and Castilloa latices | XII, 688 |
| elastica latex, stability of | XI, 624 |
| Filler content of vulcanized rubber | XIX, 482 |
| reënforcement in natural and synthetic rubber | XVII, 865 |
| reënforcement in rubber, theory of | XVI, 124; XVIII, 596, 605 |
| Fillers, determination of copper in | XI, 706 |
| determination of manganese in | XIII, 430 |
| determination in vulcanized rubber | XIII, 931 |
| investigations of rubber | XIV, 920 |
| for the rubber industry | XIII, 112 |
| in vulcanized rubber | XX, 931 |
| Film thicknesses of polymeric substances | XIX, 551 |
| Films from GR-S latices | XIX, 190 |
| thin rubber, examination by electron diffraction | XII, 485 |
| Fine structure of high-molecular substances with Universal electron microscope | XIV, 15 |
| Fire hoses, "rubber acid" damage in | XVIII, 688 |
| Flex-cracking of GR-S (Buna-S) compounds | XVI, 901 |
| -cracking results, quantitative method of expressing | XIII, 694 |
| life and crystallization of synthetic rubber | XVII, 398 |
| Flexed rubber, heat generation in | XVII, 76 |
| Flexing apparatus, low-temperature | XVI, 692 |
| machine for testing of rubber flexed repeatedly | XII, 582 |
| tests, rubber, standardization of | XV, 159 |
| Flocculation of pigment in carbon black-rubber mixtures | XI, 575 |
| Flotation, froth, of rubber and resin components of milkweed and other plants | XVII, 524 |
| Fluorescence of vulcanization | XI, 310 |
| Forced and spontaneous change in the arrangement of the molecules in stretched rubber | XII, 736 |
| Foreign molecules dissolved in rubber | XIX, 987 |
| Formaldehyde in decomposition products of ozonides of butadiene rubbers | XVIII, 780 |
| Formation of compounding ingredients in rubber | XIV, 342 |
| Formic acid and formaldehyde in decomposition products of ozonides of butadiene rubbers | XVIII, 780 |
| Formula for determining the viscosity of latex | XII, 112 |
| Fractionation and molecular weight of rubber and gutta-percha | XV, 1 |
| , molecular, by diffusion of guayule | XX, 70 |
| of rubber | XIV, 1, 590 |
| Fractions, relation between molecular weights and physical properties of rubber | XIV, 580 |
| , structure of rubber, influence of surface active substances on | XVI, 86 |
| Free and forced vibration methods in the measurement of the dynamic properties of rubbers | XIX, 163 |
| radicals, molecule-linking capacity of | XVI, 467 |
| sulfur, liberation of | XIII, 598 |
| sulfur from pure rubber-sulfur compound | XIII, 601 |
| sulfur, true, from pure rubber-sulfur compound | |
| sulfur in vulcanized rubber, determination of | XV, 376; XIV, 520 |
| Freeze resistance, effect of elastomer crystallization on tests for | XVIII, 149 |
| Freezing, brittle point of rubber on | XV, 243 |
| and melting of Hevea rubber | XII, 18 |
| point and changes in elastic properties of soft rubber | XIV, 799 |
| Friction, internal, of vulcanized rubber | XII, 401 |
| Frictional properties of rubber | XVI, 155 |
| Friedel-Crafts catalysts and polymerization | XX, 375 |
| Frosting of vulcanized rubber | XII, 836 |
| Froth flotation of rubber and resin components of milkweed and other plants that contain resins, rubber, balata, or related gummy substances | XVII, 524 |
| Funtumia and Ceara *vs.* Hevea | XVII, 541 |
| Furfural, rubber from | XVIII, 284 |
| Further electron-microscope studies on colloidal carbon, and the role of surface in rubber reënforcement | XV, 657 |

| | Volume and Page |
|---|---|
| Further studies of the infrared absorption of rubber | XVIII, 10 |
| Fusion curves of rubber and gutta-percha | XI, 658 |
| Gas, apparatus for measuring in a closed system | XV, 201 |
| permeability and the microstructure of polymers | XIX, 385 |
| Gases, permeability of different rubbers to | XX, 494 |
| , permeability of Neoprene to | XII, 875 |
| , permeability of rubberlike substances to | XX, 479 |
| ,-permeability of rubber to various | XIII, 326 |
| Gasoline-diffusion resistance of Thiokol Type F | XIV, 929 |
| Gasolines, effect of aviation, on low-temperature flexibility of synthetic elastomers | XVIII, 182 |
| , effect on Neoprene vulcanizates of | XVII, 185 |
| Geer oven, aging in | XIII, 604 |
| Gel as a definitive property in GR-S technology | XVIII, 833 |
| in crude Hevea rubber | XIII, 11 |
| in Hevea latex and crude rubber | XIII, 28 |
| rubber, $x$-ray diffraction patterns | XI, 32 |
| Gelation of rubber sols by ultraviolet light | XIX, 632 |
| , theory of | XV, 812 |
| Gelling, control of, in vulcanizing cements | XV, 178 |
| Gels, properties of rubber solutions and | XVI, 550 |
| Genesis of rubber in plants, chemical nature of rubber in connection with | XV, 33 |
| Geranylamine, crystal structure of | XIX, 351 |
| Goldenrod rubber, increase in viscosity of | XVIII, 685 |
| rubber, physical-chemical investigations | XVIII, 685 |
| rubber, solution method for compounding | XVIII, 679 |
| Goodrich flexometer | XI, 249 |
| Goodyear Memorial Lecture. The second mile | XVI, 713 |
| Gough-Joule effect in vulcanizates | XI, 508 |
| Government synthetic rubber, zinc oxide in compounding | XVI, 650 |
| GR-I stocks, specific heats of | XIX, 622 |
| Growing rubber in North America | XVI, 249 |
| GR-S, alkaline materials as accelerators for | XX, 234 |
| (Buna-S) compounds | XVI, 901 |
| , behavior under repeated stress cycles | XIX, 417 |
| , carbon blacks in | XIX, 100 |
| , compounding of hard | XVII, 704 |
| compounds | XX, 537 |
| , development of | XX, 794 |
| , effect of moisture on | XIX, 773 |
| , an elastically inverted polymer | XVII, 632 |
| and other elastomers | XX, 747 |
| , electrostatic properties of rubber and | XVIII, 337 |
| emulsified with rosin soap | XX, 25 |
| fractions, molecular weight of | XX, 984 |
| latex compounding of | XVII, 711 |
| latices, films from | XIX, 190 |
| , plasticity and recovery of | XVII, 875 |
| polymerization | XX, 41 |
| polymerization, modifier action in | XX, 29 |
| stocks, specific heats of | XIX, 622 |
| synthetics, some relations between stress, strain and temperature | XVIII, 353 |
| tackiness of | XIX, 1163 |
| technology, gel as a definitive property of | XVIII, 833 |
| in thick articles | XVII, 984 |
| vulcanizates | XIX, 696; XX, 469 |
| vulcanization of Buna-S | XIX, 898 |
| Guanidine accelerators in vulcanized rubber | XI, 531 |
| Guayule and Cryptostegia rubber | XX, 70 |
| rubber | XVII, 131 |
| rubber, compounding of | XVII, 150, 160 |
| Gutta hydrocarbons | XIX, 501 |
| Gutta-percha and balata, structure of rubber | XV, 473 |
| crystal structures of rubber, polychloroprene and | XV, 709 |
| fractionation and molecular weight of rubber and | XV, 1 |
| fusion curves of rubber and | XI, 658 |
| $\beta$-Gutta-percha, structure of | XVIII, 280 |
| Halide transformations, cyclized rubber | XII, 556 |
| Halogen derivatives of rubber from latex | XII, 545 |
| derivatives of rubber hydrocarbons | XVII, 15 |
| reactions | XX, 627 |
| -substitution reactions, mechanism of | XVII, 759 |
| Halogenation, additive, of rubber and dihydromyrcene | XVII, 759 |
| Hard GR-S, compounding of | XVII, 704 |
| rubber | XX, 149, 171; XX, 1039 |
| rubber, changes in physical properties of | XVII, 929 |
| rubber linings, Buna for | XIV, 899; XVI, 698 |
| rubber, properties of | XII, 826; XV, 280; XVIII, 923; XIX, 753; XIX, 760; XX, 116, 525 |
| rubber reactions | XIII, 598, 601, 926 |
| rubbers, comparison of natural and synthetic | XX, 99 |
| Hardening of crude rubber | XIX, 400 |
| Hardness meter of R. A. B. R. M. | XIV, 514 |
| of synthetic and natural rubbers | XVII, 512 |

| | Volume and Page |
|---|---|
| test reproducibility | XX, 551 |
| testing of vulcanized elastomers | XVIII, 448 |
| testing of vulcanized rubber. | |
| II. Comparisons of readings of various instruments | XVII, 194 |
| III. Investigation of the ball indentation test. I | XVII, 494 |
| tests at low temperatures | XIX, 933 |
| Heat conductivity of rubber | XIII, 361 |
| conductivity of rubber at low temperatures | XIII, 830; XV, 142 |
| development and length of life of vulcanizates | XVIII, 71 |
| of dilution in the system: rubber-toluene | XII, 504 |
| embrittlement of GR-S vulcanizates, effect of accelerators on | XVIII, 157 |
| generation in flexed rubber | XVII, 76 |
| -resistance of Neoprene-GN vulcanizates | XVII, 173 |
| sensitizers for rubber latices | XVI, 215 |
| treatment by electrical conduction | XVII, 188 |
| Heats of combustion and specific heats of Buna-S treated in various ways | XV, 874 |
| of dilution of natural rubber | XIX, 1 |
| of vulcanization of synthetic rubbers | XVII, 404 |
| Hertzian spectrum of rubber and its micellar constitution | XIX, 1085 |
| *Hevea brasiliensis*, phosphatides of | XVI, 536 |
| and Buna rubbers, effect on, of milling | XVIII, 164 |
| crude, sol and gel in | XIII, 11 |
| Funtumia and Ceara *vs* | XVII, 541 |
| latex, composition and structure | XI, 394 |
| latex. Correlation of nitrogen and ash with total solids content | XIII, 744 |
| latex. Effect of proteins and electrolytes on its colloidal behavior | XIII, 705 |
| latex, instability of | XIV, 133 |
| latex of large particle size | XIII, 415 |
| latex sludge. Existence of a sludge fraction in fresh unpreserved latex | XIII, 517 |
| rubber latex, ultraviolet microscopy | XI, 405 |
| High-frequency field, ultra, vulcanization in | XIII, 262 |
| and low frequency spectra of rubber and its structure | XX, 910 |
| polymers, molecular weight measurements on | XVIII, 1 |
| polymers, molecular weights of | XVII, 38 |
| polymers, processing behavior of | XVII, 882 |
| polymers, transition effects in | XVII, 802 |
| -speed apparatus for determination of plasticity in rubber works, and some results | XII, 434 |
| -temperature oven-aging of oil-resisting synthetic-rubber compounds | XVIII, 667 |
| Highly polymeric compounds. XLXIV. Unit cell diagrams and the microstructure of single crystals of rubber. Determination of the lattice of macromolecules of rubber according to new *x*-ray methods | XII, 719 |
| reactive sulfur or the reaction of ammonia and sulfur chloride in rubber solutions | XI, 92 |
| History of the Division of Rubber Chemistry of the American Chemical Society | XIII, 1 |
| of India rubber | XI, 1 |
| of latex | XI, 482 |
| of rubber. Franz Carl Achard's "Experiments on elastic resin" | XI, 653 |
| Hot tensile test for GR-S | XVIII, 204 |
| How sulfur is combined in vulcanized rubber | XVI, 834 |
| H test for evaluating the adhesive properties of tire cord in natural and GR-S rubbers | XX, 268 |
| Humidity, effect of, on tire cords | XIX, 233 |
| Hycar-OR. Properties of typical compounds | XIV, 728 |
| specific heat from 15° to 340° K of | XVI, 310 |
| Hydratant acid, separation of | XI, 60 |
| acid, van Harpen's | XIV, 154 |
| Hydrocarbon molecules, rubberlike | XVI, 479 |
| rubber, behavior of, in a molecular still | XII, 789 |
| rubber, carbon and hydrogen in rubber | XX, 982 |
| rubber of *Cryptostegia grandiflora* | XVIII, 693 |
| rubber, determination of | XX, 320 |
| Hydrochloride, rubber, crystal structure of | XVI, 848 |
| , *x*-ray study of rubber | XII, 210 |
| Hydrodepolymerization of rubber. New data on the chemical nature of rubber in connection with its genesis in plants | XV, 33 |
| Hydrogen, determination of active | XIV, 633 |
| in rubber hydrocarbon | XX, 982 |
| permeability of elastic polymers to | XIV, 444 |
| sulfide | XX, 353 |
| sulfide, effect on rate of vulcanization | XIII, 918 |
| sulfide, evolution of, effects on metallic salts | XII, 78 |
| Hydrogenation of high-molecular-weight polymers, destructive | XIII, 849 |
| of monovinylacetylene in the gaseous phase | XIII, 856 |
| of monovinylacetylene in solution | XIII, 858 |
| Hydroperoxides in rubber and synthetic polymers | XX, 45 |
| Hydroperoxidic structure and chain scission in low-molecular polyisoprenes | XVI, 45 |
| Hysteresis in crystallization of stretched vulcanized rubber from *x*-ray data. Correlation with stress-strain behavior and resilience | XIV, 27 |
| II. *x*-Ray studies of the effects of sulfur content and method of curing | XIV, 546 |
| and methods for its measurement in rubberlike materials | XX, 827 |
| tests on tire compounds | XIV, 421, 938 |
| , torsional, test for rubber | XIV, 35; XV, 158 |
| Hysteretic and elastic properties of rubberlike materials under dynamic shear stresses | XVII, 597 |
| I.C.I. tear cutter | XX, 281 |
| Identification of carbon black by surface-area measurements | XVI, 687 |

| | Volume and Page |
|---|---|
| of natural rubber, Weber color test for | XVIII, 902 |
| of natural and synthetic rubbers | XVII, 968 |
| of raw and vulcanized rubberlike polymers. I. Reaction time in a mixture of nitric and sulfuric acids | XVIII, 659 |
| II. Determination of swelling ratios | XVIII, 896 |
| Imbibition of liquids by rubber, influence of chemical structure on | XV, 553; XVI, 752 |
| Immersion test for rubber compounds | XIV, 741 |
| Impact test, development of proof | XX, 1054 |
| test for ebonite | XI, 224 |
| Importance of acidic components in compounding ammonia-preserved latex with zinc oxide | XVI, 342 |
| Impregnation of cotton yarns with latex | XV, 323 |
| of textiles with latex | XI, 538 |
| Improved brittle-point apparatus | XIX, 844 |
| packing of rubber | XI, 439 |
| semimicrodetermination of sulfur in organic materials. Peroxide-carbon fusion followed by a titration using tetrahydroxyquinone indicator | XV, 378 |
| Wiegand rubber pendulum | XII, 529 |
| Improvements in methods for the rapid analysis of rubber | XII, 609 |
| Incorporation of carbon black into GR-S latex on a production scale | XVIII, 130 |
| of vulcanizing agents | XIII, 249 |
| Industrial progress in synthetic rubberlike polymers | XV, 227 |
| Inflated rubber sheet and mechanism of bursting | XVII, 957 |
| Influence of chemical structure on the imbibition of liquids by rubber. I | XV, 553; XVI, 752 |
| of copper on rubber. VII. Effects of metallic salts on evolution of hydrogen sulfide | XII, 78 |
| of crystallographic transformation of sulfur on course of vulcanization | XI, 317 |
| of exposing vulcanized rubber to light on its subsequent aging in the dark | XVII, 216 |
| on final product of fast and slow vulcanizing rubber | XII, 423 |
| of milling on the plasticization of rubber | XIX, 938 |
| of moisture content of carbon black on rubber properties | XV, 216 |
| of temperature of crystallization on melting of crystalline rubber | XIV, 544 |
| of temperature on crystallization of rubber | XI, 348 |
| of vulcanization on oxidizability in relation to aging | XI, 282 |
| of vulcanization on oxidizability of rubber. II. Vulcanizing agents other than sulfur | XIX, 876 |
| Infrared absorption of rubber | XVIII, 10 |
| methods in structural examination of synthetic rubber | XIX, 1113 |
| spectra of compounds of high molecular weight | XIX, 46 |
| spectra of rubber and high polymers | XIV, 572 |
| studies of vulcanization of rubber | XIX, 66 |
| Inhibition of crystallization of rubber by high pressure | XII, 496 |
| Inhibitors in polymers | XX, 55 |
| Inner tubes, Butyl | XX, 1086 |
| Insoluble rubber, soluble and | XII, 117 |
| Instability of Hevea latex | XIV, 133 |
| Instruments, comparisons of readings of various | XVII, 194 |
| Interaction of maleic anhydride with rubber | XII, 200 |
| of plasticizers and polymers | XVIII, 790 |
| between rubber and liquids. I. Thermodynamical study of the system: rubber-benzene | XVI, 89 |
| II. Thermodynamical basis of the swelling and solution of rubber | XV, 545; XVI, 752 |
| III. Swelling of vulcanized rubber in various liquids | XVI, 263 |
| IV. Factors governing absorption of oil by rubber | XVI, 818 |
| V. Osmotic pressures of polymer solutions in mixed solvents | XVIII, 236 |
| VI. Swelling and solubility in mixed liquids | XVIII, 241 |
| VII. Heats and entropies of dilution of natural rubber by various liquids | XIX, 1 |
| VIII. New examination of thermodynamic properties of system: rubber-benzene | XX, 429 |
| IX. Elastic behavior of dry and swollen rubbers | XX, 442 |
| Interferometer, application of, to measurement of dimensional changes in rubber | XIII, 290 |
| Intermolecular forces and mechanical behavior of high polymers | XVI, 268 |
| Internal friction of vulcanized rubber | XII, 401 |
| indicator method for determining zinc in rubber compounds | XV, 382 |
| state of rubber | XII, 488 |
| Introduction of bending-strength test for soft rubber as a means of determining the freezing point and changes in elastic properties of soft rubber at high and low temperatures | XIV, 799 |
| Inverse correlation between rubber hydrocarbon and a crystalline fraction isolated from latex of Cryptostegia | XVIII, 693 |
| correlations between rubber hydrocarbons and insolubles in total solids of latex from *Hevea brasiliensis* | XX, 1140 |
| Inverted polymer, GR-S | XVII, 632 |
| Investigation of fine structure of high-molecular substances by the Universal electron microscope. II. Morphology of rubber and Buna | XIV, 15 |
| of performance of flat and V-type transmission belts | XII, 618 |
| of synthetic linear polymers by *x*-rays | XIV, 323 |
| of thermal conductivity of rubber | XI, 359 |
| Investigations of rubber fillers. I. Particle size and characteristic form of carbon blacks, and their influence on the properties of rubber mixtures, as judged by ultramicroscopic photographs | XIV, 920 |
| Iodine chloride addition | XVII, 61 |
| chloride and thiocyanogen, reactions of | XVIII, 24 |
| monochloride, reactions of polyisobutylenes and Butyl rubber with | XVII, 679 |
| reactions of, with hydrocarbons of natural and synthetic rubber | XVIII, 24 |
| Ion exchanger | XX, 769 |
| Ionic and radical mechanisms in olefinic systems, with special reference to processes of double-bond displacement, vulcanization and photogelling | XVI, 770 |
| Irradiation, ultraviolet, of rubber | XIII, 549 |
| Isobutene polymer, butadiene polymer and natural rubber | XIII, 849 |

| | Volume and Page |
|---|---|
| Isobutylene and isoprene, copolymers of | XVII, 346 |
| Isolation of amino acids from rubber latex | XV, 96 |
| Isomerization of rubber | XI, 350 |
| Isoprene and isobutylene copolymers | XVII, 346 |
| , polymerization of, on sodium surfaces | XIV, 811 |
| , Raman spectra of | XVI, 841 |
| rubbers | XX, 664 |
| -styrene copolymers | XX, 695 |
| β-Isoprene sulfone, crystal structure of | XVI, 486 |
| Isoprenic hydrocarbons, reactivity of | XIX, 34 |
| Isothermal and adiabatic stress-strain curves of vulcanized rubber | XII, 64 |
| | |
| Jatex, colloidal and chemical investigation of | XI, 630 |
| Joule effect | XIII, 49 |
| Gough-, effect in vulcanizates | XI, 508 |
| | |
| Ketene, behavior of | XIX, 63 |
| Kinetic studies in the chemistry of rubber and related materials. | |
| . II. Kinetics of oxidation of conjugated systems | XX, 609 |
| III. Thermochemistry and mechanisms of olefin oxidation | XX, 609 |
| theory of the elasticity of rubber | XI, 644 |
| theory of rubber elasticity | XVIII, 712 |
| Kinetics of coagulation of the latex of *Hevea brasiliensis* and the separation of the hydratant acid. I and II | XI, 60 |
| of high elasticity in synthetic polymers | XV, 430; XVI, 760 |
| and optimum phenomenon of vulcanization | XX, 933 |
| of oxidation of conjugated systems | XX, 609 |
| of polymerization of isoprene on sodium surfaces | XIV, 811 |
| of polymerization reactions | XVIII, 233 |
| of rubberlike elasticity | XV, 438; XVI, 756 |
| KOH-number test and its application to the compounding of zinc oxide in rubber latex | XII, 590 |
| | |
| Laboratory testing of processability of elastomers | XVIII, 826 |
| Langmuir trough, application of, to study of latex | XV, 107 |
| Latex, accelerators for | XV, 316 |
| , acidic components in | XVI, 342 |
| , ammonia-preserved, compounded with zinc oxide | XVI, 342 |
| ,application of Langmuir trough | XV, 107 |
| , application to highway and floor surfacing | XIII, 979 |
| , application to woolen hosiery | XV, 895 |
| and aqua regia, product of a reaction between | XV, 332 |
| , balata, colloidal properties of | XII, 470 |
| coagulation | XIX, 491 |
| coagulation and control of rubber | XVI, 125 |
| , colloidal and chemical investigation of different brands of latex | XI, 630 |
| - colloidal clay, studies of the system | XI, 433 |
| , comparison of different types of rubber from the same field | XIX, 848 |
| , composition of fresh | XII, 646 |
| , compounded | XX, 585 |
| , compounding of GR-S | XVII, 741 |
| , compounds, preparation and testing of | XI, 658 |
| , concentration of | XIX, 486 |
| , concentration of, by centrifugal machines | XIV, 160 |
| , concentration of, by creaming | XI, 75 |
| , conductivity of | XIV, 144 |
| , control of pH of Neoprene | XX, 884 |
| , creaming by colloids of Hevea | XI, 608 |
| , creaming of rubber | XIII, 408; XIV, 308 |
| of Cryptostegia, coagulation studies of | XVIII, 905, 928 |
| , crystalline fraction from *Cryptostegia grandiflora* | XVIII, 693 |
| , dialysis of | XIII, 728; XII, 695 |
| , different brands of | XI, 630 |
| , distribution of nonrubber substances in preserved | 641 |
| , effect of ammoniation on | XI, 455; XII, 465 |
| , effect of rapid stirring | XIV, 315 |
| , electrodecantation for concentrating and purifying | XVI, 529 |
| films, discoloration of dried | XV, 314 |
| , fresh, and changes on ammoniation | XII, 646 |
| , GR-S, incorporation of carbon black into | XVIII, 130 |
| , halogen derivatives of rubber from | XII, 545 |
| , Hevea | XIX, 781 |
| , Hevea, analysis of a product isolated from dried | XIII, 722 |
| , Hevea, analysis of proteins | XIII, 505; XIV, 300 |
| from *Hevea brasiliensis* | XI, 60; XX, 1140 |
| of *Hevea brasiliensis*, effect of ammoniation | XII, 465 |
| , Hevea, components of | XI, 445 |
| , Hevea, composition and characteristics of rubber | XII, 448 |
| , Hevea, composition and structure | XI, 394 |
| , Hevea, correlation of nitrogen and ash with total solids content | XIII, 744 |
| , Hevea, creaming of | XI, 608 |
| , Hevea, dispersoid analyses of | XX, 1109 |
| , Hevea, effect of proteins and electrolytes on colloidal behavior | XIII, 705 |
| , Hevea, instability | XIV, 133 |
| , Hevea, of large particle size | XIII, 415 |

| | Volume and Page |
|---|---|
| , Hevea lecithins in | XIII, 750 |
| , Hevea, natural coagulation | XX, 1124 |
| , Hevea, organic analysis of | XIV, 670; XIX, 788; XX, 1134 |
| , Hevea, polydispersion | XIX, 176; XX, 409 |
| , Hevea, proteins in | XIV, 300; XIII, 505; XI, 601 |
| , Hevea, separation and identification of lecithins | XIII, 750 |
| , Hevea, serum in | XIII, 422 |
| , Hevea, sludge | XIII, 517 |
| , Hevea, sol and gel | XIII, 28 |
| , Hevea, specific gravity of rubber | XIII, 130 |
| , Hevea, ultraviolet microscopy | XI, 405 |
| , History of | XI, 482; XII, 908 |
| impregnation of cotton yarns | XV, 323 |
| impregnation of textiles | XI, 538 |
| industry, some applications of high frequency electric currents | XI, 570 |
| , isolation of amino acids of | XV, 96 |
| , measurement of, by capillary viscometer of viscosity | XIV, 137 |
| , mechanical stability of, method for testing | XV, 172 |
| , nonrubber substances in preserved | XIV, 641; XVI, 365 |
| , organic analysis of | XIV, 659; XIX, 781, 788; XX, |
| particles, adsorption film on | |
| particles, morphology | XIX, 187 |
| particles, morphology of, shown by electron micrographs | XVIII, 173 |
| pigment incorporation in GR-S | XVIII, 122 |
| , positive, preparation | XX, 63 |
| , positively charged | XIV, 657 |
| , preparation of and determination of quality | XI, 459 |
| , preservation of, by sterilization in the presence of a buffer solution | XIII, 787 |
| , preservation and storage of | XX, 879 |
| preserved and concentrated, viscosity of | XII, 301 |
| , procedures for testing | XIII, 136 |
| purification and concentration | XI, 423 |
| , purified | XII, 672 |
| , quality of, and its chemical composition | XIX, 494; XX, 608 |
| , reaction between aqua regia and | XV, 332 |
| rubber, alkaloids in whole | XIV, 670 |
| serum, electrophoretic study of proteins in | 542 |
| sheet, perforate | XII, 867 |
| , some properties of | XI, 479 |
| , specific gravity | XIII, 485 |
| , specific gravity of rubber and of serum | XIII, 422 |
| specimens for electron microscope | XX, 602 |
| , spontaneous coagulation | XII, 469 |
| , stability of *Ficus elastica* | XV, 172 |
| supplies, testing and control | XII, 885 |
| variability of normal and concentrated, procedures for testing | XIII, 136 |
| , variation in quality of raw rubber and | XIII, 185 |
| viscosity | XIII, 474 |
| , viscosity of, formula for determining | XII, 112 |
| , viscosity of preserved | XV, 301 |
| , viscosity of, temperature correction in formula | XIV, 176 |
| , vulcanization of | XVI, 318 |
| , zinc oxide in | XII, 590 |
| Latices, artificial | XIX, 533 |
| , balata and Hevea, motion picture study of | XVI, 509 |
| , Buna-S and Neoprene | XVI, 509 |
| , Castilloa | XII, 688 |
| , coagulation of, by nonpolar liquids | XI, 87 |
| , color measurements of | XIV, 884 |
| , creamed | XI, 452 |
| , GR-S, films from | XIX, 190 |
| , Neoprene and Buna-S | XVI, 509 |
| , nitroparaffins and derivatives as heat sensitizers for | XVI, 215 |
| Lattice of macromolecules, determination of | XII, 719 |
| of rubber | XIII, 547, 284 |
| Lecithins from Hevea | XIII, 750 |
| Length of long-chain molecules | XIX, 1002 |
| , statistical, of rubber molecules | XVII, 779 |
| Life of rubber belts, effect of operating conditions | XIII, 962 |
| of vulcanizates | XVIII, 71 |
| Light, action of, on rubber with oxidative degradation precluded or restricted | XVIII, 610 |
| aging, accelerated, equipment | XV, 358 |
| aging, accelerated, of rubber | XVI, 668 |
| aging, accelerated, of synthetic rubbers | XVII, 209 |
| depolarization | XX, 912 |
| , effect of, on unvulcanized rubber | XII, 181 |
| , influence of, on vulcanized rubber | XVII, 216 |
| , oxidation of unvulcanized rubber in | XV, 75 |
| resistance of Buna ebonites | XVII, 724 |
| scattering in stretched rubber | XIII, 285 |
| Lignin for reënforcing rubber | XX, 1099 |
| Limiting law of reënforcement of rubber | XVIII, 292 |
| Linear polymers, structures of stretched | XVIII, 763 |
| Linings, Buna, for hard rubber | XIV, 899; XVI, 698 |

| | Volume and Page |
|---|---|
| Linking, molecule, capacity of free radicals | XVI, 467 |
| Liquids, interaction between rubber and | XVI, 818 |
| , swelling of vulcanized rubber in | XVI, 263 |
| Loading, dependence of dynamic properties on pigment | XIV, 842 |
| Long-chain molecules, elasticity of. II | XVII, 296; |
| III | XIX, 1009 |
| -chain molecules, statistical length | XIX, 1002 |
| Long spacing in rubber | XV, 780; XVI, 775 |
| Low-sulfur compounds | XI, 680 |
| Low-temperature flexibility of synthetic elastomers. Effect of aviation gasolines | XVIII, 182 |
| temperature flexing apparatus | XVI, 692 |
| temperature properties of elastomers | XVIII, 318 |
| temperature set as a measure of state of vulcanization | XIII, 222 |
| temperature, some physical properties of elastomers | XVIII, 587 |
| temperature stiffness in elastomers | XVII, 107 |
| temperature stiffness test for elastomers | XVIII, 192 |
| temperature testing of rubber | XII, 365 |
| temperatures, behavior of rubber at | XII, 344 |
| temperatures, effects of, on Neoprene vulcanizates | XV, 605 |
| temperatures, effect of, on Young's modulus of elastomers | XVII, 421 |
| temperatures, elasticity of synthetic rubbers at | XVI, 888 |
| temperatures, hardness tests at | XIX, 933 |
| temperatures, heat conductivity of rubber at | XIII, 830 |
| temperatures, resistance of soft rubber products | XVIII, 401 |
| temperatures of rubber vulcanizates | XIX, 915 |
| temperatures, testing synthetic rubbers at | XII, 365 |
| temperatures, two vulcanized pure gum compounds at | XII, 370 |
| Machine and methods for testing the mechanical stability of latex | XV, 172 |
| for the systematic testing of rubber subjected to repeated flexings | XII, 582 |
| Macromolecular compounds. CCXVI. Determination of lattice of rubber | XIII, 284 |
| compounds. CCLVIII. Determination of molecular weights and structure of rubber, gutta-percha and balata | XV, 473 |
| compounds. CCLIX. Constitution of polymers of butadiene | XV, 523 |
| compounds. CCXCII. Polyisobutylene | XVII, 331 |
| compounds. Polymerization of acrylonitrile. Polyacrylonitrile | XVII, 356 |
| compounds. CCCXII. Halogen derivatives of rubber hydrocarbons | XVII, 15 |
| Macromolecules, lattice of | XII, 719 |
| Magnetic anisotropy of rubber | XIX, 349 |
| anisotropy of stretched rubber as a function of the tension to which it is subjected | XVIII, 8 |
| Maleic anhydride, interaction with rubber of | XII, 200 |
| Manganese compounds. Deterioration of vulcanized rubber by | XVII, 221 |
| in crude rubber, mixtures and fillers | XIII, 430 |
| effect of, on vulcanized natural rubber | XX, 821 |
| Manihot, $x$-ray diffraction patterns of | XIII, 42 |
| Manometer for measuring oxidizability | XI, 268 |
| Manometric method for measuring oxidizability of rubber | XIII, 604 |
| test for oxygen absorption by vulcanized rubber | XV, 83 |
| Marking of uncured rubber mixes | XI, 441 |
| Mastication and rate of set-up. II | XVIII, 441 |
| antioxidant influence of sulfur in | XVIII, 437 |
| of rubber. A study of some of the oxidation processes involved | XII, 163 |
| Measurement of the absorption of oxygen by vulcanized rubber in air | XII, 261 |
| of adhesion of unvulcanized rubber to metal | XX, 597 |
| of plasticity of Buna-S with the Williams apparatus | XIX, 478 |
| Measuring permeability of rubber to various gases | XIII, 326 |
| Mechanical and electrical properties of Buna ebonites | XVII, 719 |
| and electrical properties of hard rubber | XX, 116 |
| behavior of high polymers | XVI, 268 |
| oscillograph for routine tests of rubber and rubberlike materials | XIII, 149 |
| processing of carbon blacks. Resultant effects in GR-S compounds | XX, 537 |
| properties of raw and vulcanized rubbers during periodic deformation | XIII, 316 |
| properties of rubberlike materials | XVII, 619 |
| properties of two-dimensional rubber. The micellar structure of rubber | XII, 755 |
| stresses, cracking of rubber subjected to repeated | XIII, 566 |
| tests of vulcanizates of rubber and plastics | XIII, 904 |
| Mechanism of action of accelerators of vulcanization. Derivatives of mercaptobenzothiazole. II. The transformation of mercaptobenzothiazyl sulfide | XI, 97 |
| of action of mercaptobenzothiazole and of its derivatives in the vulcanization process | XVII, 56 |
| of exposure-cracking of rubbers, with a review of the influence of ozone | XVIII, 504 |
| of modifier action in GR-S polymerization. I | XX, 29 |
| II | XX, 41 |
| of oxidation of rubber and its bearing on accelerated aging tests. I and II | XII, 235 |
| of polymerization reactions | XIII, 557 |
| of reënforcement | XVIII, 286 |
| II | XIX, 616 |
| of rubber cracking | XIX, 406 |
| of rubber vulcanization with sulfur | XI, 107 |
| of tearing of natural and synthetic rubbers | XVIII, 486 |
| of vulcanization | XVI, 467 |
| Melting of crystalline polymers | XVIII, 256 |
| of crystalline rubber, effect of pressure on | XIX, 546 |
| of Hevea rubber | XII, 18 |
| Memorial Lecture. Charles Goodyear | XVI, 713 |

| | Volume and Page |
|---|---|
| Mercaptobenzothiazole, derivatives of | XI, 97 |
| in the vulcanization process | XVII, 56 |
| Mercaptobenzothiazyl sulfide, transformation of | XI, 97 |
| Mercury in rubber, determination of | XVII, 234 |
| Metal, adhesion to, of Neoprene | XIII, 166 |
| adhesion to, of unvulcanized rubber | XX, 597 |
| rubber-, bond | XIX, 956 |
| Metallic oxides, activating influence of | XI, 331 |
| poisons, effect on aging of vulcanized natural rubber | XX, 821 |
| salts, effect on evolution of hydrogen sulfide | XII, 78 |
| Metals, bonding of rubber to | XVII, 200 |
| Methacrylonitrile, polymerization of | XVIII, 267 |
| Method for preparing rubber latex specimens for the electron microscope | XX, 602 |
| for the testing of adhesive tape | XV, 190 |
| of testing the elasticity of synthetic rubbers at low temperatures | XVI, 888 |
| Methods of calculating and representing rheological properties, using data from the parallel-plate plastometer | XIX, 461 |
| Methyl iodide, reaction with sulfur compounds | XVII, 303 |
| α-Methylenic reactivity in olefinic and polyolefinic systems | XV, 765; XVI, 769 |
| Methylethyl ketone extraction of rubber | XVI, 383 |
| Micellar constitution of rubber | XIX, 1085 |
| structure of rubber | |
| theory of the structure of rubber | XV, 446 |
| Microscope, some applications of the | XI, 197 |
| Microscopy, technical, in rubber industry | XVI, 219 |
| ultraviolet, of Hevea rubber latex | XI, 405 |
| Microstructure of polymers | XIX, 385 |
| of single crystals | XII, 719 |
| Milkweed, froth flotation of | XVII, 524 |
| Milling, effect of, on properties of Hevea and Buna rubbers | XVIII, 164 |
| effects of, on softness of rubber | XVII, 436 |
| influence of, on the plasticization of rubber | XIX, 938 |
| Mineral oils, swelling of synthetic rubbers in | XIII, 936; XVIII, 452 |
| sulfide as index of disulfide cross-bonding | XX, 649 |
| Mixed polymers and vulcanizable plasticizers. Relation to the vulcanization of rubber | XIV, 826 |
| Mixing and moulding without mastication | XIII, 667 |
| Mobility of foreign molecules dissolved in rubber | XIX, 987 |
| Modern views on the chemistry of vulcanization changes. | |
| I. Nature of the reaction between sulfur and olefins | XX, 341 |
| II. Role of hydrogen sulfide | XX, 353 |
| III. Reaction of sulfur with squalene and with rubber | XX, 360 |
| Modifications of chlorinated rubber brought about by organic bases. Piperidine | XX, 457 |
| Modified method for the direct estimation of the absorption of oxygen by rubber | XIX, 170 |
| Modifier action in GR-S polymerization | XX, 29, 41 |
| Moisture content of carbon black, influence of, on rubber | XV, 46 |
| effect of, on curing rate of GR-S | XVIII, 141 |
| effect of, on GR-S | XIX, 773 |
| Molecular fractionation by diffusion of guayule and Cryptostegia rubber | XX, 70 |
| fractions of rubber | XIX, 602 |
| processes during the deformation of rubberlike elastic bodies | XIX, 525 |
| requirements for synthetic rubber | XVIII, 632 |
| structure, effects of, on physical properties of Butyl rubber | XIX, 552 |
| structure in relation to surface film thickness of polymeric substances | XIX, 551 |
| structure and rubberlike elasticity. | |
| I. Crystal structures of β-gutta-percha, rubber and polychloroprene | XV, 709 |
| II. Stereochemistry of chain polymers | XV, 731 |
| III. Molecular movements in rubberlike polymers | XV, 742 |
| viscosity-, weight relation for natural rubber | XX, 78 |
| viscosity-, weight of rubber | XV, 60 |
| weight and constitution of natural rubber | XV, 17 |
| weight and fractionation of rubber and gutta-percha | XV, 1 |
| weight of GR-S fractions. Simple glass osmometer for use in hydrocarbon solvents | XX, 984 |
| weight of high polymers | XIX, 599 |
| weight and polydispersivity of rubber by diffusion measurements | XX, 377 |
| weight in polyisobutylene | XIX, 1047 |
| weight of sol and gel in crude Hevea rubber | XIII, 11 |
| weights of high polymers | XVII, 38 |
| weights and intrinsic viscosities of polyisobutylenes | XVI, 493 |
| weights and physical properties of rubber fractions | XIV, 580 |
| weights of rubber and related materials. | |
| I. Experimental methods | XV, 43 |
| II. Osmotic pressure and viscosity of solutions of raw rubber | XV, 52 |
| III. Correction of Part II | XV, 535 |
| V. Interpretation of molecular-weight measurements on high polymers | XVIII, 1 |
| weights and structure of rubber, gutta-percha and balata | XV, 473 |
| Molecule-linking capacity of free radicals | XVI, 467 |
| rubber, stereochemistry of | XV, 704 |
| size and shape of rubber | XVIII, 707 |
| Molecules, statistical length of rubber | XIX, 1002 |
| in stretched rubber | XIII, 736 |
| Monoölefin, double-bond movement during autoöxidation of a | XIX, 1022 |
| Monoölefins, catalytic dehydrogenation | XIII, 533 |
| Monovinylacetylene, hydrogenation of, in the gaseous phase | XIII, 856 |
| in solution, butadiene from | XIII, 858 |

| | Volume and Page |
|---|---|
| Mooney, plastometer, plasticity values determined by | XVIII, 897 |
| viscometer | XIX, 808, 821 |
| Morphology of latex particles, as shown by electron micrographs | XVIII, 173 |
| of rubber + Buna | XIV, 15 |
| of rubber latex particles | XIX, 187 |
| Motion picture study of balata and Hevea latices, with observations on Buna-S and Neoprene latices | XVI, 509 |
| Moulded capacity of rubber mixtures | XIX, 466 |
| anisotropy | XX, 863 |
| Moulding without mastication | XIII, 667 |
| Multipore. A thin perforate latex sheet | XII, 867 |
| Natural aging of reclaimed rubber | XVI, 417 |
| coagulation of Hevea latex | XX, 1124 |
| rubber from Russian dandelion | XIX, 856 |
| and synthetic rubber. XVIII. The protein from natural rubber and its amino acid constituents | XI, 5 |
| and synthetic rubber fibers. Electron microscope studies | XVII, 837 |
| Nature of dynamic double refraction in rubber solutions, and the shape of rubber molecules | XIX, 360 |
| Neoprene, adhesion of, to metal | XIII, 166 |
| cements | XIII, 159 |
| compounds, estimation of carbon black in | XIV, 752 |
| electrical properties of | XVI, 699 |
| electrically conducting, and rubber | XV, 146 |
| latex, control of pH of | XX, 884 |
| latices | XVI, 509 |
| permeability to gases | XII, 875 |
| reclaim, economics of the use of | XV, 391 |
| vulcanizates | XIX, 185 |
| vulcanizates, effect of petroleum products on | XIV, 196; XVII, 185 |
| vulcanizates, effects of low temperatures on | XV, 605 |
| vulcanizates, state of cure | XX, 527 |
| water resistance of | XI, 383 |
| Neoprene-GN, effect of carbon blacks on | XX, 207 |
| vulcanizates | XVII, 173 |
| Network, of long-chain molecules, elasticity of | XVI, 746; XVII, 296 |
| New approach to the theory of rubberlike elasticity | XIX, 511 |
| development in rubber reclaiming | XIV, 717 |
| extrusion plastometer | XVII, 745 |
| material: anhydride rubber. I | XIX, 313 |
| method for determining the filler content of vulcanized rubber | XIX, 482 |
| method of determination of fillers in vulcanized rubber | XIII, 931 |
| method for determining the resistance of soft-rubber products to low temperatures | XVIII, 401 |
| method for the direct determination of rubber | XI, 438 |
| method of investigation in the evaluation of fillers for the rubber industry | XIII, 112 |
| transformation product of rubber | XI, 661 |
| types of transformation products of rubber | XIII, 519 |
| Nitric oxide action on rubber, polyisoprene and allied compounds | XVII, 772 |
| Nitro compounds, retarding aging of vulcanized rubber by | XII, 292 |
| Nitrogen, aging of GR-S vulcanizates in | XVIII, 116 |
| and ash of Hevea latex | XIII, 744 |
| compounds, vulcanization of rubber by | XIV, 835 |
| determination of | XIV, 629 |
| Nitroparaffins and chloronitroparaffins as inhibitors | XV, 178 |
| and derivatives as heat sensitizers for rubber latices | XVI, 215 |
| in the rubber industry | XVI, 926 |
| Nitrosobenzene, reactions of polyisobutylenes and Butyl rubber with | XVII, 679 |
| Nomenclature for carbon blacks, broad | XVI, 695 |
| of synthetic rubbers | XII, 900 |
| Nonrubber substances in preserved latex | XIV, 641; XVI, 365 |
| Nonsulfur vulcanization. II. An experimental study | XIX, 652 |
| Note on the product of a reaction between aqua regia and latex | XV, 332 |
| Notes on the method of Roberts for the analysis of raw rubber | XIII, 124 |
| Objective laboratory testing of the processability of elastomers | XVIII, 826 |
| Observations on the flex-cracking characteristics of GR-S (Buna-S) compounds | XVI, 901 |
| on the viscosity of rubber solutions | XI, 676 |
| on the $x$-ray structure of rubber and the size and shape of rubber crystallites | XVII, 640 |
| Oil, absorption of, by rubber | XVI, 818 |
| -resisting rubber. XII. Vulcanized rubbers containing organic accelerators | XII, 842 |
| Oils, hydrocarbon, action at high temperatures | XX, 171 |
| mineral, swelling of synthetic rubbers in | XV, 597; XVIII, 452 |
| Olefin, oxidation, thermochemistry of | XX, 609 |
| sulfur-, reactions | XVII, 788 |
| Olefinic peroxides, behavior of ketene towards | XIX, 63 |
| and polyolefinic substances, autoöxidation reactions | XV, 756; XVI, 770 |
| structure | XX, 366 |
| substances, course and mechanism of autoöxidation reactions in | XVI, 770 |
| systems, ionic and radical mechanisms in | XV, 774 |
| systems, $\alpha$-methylenic reactivity in | XV, 765; XVI, 760 |
| Olefins, behavior of ketene towards | XIX, 63 |
| chemical linking of rubber and of other | XVII, 277 |
| peroxides of simple | XVI, 17 |

| | Volume and Page |
|---|---|
| reaction between sulfur and | XX, 341 |
| simple, structure of | XVI, 17 |
| Oppanol, rubberlike behavior of an artificial substance | XI, 687 |
| Optical and dimensional changes which accompany the freezing and melting of Hevea rubber | XII, 18 |
| properties of rubber | XV, 23 |
| stress-, properties of rubber | XX, 907 |
| Organic accelerators in Buna-S | XVI, 184 |
| accelerators in vulcanized rubbers | XII, 842 |
| analysis of Hevea latex. IV. Amino acids | XIV, 659 |
| V. Ammonia and betaines | XIV, 664 |
| VI. Alkaloids in whole latex rubber | XIV, 670 |
| VII. Fat acids, resin acids, sterols, and wax-alcohols | XIX, 788 |
| VIII. Development of a general scheme of analysis | XIX, 781 |
| IX. Details of the main fractions. | |
| liquids, resistance of Buna ebonites to | XVII, 724 |
| sulfur compounds, vulcanization of Buna-S (GR-S) with | XVIII, 110 |
| Organization, central, for fundamental research on rubber | XV, 221 |
| Ornamental rubber products | XIII, 676 |
| Oscillograph, mechanical, for routine tests | XIII, 149 |
| Osmometer, simple glass | XX, 984 |
| Osmotic measurements of polymethacrylonitriles | XVIII, 271 |
| pressure of rubber | XVI, 805 |
| pressure and viscosity of solutions of raw rubber | XV, 52 |
| pressures of polymer solutions | XVIII, 236 |
| Oven and bomb aging | XX, 760 |
| Oxidation, bacterial, of rubber | XVI, 381 |
| of GR-S and other elastomers | XX, 747 |
| of GR-S vulcanizates | XIX, 696; XX, 496 |
| influence of, on gel-sol transformation | XIII, 28 |
| kinetics of conjugated systems | XX, 609 |
| mechanism of | XII, 235 |
| olefin | XX, 609 |
| potentials, critical | XII, 287 |
| processes involved in mastication of rubber | XII, 163 |
| products of rubber | XII, 225 |
| products of rubber: Rubbone | XI, 523 |
| of rubber and its colloidchemical results | XVI, 571 |
| of rubber, effect of temperature | XIII, 375 |
| of rubber, mechanism of | XII, 235 |
| of rubber in the presence of acetic acid or acetic anhydride | XVII, 267 |
| of rubber, preventing bacterial | XVI, 618 |
| of unvulcanized rubber in light | XV, 75 |
| of vulcanized rubber. Effect of temperature, state of cure and thickness | XIII, 375 |
| Oxidative breakdown of rubber | XIX, 267 |
| degradation, conditions restricting | XIII, 610 |
| Oxidizability, influence on, of vulcanization | XI, 282; XII, 805; XIX, 876 |
| measuring, manometer for | XI, 268 |
| measuring, manometric method for | XIII, 604 |
| meter for measuring | XI, 268 |
| metric method for | |
| testing of, in one-quarter hour | XII, 568 |
| Oxidized rubbers, distribution of oxygen in | XVIII, 32 |
| rubbers, vulcanization of | XII, 541 |
| Oxygen, absorption in air | XII, 261 |
| absorption by rubber | XIX, 170 |
| absorption by rubbers | XX, 728 |
| absorption by vulcanized rubber, test for | XV, 83 |
| aging of GR-S vulcanizates | XVIII, 116 |
| bomb aging of rubber in | XVI, 924; XVII, 754 |
| estimation of, in highly autoöxidized rubber | XV, 965 |
| measurement of absorption by vulcanized rubber in air | XII, 261 |
| in oxidized rubbers | XVIII, 32 |
| peroxidic, determination of | XV, 72 |
| pressure aging | XVI, 453 |
| pressure aging. Improved equipment | XI, 722 |
| protection against | XX, 427; XX, 972 |
| role of, in plasticization of rubber | XVIII, 817 |
| in rubber, direct determination | XII, 269 |
| Ozone, accelerated, weathering test | XX, 808 |
| action of, in cracking of rubber | XIII, 566 |
| action of, on rubber | XIII, 576 |
| influence of | XVIII, 504 |
| of various rubbers | XI, 7; XIII, 7 |
| , reactions of polyisobutylenes and Butyl rubber with | XVII, 679 |
| Ozonides of butadiene rubbers | XVIII, 780 |
| Ozonolysis, polymers by means of | XX, 916 |
| | |
| Packing of rubber | XIX, 865 |
| of rubber, improved | XI, 439 |
| Parallel-plate plastometer (Williams) | XVIII, 877 |
| Particle size, Hevea latex of large | XIII, 415 |
| size, pigment | XI, 585 |
| size and shape of colloidal carbon as revealed by the electron microscope | XIV, 52 |
| Particles of natural and synthetic rubber, stresses in and about the | XVII, 865 |

| | Volume and Page |
|---|---|
| Peachey process, vulcanization by | XX, 182 |
| Pendulum and falling-weight machines, comparison of | XX, 1054 |
| an improved Wiegand | XI, 529 |
| in rubber testing | XII, 403 |
| test for resilience of rubber, errors arising in | XVII, 667 |
| Perforate latex sheet | XII, 867 |
| Performance of Butyl inner tubes. Influence on tire life | XX, 1086 |
| Permanent set at elevated temperatures | XIX, 1099 |
| set of rubber and rubberlike materials, measuring | XII, 861 |
| set test, reproducibility of results | XX, 551 |
| Permeability, gas | XIX, 385 |
| of different rubbers to gases and its relation to diffusivity and solubility | XX, 494 |
| of elastic polymers to hydrogen | XIV, 444 |
| of Neoprene to gases | XII, 875 |
| of organic polysulfide resins to hydrogen | XI, 163 |
| of organic substances to water | XII, 74 |
| in relation to viscosity and structure of rubber | XVI, 537, 766 |
| of rubberlike substances to gases | XX, 479 |
| of rubber to various gases | XIII, 326 |
| of rubber to water vapor | XVI, 388 |
| Peroxidation in relation to olefinic structure | XX, 366 |
| of rubber | XVI, 790 |
| Peroxides, retarding aging of vulcanized rubber | XII, 292 |
| olefinic, behavior of ketene towards | XIX, 63 |
| of simple olefins, structure of | XVI, 17 |
| in synthetic rubber | XVIII, 874 |
| Peroxidic oxygen, determination of | XV, 72 |
| Petroleum products, effect on Buna-S vulcanizates | |
| products, effect on Neoprene vulcanizates | XIV, 196; XIX, 185 |
| solvents, effect of, on cold resistance of synthetic vulcanizates | XVII, 116 |
| pH, control of, of Neoprene latex | XX, 884 |
| properties of colloidal carbon | XI, 187 |
| Phase transition and elastic behavior of high polymers | XV, 452 |
| transitions in rubber and their connection with the stress-strain curve | XIV, 525 |
| Phenolformaldehyde derivatives | XVIII, 780; XX, 173 |
| resins | XVII, 277 |
| Phosphatides of *Hevea brasiliensis* | XVI, 536 |
| Photochemical breakdown of rubber | XIX, 283 |
| Photogelation of rubber sols in the absence of accelerators | XIX, 645 |
| Photogelling agents, rubber | XVIII, 845; XIX, 394 |
| in connection with olefinic systems | XV, 774 |
| reactions and molecule-linking capacity of free radicals | XVI, 467 |
| Photogels by irradiation of goldenrod rubber | XVIII, 685 |
| rubber | XIV, 606; XV, 752; XVI, 768, 783, 835 |
| Photolysis of rubber | XX, 893 |
| Photovulcanization. Study of the products of the action of light on rubber under conditions precluding or restricting oxidative degradation | XVIII, 610 |
| Physical-chemical investigations of goldenrod rubber. IV. Increase in viscosity and formation of photogels by irradiation of goldenrod rubber in the absence of oxygen | XVIII, 685 |
| chemistry of rubber solutions | XVII, 653 |
| constants of rubber | XII, 130 |
| examination of brass deposits | XIX, 208 |
| methods of analysis of synthetic and natural rubber | XVII, 253, 757 |
| properties, correlation in | XX, 288 |
| properties of films from GR-S latices | XIX, 190 |
| properties of polystyrene as influenced by temperature | XV, 639 |
| properties of rubber | XIII, 185 |
| properties of rubber vulcanizates | XIX, 915 |
| testing of rubber | XX, 577 |
| Physical testing of synthetic-rubber products | XVII, 974 |
| Physicochemical investigations of artificial rubber. III. Discussion of thermal measurements | XV, 854 |
| Physics and chemistry of rubber | XVIII, 707, 712, 716, 724 |
| Pigment incorporation in GR-S through latex | XVIII, 122 |
| mixtures, rubber-, refractometer studies | XIII, 649 |
| particle size and surface. Processing characteristics of rubber compounds as affected by -rubber systems | XI, 585 |
| | XIV, 113 |
| Pigments in aqueous medium | XIII, 619 |
| stiffening effect of, in rubber | XVIII, 99 |
| Piperidine | XX, 457 |
| Plant materials | XIX, 501 |
| study of formation of rubber in the | XI, 57 |
| tissues, staining rubber in ground or milled | XVIII, 208 |
| Plantation rubber, tensile tests | XIII, 451 |
| Plants, in South Carolina, rubber analysis of | XV, 978 |
| Plastic-elastic behavior of ebonite | XV, 826; XVI, 754 |
| elastic-, properties of high polymers | XIX, 882 |
| elastic scale, position of rubberlike state on | XVII, 366 |
| elastic state | XII, 799 |
| flow, measurement of | XII, 826 |
| flow in raw rubber | XIII, 795 |
| pseudo-, phenomena with vulcanized rubber | XVII, 854 |
| Plasticity of Buna-S | XIX, 478 |

| | Volume and Page |
|---|---|
| high-speed apparatus for determination | XII, 434 |
| measurements in the rubber industry. IV | XVIII, 646 |
| and recovery of GR-S | XVII, 875 |
| values determined by Williams parallel-plate | XVIII, 877 |
| Plasticization of Buna | XVI, 866 |
| of rubber | XIX, 938 |
| of rubber, role of oxygen | XVIII, 817 |
| Plasticizers, and polymers | XVIII, 790 |
| for chlorinated rubber, solvents and | XV, 626 |
| in rubbers and plastics | XX, 184 |
| vulcanizable, and mixed polymers | XIV, 826 |
| Plastics, vulcanizates of | XIII, 886 |
| Plastometer, du Pont, a modified Williams | XVII, 994 |
| Mooney, determination of scorching of rubber and synthetic compounds | XIV, 458 |
| new extrusion | XVII, 745 |
| parallel-plate | XIX, 461 |
| with uniform rate of shear | XIX, 822 |
| Plastometers, Williams parallel-plate and Mooney | XVIII, 877 |
| Plating, brass- | XVI, 930 |
| Pliolite-rubber mixtures | XIV, 398 |
| Poisons, metallic, effect of, on aging of vulcanized natural rubber | XX, 821 |
| Polarographic determination of organic accelerators of vulcanization | XIV, 914 |
| method in rubber laboratories, possibilities of utilizing | XIV, 470 |
| Polyacrylonitrile | XVII, 356 |
| Polybutene, rubberlike properties of | XIII, 521 |
| solubility of, in pure solvents | XV, 614 |
| Polychloroprene, crystal structures of gutta-percha, rubber, and | XV, 709 |
| structure of | XV, 847 |
| *x*-ray study of | XIX, 1088 |
| Polychloroprenes, elasticity measurements | XX, 1077 |
| Polydispersion of Hevea latex | XIX, 176; XX, 409 |
| Polydispersivity of rubber by diffusion measurements | XX, 377 |
| Polyisobutylene | XVII, 331 |
| solutions, cryoscopic deviations from Raoult's law | XVI, 69 |
| Polyisobutylenes and Butyl rubber | XVII, 679 |
| molecular weights and viscosities | XVI, 493 |
| Polyisoprene, autoöxidation reactions in | XVI, 17; XVI, 45; XIX, 267, 1022 |
| Polyisoprenes and allied compounds | XV,798; XVI, 467, 770; XVII, 1, 285, 772, 759; XIX, 1, 277, 287 |
| double-bond interaction of | XIX, 14 |
| low-molecular | XVI, 45 |
| structure of | XVIII, 280; XIX, 14, 23, 351 |
| ultraviolet absorption spectra | XVIII, 637 |
| Polymeric compounds | XII, 719 |
| of acrylonitrile | XVII, 356 |
| of butadiene and the production of artificial rubber | XI, 501 |
| rubberlike substances | XIII, 264 |
| Polymerization and catalysts | XX, 375 |
| and depolymerization of natural rubber by quinones and related compounds | XI, 47 |
| of diene hydrocarbons | XX, 697 |
| of dienes | XVIII, 213 |
| of dienes and vinyl compounds | XIX, 1029 |
| emulsion, prepared copolymers | XX, 14 |
| GR-S, modifier action in | XX, 29 |
| of isoprene on sodium surfaces | XIV, 811 |
| mechanism, vinyl and diene polymers | XX, |
| of methacrylonitrile. Polymethacrylonitrile | XVIII, 267 |
| to "methyl rubber" of 2,3-dimethylbutadiene | XVIII, 785 |
| of mixtures in bulk | XX, 380 |
| of mixtures in emulsion | XX, 392 |
| of modifier action in GR-S | XX, 41 |
| process, change in Raman spectra of chloroprene and isoprene | XVI, 841 |
| reactions | XVIII, 223; XIX, 36 |
| reactions, mechanism of | XIII, 557 |
| and structural viscosity of various synthetic rubbers | XIV, 724 |
| Polymers of butadiene, constitution | XV, 523 |
| chain, stereochemistry of | XV, 731 |
| dynamic method of studying elastic materials | XIII, 886 |
| elastic, permeability to hydrogen | XIV, 444 |
| high, crystallization phenomena in | XV, 462 |
| high, elastic behavior | XV, 452 |
| high, infrared spectra of | XIV, 572 |
| high, mechanical behavior | XVI, 268 |
| high-molecular-weight, destructive hydrogenation of | XIII, 849 |
| high, phase transition and elastic behavior | XV, 452 |
| highly elastic deformation | |
| interaction of plasticizers and | XVIII, 790 |
| investigation by *x*-rays of synthetic linear | XIV, 323 |
| mixed | XIV, 826 |
| and plasticizers | XVIII, 790 |
| rubberlike, molecular movements in | XV, 742 |
| in solution, properties of | XII, 774 |
| synthetic, kinetics of high elasticity in | XV, 430; XVI, 760 |
| synthetic, rubberlike, industrial progress in | XV, 227 |

| | Volume and Page |
|---|---|
| technique of mechanical tests of vulcanizates of rubber and plastics | XIII, 886 |
| three-dimensional, constitution | XV, 812 |
| Polymethacrylonitrile | XVIII, 267 |
| Polymolecularity, effect of, on deformation of Butyl polymers | XX, 84 |
| Polyolefinic substances, course and mechanism of autoöxidation reactions | XV, 756; XVI, 770 |
| systems, α-methylenic reactivity in | XV, 765; XVI, 769 |
| Polyprene and thioglycolic acid | XX, 978 |
| Polystyrene, cryoscopic data on | XVI, 58 |
| determination of, in GR-S | XX, 546 |
| elastic deformation and molecular weight of | XIX, 1047 |
| physical properties of, influenced by temperature | XV, 639 |
| Polysulfide resins | XI, 163 |
| rubbers | XIX, 1178 |
| theory of accelerator action during vulcanization | XV, 590 |
| Position of the rubberlike state on the plastic-elastic scale | XVII, 366 |
| Positive latex, preparation | XX, 63 |
| Positively charged latex | XIV, 656 |
| Possibilities of utilizing the polarographic method in rubber laboratories. I | XIV, 470 |
| Possibility of transforming rubber into an ion exchanger | XX, 769 |
| Power factor, dielectric constant and conductivity of system | XV, 879 |
| Practical evaluation of commercial rubber carbon blacks by x-ray diffraction | XIII, 655 |
| Precipitants, effects of | XI, 663 |
| Preliminary studies of the conductivity of latex | XIV, 144 |
| Preparation and packing of rubber | XIX, 865 |
| and properties of halogen derivatives of rubber from latex | XII, 545 |
| and properties of rubberlike high polymers. | |
| I. Polymerization of dienes and vinyl compounds in bulk | XIX, 1029 |
| II. Polymerization of mixtures in bulk | XX, 380 |
| III. Polymerization of mixtures in emulsion | XX, 392 |
| and testing of latex compounds | XI, 658 |
| of 2,3-dimethylbutadiene and its polymerization to "methyl rubber" | XVIII, 785 |
| of latex and determination of quality | XI, 459 |
| of latex by sterilization in the presence of a buffer solution | XIII, 787 |
| of positive latex | XX, 63 |
| and storage of latex | XX, 879 |
| Preserved and concentrated latex, viscosity of | XIII, 474 |
| Pressure crystallization of rubber | XII, 12 |
| crystallization of weakly vulcanized rubber by | XIII, 48 |
| effect of, on melting of crystalline rubber | XIX, 546 |
| effect of, on oxygen pressure aging | XVI, 453 |
| high, inhibition of crystallization | XII, 496 |
| Preventing the bacterial oxidation of rubber | XVI, 618 |
| Principles of a method of vulcanization based on condensation reactions. Prothesis and synesis | XIX, 329 |
| Problem of crude rubber | XIII, 468 |
| of making uniform crude rubber and its standardization | XII, 1 |
| Procedure for determining physical properties of films from GR-S latices | XIX, 190 |
| Processability of elastomers | XVIII, 826 |
| Processes and correlation in physical properties | XX, 288 |
| of reclaiming rubber and their relative merits | XVII, 544 |
| Processing behavior of high polymers. Correlation with elastic-plastic properties | XVII, 882 |
| of carbon blacks | XX, 537 |
| characteristics of rubber compounds as affected by pigment particle size and surface | XI, 585 |
| characteristics of synthetic rubbers and their use in the manufacture of extruded products | XVII, 932 |
| characteristics of synthetic tire rubber | XVI, 203 |
| quality, rheology of | XX, 1029 |
| rational | XIV, 762 |
| Production of decorative and ornamental rubber products | XIII, 676 |
| of industrial sponge rubber | XVI, 432 |
| of rubber from furfural | XVIII, 284 |
| Proöxygenic effect | XVIII, 607 |
| effect and resulting deterioration of rubber | XIX, 296 |
| effect. Changes which take place in vulcanized rubber | XVIII, 607 |
| substances, effects of, on reclaimed rubber | XIX, 123 |
| Proper preservation and storage of latex | XX, 879 |
| Properties and uses of chlorinated rubber | XII, 82 |
| of hard rubber. | |
| VII. Measurement of plastic flow as affected by temperature | XII, 826 |
| IX. Swelling in various liquids | XV, 280 |
| XI. Experiments on aging | XVII, 913 |
| XIII. Experiments on thermal effects during vulcanization | XVII, 923 |
| XIV. Influence of some ingredients on surface deterioration in sunlight | XIX, 753 |
| XV. Influence of rubber-sulfur ratio and vulcanization time | |
| XVI. On properties of pure-rubber-sulfur compositions. | |
| XVII. 1. Chemical composition, density and thermal expansion | XIX, 760 |
| 2. Mechanical and electrical properties | XX, 116 |
| 3. Swelling, water absorption, aging, general discussion | XX, 149 |
| XVIII. Swelling of rubber. XV. Hydrocarbon oils | XX, 171 |
| XIX. Effect of temperature on cross-breaking strength | XX, 525 |
| XXI. Influence of vulcanization temperature | XX, 1039 |
| XXII. Development of proof impact test for insulating materials. Comparison of pendulum and falling-weight machines | XX, 1054 |
| of polymers in solution. X. Ultrafiltration of rubber solutions | XII, 774 |
| of rubber cements | XI, 142 |

| | Volume and Page |
|---|---|
| of rubber prepared from dialyzed latex | XII, 695 |
| of rubber solutions and gels | XVI, 550 |
| of some synthetic rubbers | XVI, 857 |
| of sponge rubber as material for damping vibration and shock | XII, 105 |
| Proportion of crystalline and amorphous components in stretched vulcanized rubber | XIX, 1124 |
| Proposed new method of retarding the aging of vulcanized rubber by means of peroxides and nitro compounds | XII, 292 |
| Prosthesis and synesis | XIX, 329 |
| Protection against oxidation | XX, 962 |
| against oxygen. II | XX, 962 |
| against oxygen by a deactivating effect | XX, 427 |
| against oxygen, two methods of | XX, 949 |
| Protein from natural rubber | XI, 5 |
| Proteins, effect of, on colloidal behavior of Hevea latex | XIII, 705 |
| Proteins in deproteinized rubber | XII, 71 |
| of *Hevea brasiliensis.* | |
| I. Analysis of product isolated from the dried latex | XIII, 722 |
| II. Analysis of product isolated from crepe rubber | XIV, 895 |
| in Hevea latex | XIII, 505; XIV, 300 |
| in preserved Hevea latex | XI, 601 |
| in rubber latex serum | XVI, 542 |
| Pseudo-plastic phenomena with vulcanized rubber | XVII, 854 |
| Puncture resistance, apparatus for evaluating | XI, 740 |
| Purification and concentration of rubber latex, with special reference to dialysis | XI, 423 |
| Purified latex and rubber | XII, 672 |
| Purifying latex, electrodecantation for | XVI, 529 |
| Pyridine, action on chlorinated rubber | XIII, 133 |
| Qualitative spot tests for rubber polymers | XIX, 832 |
| Quality, variation in, of raw rubber and latex | XIII, 185 |
| Quantitative determination of some inhibitors in polymers by ultraviolet light absorption | XX, 55 |
| determination of zinc in transparent rubber articles | XIII, 181 |
| method of expressing flex-cracking results | XIII, 694 |
| Quinones and related compounds | XI, 47 |
| R. A. B. R. M. Hardness meter | XIV, 514 |
| Radiomicrography, study of rubber-sulfur mixtures | XIX, 392 |
| Raman spectra of chloroprene and isoprene | XVI, 841 |
| Raoult's law, cryoscopic deviation of polyisobutylene solutions from | XVI, 69 |
| Rapid detection of accelerators | XI, 210 |
| elongation of rubber | XII, 518 |
| rate of cure of crepe rubber, effect of phosphate buffer mixtures | XV, 580 |
| of set-up | XVIII, 441 |
| of vulcanization, effect of hydrogen sulfide | XIII, 918 |
| Rational processing | XIV, 762 |
| Raw rubber, behavior of, when stretched isothermally | XI, 647 |
| crystallization phenomena in | XV, 251 |
| determination of copper in | XI, 706 |
| elastic recovery and plastic flow | XIII, 795 |
| extraction with acetone | XII, 604 |
| variability of | XIII, 420 |
| variation in quality of | XIII, 185 |
| Reactions between compounding ingredients during vulcanization of rubber | XIV, 45 |
| chemical, during vulcanization | XIII, 65 |
| chemical, of rubber | XVI, 111 |
| color, between clays and amines | XIII, 942 |
| of iodine, iodine chloride and thiocyanogen with the hydrocarbons of natural rubber and synthetic rubber | XVIII, 24 |
| of rubber | XVI, 752 |
| Reactivity of isoprenic and analogous hydrocarbons towards thiocyanic acid and dithiocyanogen | XIX, 34 |
| Recent advances in the physics and chemistry of rubber. | |
| I. Size and shape of the rubber molecule | XVIII, 707 |
| II. Kinetic theory of rubber elasticity | XVIII, 712 |
| III. Solubility and swelling of rubbers | XVIII, 716 |
| IV. Crystallization in rubbers | XVIII, 724 |
| advances in rubber analysis | XIX, 792 |
| Reclaim, Neoprene, economics of use of | XV, 391 |
| vulcanization, testing | XX, 301 |
| Reclaimed rubber. Application of the T-50 test | XIV, 247 |
| rubber, chloroform extract | XIII, 633 |
| rubber, effects of prooxygenic substances | XIX, 123 |
| rubber, evaluation | XIV, 696 |
| rubber, natural aging | XVI, 417 |
| rubber, new development in | XIV, 717 |
| rubber, test formulas for | XV, 183 |
| Reclaiming rubber, processes of | XVII, 544 |
| Recovery, elastic, and plastic flow in raw rubber | XIII, 795 |
| of GR-S, factors influencing | XVII, 875 |
| Reënforcement filler | XVI, 124 |
| in natural and synthetic rubber | XVII, 865 |
| mechanism of. I | XVIII, 286 |
| II | XIX, 616 |
| of rubber, limiting law of | XVIII, 292 |

| | Volume and Page |
|---|---|
| rubber, role of surface in | XV, 657 |
| theory of | XX, 607 |
| theory of filler | XVI, 124; XVIII, 596, 605 |
| vulcanization and | XIII, 103 |
| Reënforcing pigments, effect of, on rubber hydrocarbons | XV, 272 |
| rubber, lignin for | XX, |
| Refraction, double, in rubber solutions | XIX, 360 |
| Refractometer studies on rubber-pigment mixtures | XIII, 649 |
| Relation between molecular weights and physical properties of rubber fractions | XIV, 580 |
| Relations between the quality of latex and its chemical composition | XIX, 494; XX, 608 |
| between vulcanization and reënforcement | XIII, 103 |
| Relationship between dry rubber content and viscosity of latex | XIII, 474 |
| between the critical oxidation potentials and antioxidant activities of rubber antioxidants | XII, 287 |
| Relaxation and drift of rubber | XVII, 576 |
| elastic, study of | XIV, 858 |
| stress of natural and synthetic rubber stocks | XVII, 551 |
| Report of Conference on postwar preparation and packing of rubber | XIX, 865 |
| Crude Rubber Committee | XII, 633; XIII, 441; XIV, 289, 755; XVII, 529, 757 |
| Reproducibility of tensile, permanent set, and hardness test results in same laboratory | XX, 551 |
| Research coöperation in the rubber industry | XI, 263 |
| on rubber, central organization | XV, 221 |
| Researches on rubber and rubberlike substances | XII, 31 |
| Resilience, effect of temperature on | XX, 998 |
| of natural and synthetic rubber | XVI, 881 |
| stress-strain behavior | XIV, 27 |
| Resilient energy | XVI, 591; XVII, 435 |
| Resin, acids of Hevea latex | XIX, 788 |
| Resins, artificial, and rubber as "liquids with fixed structures" | XIV, 778 |
| polysulfide | XI, 163 |
| rubber | XVII, 731 |
| synthetic rubber and | XIII, 533 |
| synthetic, vulcanization of rubber with | XIX, 86 |
| Resistance, abrasion | XVIII, 405 |
| of rubber to dynamic forces. I | XIII, 81 |
| of soft rubber products to low temperatures | XVIII, 401 |
| tear, evaluation in elastomers | XVIII, 414 |
| Resistivity, electrical, of rubber compounds | XV, 128 |
| Resonance method, study of elastic relaxation by | XIV, 858 |
| vibrations, method of | XVIII, 394 |
| Retraction, speed, of rubber | XVIII, 380 |
| and stress propagation in natural and synthetic gum and tread stocks | XVIII, 557 |
| of stretched rubber | XVII, 617 |
| Reversion and nonreversion in low-sulfur compounds | XI, 680 |
| Revertex and Revertex-T, colloidal and chemical investigation | XI, 630 |
| Revultex, colloidal and chemical investigation | XI, 630 |
| Rheologic and elastometric measurements of rubber products | XV, 115 |
| Rheological properties of natural and synthetic rubbers | XVII, 621; XIX, 461 |
| Rheology of processing quality of raw rubbers | XX, 1029 |
| Rise of temperature on fast stretching of Butyl rubber | XVIII, 803 |
| of temperature on fast stretching of synthetics and natural rubbers | XVI, 178 |
| Road-cracking of synthetics, compression test for susceptibility | XVIII, 882 |
| Roberts, method of, for analysis of raw rubber | XIII, 124 |
| Role of carbon in oxidation of GR-S vulcanizates | XX, 469 |
| of oxygen in the plasticization of rubber | XVIII, 817 |
| of zinc oxide in compounding Government synthetic rubber | XVI, 650 |
| Rosin soap, GR-S emulsified with | XX, 25 |
| "Rubber acid" damage in fire hoses | XVIII, 688 |
| analysis of plants in South Carolina | XV, 978 |
| as antivibration material | XIII, 686 |
| and artificial resins as "liquids with fixed structures" | XIV, 778 |
| in the automotive industry from the viewpoint of the rubber technologist | XIV, 378 |
| in compression | XIV, 407 |
| elasticity and gas elasticity | XII, 124 |
| hard, linings for Buna | XVI, 698; XIV, 899 |
| hydrocarbon in a molecular still | XII, 789 |
| hydrochloride, crystal structure of | XVI, 848 |
| photogelling agents | XVIII, 845; XIX, 394 |
| photogels | XIV, 606; XV, 752; XVI, 768, 783, 835 |
| -pigment mixtures, refractometer studies | XIII, 649 |
| plastometer with uniform rate of shear. Shearing cone plastometer | XIX, 822 |
| , polyisoprenes and allied compounds. | |
| I. Synthesis of low-molecular polyisoprenes of rubber and squalene | XV, 798 |
| II. Molecule-linking capacity of free radicals and its bearing on the mechanism of vulcanization and photogelling reactions | XVI, 467 |
| IV. Relative tendencies toward substitutive and additive reaction during chlorination | XVII, 1 |
| V. The chemical linking of rubber and of other olefins with phenol-formaldehyde resins | XVII, 277 |
| VI. The mechanism of halogen-substitution reactions and the additive halogenation of rubber and dihydromyrcene | XVII, 759 |
| VII. Action of nitric oxide | XVII, 772 |
| VIII. Formation of dialkyl sulfide dihalides, and its bearing on the problem of determining the unsaturation of vulcanized rubber | XIX, 287 |
| resins | XVI, 731 |
| solvents which are economically self-sufficing | XIV, 227 |

| | Volume and Page |
|---|---|
| stretched by forces in two directions perpendicular to one another | XIII, 92 |
| terminology | XII, 441 |
| various rubber ozonides and the problem of the existence of the primary ozonides of Harries | XI, 7 |
| in vibration | XV, 860 |
| -vulcanizing properties of colloidal carbons | XII, 298 |
| Rubberlike behavior of an artificial substance (Oppanol) when irradiated with $x$-rays | XI, 687 |
| materials at various temperatures | XII, 861 |
| properties of polybutene | XIII, 521 |
| substances, researches on rubber | XII, 31 |
| Rubbone, oxidation products of rubber | XI, 523 |
| Scission, chain, in low-molecular polyisoprenes | XVI, 45 |
| Scorchability test of compounded rubbers | XVII, 213 |
| Scorching of rubber and synthetic compounds | XIV, 458 |
| of rubber stocks | XVIII, 460 |
| Second report of the investigation of crystallization of crude rubber | XIII, 539 |
| Semimicrodetermination of sulfur in organic materials | XV, 378 |
| Sensitive detection of organically combined bromine | XII, 103 |
| Sensitizers, heat, nitroparaffins and derivatives as | XVI, 215 |
| Separation and identification of lecithins from Hevea latex | XIII, 750 |
| Serum, specific gravity of, in Hevea latex and rubber | XIII, 422 |
| Set, low-temperature | XIII, 222 |
| Setting-up or scorchability test of compounded rubbers | XVII, 213 |
| Set-up mastication and rate of | XVIII, 441 |
| Shape of rubber molecules | XIX, 360 |
| Shatter points of rubberlike materials | XVII, 100 |
| Shear, dynamic, stress | XVII, 597 |
| natural and synthetic rubber compounds in, creep of | XIV, 433 |
| Shearing-cone plastometer | XIX, 822 |
| Shellac as an ingredient of rubber compositions | XIX, 125 |
| Shock, sponge rubber for damping vibration and | XII, 105 |
| Shore durometer for measuring hardness of synthetic and natural rubbers | XVII, 512 |
| Significance of the equation of state for rubbers | XIX, 1137 |
| Simple cold test for vulcanized polymers | XX, 859 |
| vulcanizates of Buna-S and sulfur. Physical and chemical properties | XVII, 124 |
| Simplified hot tensile test for GR-S | XVIII, 204 |
| Single-cord compression adhesion test for evaluating the adhesion of vulcanized rubber to cord | XIX, 223 |
| crystals of rubber | XII, 719 |
| Size-distribution curves in study of polymerization reactions | XIX, 36 |
| SK—the Russian synthetic rubber | XV, 403 |
| Slow vulcanizing rubbers | XII, 423 |
| Sludge fraction in fresh unpreserved latex | XIII, 517 |
| Sodium-catalyzed copolymerization of 1,3-butadiene and styrene | XX, 1 |
| Softness of rubber, effects of milling on | XVII, 436 |
| Sol and gel in crude Hevea rubber | XIII, 11 |
| and gel in Hevea latex and crude rubber. Influence of oxidation on gel-sol transformation | XIII, 28 |
| :gel ratio | XIII, 185 |
| gel and total rubber-, $x$-ray diffraction patterns | XI, 32 |
| rubber, $x$-ray diffraction patterns | XII, 482 |
| Sols, gelation of rubber, by ultraviolet light | XIX, 632 |
| photogelation of rubber | XIX, 645 |
| Solubilities of unvulcanized rubbers | XX, 990 |
| Solubility and diffusion of sulfur in synthetic elastomers | XVII, 693 |
| diffusivity and | XX, 494 |
| of polybutene in pure solvents | XV, 614 |
| of sulfur in butadiene-styrene copolymer | XVI, 863 |
| and swelling in mixed liquids | XVIII, 241 |
| and swelling of rubbers | XVIII, 716 |
| Soluble and insoluble rubber | XII, 117 |
| Solution, colloidal structure of rubber in | XIII, 275 |
| method for the compounding of goldenrod rubber | XVIII, 679 |
| rubber in | XX, 689 |
| and swelling of rubber, thermodynamical basis | XV, 545 |
| Solutions, chromatography of rubber | XII, 762 |
| of crepe rubber and of Buna, comparative viscometric studies | XI, 372 |
| double refraction in | XIX, 360 |
| and gels, properties of rubber | XVI, 550 |
| highly reactive sulfur | XI, 92 |
| polyisobutylene, cryoscopic deviation of, from Raoult's law | XVI, 69 |
| of raw rubber, osmotic pressure and viscosity | XV, 43 |
| rubber, cryoscopic deviation of, from Raoult's law | XV, 60 |
| rubber, effect of silent electric discharges | XIII, 831 |
| rubber, physical chemistry | XVII, 653 |
| rubber, sulfur chloride in | XI, 92 |
| stability of rubber | XV, 558 |
| transparency of rubber and its | XVII, 51 |
| ultrafiltration of rubber | XX, 774 |
| vapor pressure equations | XVI, 805 |
| viscosity of rubber | XI, 676, XV, 52 |
| Solvation in dispersed systems. XII. Influence of surface-active substances on the structure of rubber fractions | XVI, 86 |
| Solvent type and temperature, effect of, on viscosity of high-polymer solutions | XV, 820 |

| | Volume and Page |
|---|---|
| Solvents, osmotic pressures of polymer solutions in mixed | XVIII, 236 |
| petroleum, effect on cold resistance of synthetic vulcanizates | XVII, 116 |
| and plasticizers for chlorinated rubber | XV, 626 |
| pure, solubility of polybutene | XV, 614 |
| rubber, which are economically self-sufficing | XIV, 227 |
| Some applications of high-frequency electric currents to the latex industry | XI, 570 |
| applications of the microscope to rubber technique | XI, 197 |
| causes of variation in the quality of raw rubber and latex. The sol:gel ratio in relation to the ultimate physical properties of rubber | XIII, 185 |
| dynamic properties of rubber | XVI, 136 |
| infrared studies on the vulcanization of rubber | XIV, 66 |
| low-temperature properties of elastomers | XVIII, 318 |
| physical properties of elastomers at low temperature | XVIII, 587 |
| physico-chemical properties of carbon blacks | XIV, 934 |
| practical aspects of the theory of diffusion of water through rubber | XII, 535 |
| properties of rubber latex | XI, 479 |
| properties of two vulcanized pure gum compounds at low temperatures | XII, 370 |
| relations between stress, strain and temperature in a pure-gum vulcanizate of GR-S synthetic rubber | XVIII, 353 |
| remarks on the measurement of the viscosity of latex by means of a capillary viscometer | XIV, 137 |
| Sorption of rubber | XI, 485 |
| Spacing, long, in rubber | XV, 780 |
| Specific gravity of latex and of rubber | XIII, 485 |
| gravity of rubber and of serum in Hevea latex | XIII, 422 |
| gravity of rubber in Hevea latex | XIII, 130 |
| heat and heats of combustion of Buna-S | XV, 874 |
| heat of strained rubber | XII, 794 |
| heat of the synthetic rubber Hycar-OR from 15° to 340° K | XVI, 310 |
| heats of Hevea, GR-S and GR-I stocks | XIX, 622 |
| influences in the polymerization of dienes. Chemical factors influencing the homogeneity of synthetic rubbers during production | XVIII, 213 |
| Spectra, high-frequency and low-frequency | XX, 910 |
| infrared, of high molecular weight compounds | XIX, 46 |
| Raman, of chloroprene | XVI, 841 |
| ultraviolet absorption of 1,5-dienes | XIX, 23 |
| Spectrography, ultraviolet | XIX, 1051, 1061 |
| Spectrophotometric determination of styrene content of butadiene-styrene copolymers | XIX, 1077 |
| Spectroscopic method for analysis and control of synthetic rubber | XVI, 634 |
| Spectroscopy, ultraviolet, applied to study of transformation of tetramethylthiuram disulfide | XVII, 941 |
| Spectrum, Hertzian, of rubber | XIX, 1085 |
| Speed of retraction of rubber | XVIII, 380 |
| Sponge rubber | XVI, 425 |
| rubber, accelerators and colors in | XVI, 438 |
| rubber, for damping vibration and shock | XII, 105 |
| rubber, production of industrial | XVI, 432 |
| Spontaneous coagulation of rubber latex | XII, 469 |
| Spot tests for rubber polymers | XIX, 832 |
| Squalene, reaction of sulfur with | XX, 360 |
| Stability of butadiene | XIX, 475 |
| of chlorinated rubber and its fractions | XIII, 582 |
| of *Ficus elastica* latex | XI, 624 |
| of latex, mechanical, methods for testing | XV, 172 |
| of rubber solutions | XI, 558 |
| Staining rubber in ground or milled plant tissues | XVIII, 208 |
| Standardization of crude rubber | XII, 1 |
| of durometers | XIII, 969 |
| of rubber flexing tests | XV, 159 |
| State of cure, effect on oxidation of vulcanized rubber | XIII, 375 |
| of Neoprene vulcanizates | XX, 527 |
| of polydispersion of Hevea latex | XIX, 76; XX, 409 |
| of vulcanization, measure of | XIII, 222 |
| of vulcanization, T-50 test for | XIII, 389 |
| Static and dynamic properties of rubber under compression | XII, 381 |
| electric problems in tires | XV, 678 |
| Statistical control in the physical testing of rubber | XX, 577 |
| evaluation of variations in rubber processes and correlation in physical properties | XX, 288 |
| length of long-chain molecules | XIX, 1002; XVII, 779 |
| lengths of rubberlike hydrocarbon molecules | XVI, 479 |
| theories of high elasticity of rubber | XII, 498 |
| theory, elastic and thermoelastic properties of rubberlike materials | XIV, 596 |
| theory of the elasticity of rubber | XII, 56 |
| thermodynamics of rubber | XV, 468 |
| II | XV, 806 |
| III | XVII, 392 |
| treatment of crystallization phenomena in high polymers | XV, 462 |
| Staudinger's viscosity rule, discussion | XVI, 58 |
| Stereochemistry of chain polymers | XV, 731 |
| of the rubber molecule | XV, 704; XVI, 775 |
| Sterilization of latex in presence of a buffer solution | XIII, 787 |
| Sterol group, studies in | XV, 91 |
| Sterols of Hevea latex | XIX, 788 |
| isolation of caoutchicol | XIII, 302 |
| Stiffening effect of pigments in rubber | XVIII, 99 |
| Stiffness of rubber on bending, or its dynamic hardness. Method of resonance vibrations | XVIII, 394 |

| | Volume and Page |
|---|---|
| low-temperature, in elastomers | XVII, 107 |
| test for elastomers, low-temperature | XVIII, 192 |
| Stirring, rapid, effect on latex | XIV, 315 |
| Storage of latex | XX, 879 |
| Strain, effect of, on aging of vulcanized rubber | XIV, 673 |
| Strained rubber, specific heat of | XII, 794 |
| Strains in an inflated rubber sheet, and the mechanism of bursting | XVII, 957 |
| Strength of amorphous and of crystallizing rubberlike polymers | XIX, 42 |
| of vulcanized rubber | XII, 509 |
| Stress cycles, repeated, behavior of natural rubber and GR-S | XIX, 417 |
| dependence on temperature | XII, 520 |
| -optical properties of rubber | XX, 907 |
| propagation in natural and synthetic gum and tread stocks | XVIII, 557 |
| relaxation of natural and synthetic rubber stocks | XVII, 551 |
| -strain behavior and resilience | XIV, 27 |
| -strain curve, phase transitions in rubber | XIV, 525 |
| -strain curve of rubber | XIII, 74 |
| -strain curves, isothermal and adiabatic | XII, 64 |
| -strain data for vulcanized rubber under various types of deformation | XVII, 813 |
| -strain relation of natural and synthetic rubbers | XVII, 826 |
| -strain and temperature in (GR-S) vulcanizate | XVIII, 353 |
| -temperature relations in polysulfide rubbers | XIX, 1178 |
| brittle temperature of rubber under | XVI, 609 |
| -temperature relations in a pure-gum vulcanizate of natural rubber | XVIII, 367 |
| -time-temperature relations in polysulfide rubbers | XIX, 1178 |
| variable, brittle temperature of rubber under | XVI, 609 |
| Stresses in and about the particles of natural and synthetic rubber | XVII, 865 |
| Stretch, high rates of | XIII, 348 |
| vulcanization of rubber under | XIII, 243 |
| Stretched linear polymers, structures of | XVIII, 763 |
| rubber, arrangement of molecules in | XIII, 736 |
| rubber, crystalline and amorphous components in | XIV, 555 |
| rubber, by forces in two directions | XIII, 92 |
| rubber as a function of the tension | XVIII, 8 |
| rubber, light scattering in | XIII, 285 |
| rubber, retraction of | XVII, 617 |
| rubber, structure of | XI, 510 |
| *x*-ray study of | XI, 352; XIV, 555 |
| vulcanized rubber, crystalline and amorphous components in | XIX, 1124 |
| vulcanized rubber, crystallization in | XIV, 27 |
| vulcanized rubber, hysteresis in crystallization of | XIV, 27, 546 |
| Stretching, fast, of Butyl rubber | XVIII, 803 |
| fast, of synthetic and natural rubber | XVI, 178 |
| Structural changes in vulcanization of Buna-S | XIX, 534 |
| examination of synthetic rubber by infrared methods | XIX, 1113 |
| features of Buna-S. Relation to physical properties | XVIII, 41 |
| studies of the vulcanization of rubber under stretch | XIII, 243 |
| Structure of butadiene polymers | XX, 916 |
| chain, of vinyl and diene polymers | XX, 903 |
| chemical, influence of, on imbibition of liquids by rubber | XV, 553 |
| chemical, of vulcanized rubber | XII, 43 |
| colloidal of rubber | XIII, 275; XI, 663 |
| of copolymers of isobutylene and isoprene | XVII, 346 |
| crystal, of β-isoprene sulfone | XVI, 486 |
| crystal, of rubber hydrochloride | XVI, 848 |
| fine, of high-molecular substances | XIV, 15 |
| of Hevea latex, composition and | XI, 394 |
| hydroperoxidic, and chain scission in low-molecular polyprenes | XVI, 45 |
| micellar of rubber | XII, 755 |
| of a mixed polymer of butadiene and acrylonitrile | XX, 927 |
| of the mixed polymer of butadiene and styrene | XV, 693 |
| of the mixed polymer of butadiene and the nitrile of methacrylic acid | XV, 698 |
| molecular, of rubber, gutta-percha and balata | XV, 473 |
| of peroxides of simple olefins | XVI, 17 |
| of polychloroprene | XV, 847 |
| of polyisoprenes. | |
| I. Crystal structure of geranylamine hydrochloride | XIX, 351 |
| II. Structure of β-gutta-percha | XVIII, 280 |
| III. Ultraviolet absorption spectra | XVIII, 637 |
| IV. Double-bond interaction in certain carbalkoxy-substituted 1,5-dienes | XIX, 14 |
| V. Ultraviolet absorption spectra of certain carbalkoxy-substituted 1,5-dienes, and charge-resonance spectra of glutaconic ester enolate ions | XIX, 23 |
| and reactions of rubber. A general discussion | XVI, 752 |
| of rubber | XII, 119; XX, 910 |
| rubber, effect of vulcanization on | XIII, 196 |
| of rubber fractions | XVI, 86 |
| of rubber, gutta-percha and balata | XV, 473 |
| of rubber, micellar theory of | XV, 446 |
| of stretched rubber | XI, 510 |
| of synthetic rubbers. Ethylene polysulfide (Thiorubber) | XIX, 1090 |
| and viscosity of rubber | XV, 537 |
| *x*-ray | XIX, 640 |
| *x*-ray, of rubber-carbon black mixtures | XIV, 85 |
| Structures of stretched linear polymers | XVIII, 763 |

| | Volume and Page |
|---|---|
| Studies of the amorphous state. XVIII. Dielectric losses in swollen rubbers | XIV, 877 |
| in compounding guayule rubber | XVII, 131 |
| II | XVII, 136 |
| III. Deresinification of crude guayule | XVII, 142 |
| on deproteinized rubber. V. Effects of several proteins | XII, 71 |
| of hard rubber reactions. VI. Liberation of so-called free sulfur and changes in acetone extract of vulcanized rubber by repeated extraction and heating | XIII, 598 |
| VII. True free sulfur from pure rubber-sulfur compound and changes in the acetone extract during repeated extraction and heating | XIII, 601 |
| of organic accelerators. XVI. Part 4. Detection and analysis of organic accelerators. Detection of guanidine accelerators in vulcanized rubber | XI, 531 |
| XVIII. 6. Detection of dithiocarbamate accelerators in vulcanized rubber | XV, 533 |
| XIX. 7. Detection of thiuram accelerators in vulcanized rubber | XV, 535 |
| in the sterol group. XLIII. Unsaponifiable portion of the acetone extract of plantation rubber | XV, 91 |
| of synthetic rubber. III. Influence of irradiation with ultraviolet light on the degree of polymerization and structural viscosity of various synthetic rubbers | XIV, 724 |
| of the system latex-colloidal clay | XI, 433 |
| Study of elastic relaxation by a resonance method | XIV, 858 |
| the formation of rubber in the plant | XI, 57 |
| mechanism of polymerization reactions by means of size-distribution curves | XIX, 36 |
| polymers. I. Highly elastic deformation of polymers | XIII, 886 |
| of the rubber-metal bond | XIX, 956 |
| of rubber-sulfur mixtures by radiomicrography | XIX, 392 |
| of structure of butadiene polymers by means of ozonolysis | XX, 916 |
| of various molecular fractions of rubber and their behavior during vulcanization | XIX, 602 |
| Styrene, butadiene-polymers | XX, 14 |
| content of butadiene-styrene copolymers | XIX, 1077 |
| copolymerization of | XX, 1 |
| -diene resins in rubber compounding | XX, 241 |
| isoprene, copolymers | XX, 695 |
| Sulfide as index of disulfide cross-bonding | XX, 627 |
| linkage theory of vulcanization | XII, 191 |
| Sulfur-accelerator ratios in vulcanized rubber | XIV, 356 |
| in acetone extracts | XX, 315 |
| antioxidant influence of | XVIII, 438 |
| bond in vulcanizates. Implications of halogen reactions | XX, 627 |
| chloride in rubber solutions | XI, 92 |
| combined, in Butyl rubber | XVII, 738 |
| combined, in vulcanized rubber | XII, 101; XVI, 834 |
| compounds, organic, with Buna-S (GR-S) | XVIII, 110 |
| compounds, reaction of methyl iodide with | XVII, 303 |
| compounds, vulcanization of Buna-S (GR-S) | XIX, 896 |
| crystallographic transformation | XI, 317 |
| diffusion of | XIII, 807 |
| diffusion in synthetic elastomers | XVII, 693 |
| free, in vulcanized rubber | XV, 376; XIV, 520 |
| highly reactive | XI, 92 |
| linkage in vulcanized rubbers. I. Reaction of methyl iodide with sulfur compounds | XVII, 303 |
| mechanism of, in vulcanization of rubber | XI, 107 |
| and olefins | XX, 341 |
| -olefin reactions, chemistry of | XVII, 788 |
| reaction of, with squalene | XX, 360 |
| semimicrodetermination of, in organic materials | XV, 378 |
| simple vulcanizates of Buna-S and | XVII, 124 |
| solubility of, in butadiene-styrene copolymer | XVI, 863 |
| total, determination in rubber | XVII, 227; XVIII, 663 |
| total, in rubber and rubberlike materials | XVI, 675 |
| Sunlight and accelerated light aging of synthetic rubbers | XVI, 209 |
| deterioration of hard rubber in | XIX, 753 |
| deterioration of a rubber compound | XV, 647 |
| and ultraviolet, evaluation | XV, 358 |
| Surface-active substances, influence on rubber fractions of | XVI, 86 |
| area and properties of carbon black | XV, 206 |
| area measurements, identification of carbon black by | XVI, 687 |
| film thicknesses of polymeric substances in relation to molecular structure | XIX, 551 |
| in rubber, reënforcement, role of | XV, 657 |
| Swelling of hard rubber | XX, 149 |
| of hard rubber in liquids | XV, 280 |
| measurements in the rubber laboratory | XIV, 489 |
| in polymeric rubberlike substances | XIII, 264 |
| ratios | XVIII, 896 |
| of rubber | XX, 171 |
| of rubbers | XVIII, 716 |
| and solubility in mixed liquids | XVIII, 241 |
| and solution of rubber | XV, 545 |
| of synthetic rubbers in mineral oils | XIII, 936; XV, 597; XVIII, 452 |
| thermodynamical basis of | XVI, 752 |
| of vulcanized rubber in various liquids | XVI, 263 |
| Swollen rubbers, dielectric losses in | XIV, 877 |
| elastic behavior of dry and | XX, 442 |
| Synesis, prosthesis and | XIX, 329 |
| Synthetic polymers, kinetics of high elasticity in | XV, 430 |

| | Volume and Page |
|---|---|
| rubber from acetylene. III. Preparation of butadiene by catalytic hydrogenation of monovinylacetylene in the gaseous phase | XIII. 856 |
| IV. Preparation of butadiene by catalytic hydrogenation of monovinylacetylene in solution | XIII, 858 |
| rubber in automotive industry | XIV, 211 |
| rubber, cold resistance of | XIV, 736 |
| rubber compounds, fibrous properties and abrasion resistance | XIV, 786 |
| rubber ebonites | XVII, 192 |
| rubber, flex life | XVII, 392; XVII, 398 |
| rubber, Government | XVI, 650 |
| rubber, natural and | XI, 5; XVII, 837 |
| rubber products, physical testing of | XVII, 974 |
| rubber and resins | XIII, 533 |
| rubber, SK—the Russian | XV, 403 |
| rubber. A spectroscopic method for analysis and control | XVI, 634 |
| rubber, studies of | XIV, 724 |
| rubberlike polymers | XV, 227 |
| rubbers, nomenclature of | XII, 900 |
| rubbers, processing characteristics | XVII, 932 |
| rubbers. A review of their compositions, properties, and uses | XIII, 861 |
| rubbers, rheological properties | XVII, 621 |
| rubbers, stress-strain | XVII, 826 |
| rubbers, swelling in mineral oils | XIII, 936; XV, 597 |
| rubbers, theory of rubber elasticity for development | XVI, 286 |
| rubbers, use in manufacture of extruded products | XVII, 932 |
| System: rubber-benzene, thermodynamical study | XVI, 89 |
| : rubber-toluene | XII, 504 |
| Systems manifesting superposed elastic and viscous behavior | XVIII, 731 |
| T-50 test, application to reclaimed rubber | XIV, 247 |
| applied to zinc oxide compounds | XI, 234 |
| for state of vulcanization | XIII, 389; XII, 576 |
| value factors influencing the | XIV, 501 |
| Tackiness and consistency of rubber after treatment by alkali | XII, 176 |
| of GR-S and other elastomers | XIX, 1163 |
| Tape, adhesive, method for testing | XV, 190 |
| Tear resistance in elastomers | XVIII, 414 |
| resistance. I. Mechanism of tearing of natural and synthetic rubbers | XVIII, 486 |
| resistance. More accurate results using I.C.I. tear cutter | XX, 281 |
| resistance of rubber compounds | XIV, 863 |
| test of synthetics for susceptibility to road-cracking | XVIII, 882 |
| Tearing, resistance to, of vulcanized rubber | XI, 689 |
| Technical microscopy in the rubber industry | XVI, 219 |
| Technique of mechanical tests of vulcanizates of rubber and plastics | XIII, 904 |
| Temperature, brittle, of rubber under variable stress | XVI, 609 |
| coefficient of vulcanization | XIII, 101, 255 |
| coefficient of vulcanization of Buna-S | XVII, 412 |
| correction in formula for viscosity of latex | XIV, 176 |
| of crystallization | XIV, 544 |
| dependence on, of stress | XII, 520 |
| dependence on, of vibration properties | XVI, 400 |
| of dynamic properties | XVIII, 306 |
| effect, on mechanism of oxidation | XIII, 375 |
| effect of, on oxidation of vulcanized rubber | XIII, 375 |
| effect of, on oxygen pressure aging | XVI, 453 |
| effect of, on resilience of natural and synthetic rubber | XVI, 881 |
| effect of rise on fast stretching of synthetic and natural rubber | XVI, 178 |
| effect of, on sunlight deterioration | XV, 647 |
| effect of, on tire cords | XIX, 233 |
| effect of, on vibration characteristics | XVIII, 83 |
| influence of, on crystallization | XI, 348 |
| influence of, on physical properties of polystyrene | XV, 639 |
| influence of rise of, on fast stretching of Butyl rubber | XVIII, 803 |
| influence of, on vulcanization | XX, 1039 |
| low, flexing apparatus | XVI, 692 |
| at low, some physical properties of elastomers | XVIII, 587 |
| of rubber elongated to constant degree | XII, 520 |
| and solvent type of high-polymer solutions | XV, 820 |
| stress-, relations | XVIII, 367 |
| and stress-strain relations | XVIII, 353 |
| variation with, of dynamic properties | XVIII, 471 |
| Tensile, correlation of, with brittle points | XX, 515 |
| properties of rubber | XIX, 428 |
| properties of rubber compounds at high rates of stretch | XIII, 348 |
| specimens, buffing in | XX, 325 |
| strength in relation to molecular weight of high polymers | XIX, 599 |
| test for GR-S | XVIII, 204 |
| test, reproducibility | XX, 551 |
| tests of plantation rubber | XIII, 451 |
| Tension tests with flat (straight) test-pieces | XI, 214 |
| Tentative procedures for testing variability of normal and concentrated latex | XIII, 136 |

| | Volume and Page |
|---|---|
| Terminology, rubber | XII, 441 |
| of intrinsic viscosity and related functions | XIX, 1092 |
| Test formulas for reclaimed rubber | XV, 183 |
| Testing and control of latex supplies | XII, 885 |
| of latex compounds, preparation and | XI, 658 |
| of rubber in compression | XVII, 1000 |
| of rubber flexed repeatedly, machine for | XII, 582 |
| of rubber at low temperatures | XII, 365 |
| ultra-rapid, of rubber | XII, 568 |
| use of pendulum | XII, 403 |
| variability of normal and concentrated latex | XIII, 136 |
| Tests, electrical | XIV, 449 |
| spot, for rubber polymers | XIX, 832 |
| Tetramethylthiuram disulfide, transformations | XVII, 941; XIX, 1061 |
| Textile fibres, deposition of rubber on | XI, 545 |
| Textiles, impregnation with latex | XI, 538 |
| Theory of calender effect in rubberlike materials | XVIII, 772 |
| of diffusion of water through rubber | XII, 535 |
| of elasticity, viscosity and swelling in polymeric rubberlike substances | XIII, 264 |
| of filler reënforcement | XVIII, 596, 605; XVI, 124 |
| of filler reënforcement in natural and synthetic rubber. Stresses in and about the particles | XVII, 865 |
| of filler reënforcement in rubber | XVI, 124 |
| of permanent set at elevated temperatures in natural and synthetic rubber vulcanizates | XIX, 1099 |
| of reënforcement | XX, 607 |
| of rubberlike elasticity | XIX, 511 |
| of rubberlike elasticity for development of synthetic rubbers | XVI, 286 |
| statistical, of elasticity of rubber | XII, 56 |
| sulfide linkage, of vulcanization | XII, 191 |
| of water absorption by rubber | XII, 532 |
| Thermal breakdown of rubber | XIX, 277 |
| conductivity of rubber | XI, 359 |
| decomposition of natural and synthetic rubber stocks | XVI, 127 |
| effects during vulcanization | XVII, 923 |
| expansion of hard rubber | XIX, 760 |
| expansion and second-order transition effects in high polymers. I. Experimental results | XVII, 802 |
| measurements of artificial rubber | XV, 854 |
| motion of long organic chains | XVI, 1 |
| problems in rubber manufacture | XIV, 683 |
| Thermochemistry and mechanisms of olefin oxidation | XX, 609 |
| Thermodynamic properties of system: rubber-benzene | XX, 429 |
| study of the elastic-extension of rubber | XV, 784; XVI, 755 |
| viewpoint of vulcanization | XIII, 235 |
| Thermodynamical basis of the swelling and solution of rubber | XV, 545 |
| study of system: rubber-benzene | XVI, 89 |
| Thermodynamics, application to chemistry of rubber | XII, 150 |
| of rubber at small extensions | XVIII, 579 |
| of rubber, statistical | XV, 468, 806; XVII, 392 |
| Thermoelastic properties of rubber | XX, 416 |
| properties of rubberlike | XIV, 596 |
| Thermoplasticity of chlorinated rubber | XX, 249 |
| Thick articles, cure of GR-S | XVII, 984 |
| Thickness, effect on oxidation of vulcanized rubber | XIII, 375 |
| Thiocyanic acid and dithiocyanogen | XIX, 34 |
| Thiocyanogen, reactions with hydrocarbons | XVIII, 24 |
| reactions of polyisobutylenes and Butyl rubber | XVII, 679 |
| Thioglycolic acid | XX, 978 |
| Thiokol Type F, gasoline-diffusion resistance | XIV, 929 |
| Thiorubber—ethylene polysulfide | XIX, 1090 |
| Thiuram accelerators, detection of | XI, 535 |
| disulfides in compounding | XX, 803 |
| Thixotropic recovery, viscometer for measurements | XX, 585 |
| Time effect in rapid elongation of rubber | XII, 518 |
| Tire compounds, hysteresis tests on | XIV, 421, 938 |
| Tire cord, control of elongation in | XIX, 253 |
| cord in natural and GR-S rubbers | XX, 268 |
| cords, effects of temperature and humidity on | XIX, 233 |
| life, influence on, of Butyl inner tubes | XX, 1086 |
| rubber, synthetic, processing characteristics | XVI, 203 |
| tread and reclaim-sulfur mixes | XX, 301 |
| Tires, static electric problems | XV, 678 |
| Toluene, rubber-, heat of dilution in system | XII, 504 |
| Torsional hysteresis test for rubber | XIV, 35; XV, 158 |
| Total and combined sulfur in Butyl rubber | XIX, 738 |
| rubber when stretched, diffraction patterns of sol, gel and | XI, 32 |
| solids content of Hevea latex | XIII, 744 |
| sulfur in Butyl rubber | XVII, 738 |
| sulfur in rubber | XVII, 227, 675 |
| Transformation, influence of oxidation on gel-sol | XIII, 28 |
| product of rubber, a new | XI, 661 |
| products, new types | XIII, 519 |
| Transformations, halide, of cyclized rubber | XII, 556 |
| of tetramethylthiuram disulfide, application of ultraviolet spectroscopy to | XVII, 941 |
| Transition effects in high polymers | XVII, 802 |
| Transitions, phase, and connection with stress-strain curve | XIV, 525 |

| | Volume and Page |
|---|---|
| Transmission belts | XII, 618 |
| Transparency of rubber and its solutions | XVII, 51 |
| Transparent rubber articles | XIII, 181 |
| rubber compounds. Effect of chemical composition of magnesium carbonate fillers | XIV, 221 |
| vulcanized rubbers | XVI, 445 |
| Tread cracking of natural and synthetic rubber stocks | XVII, 441 |
| stocks, conductivity of | XVI, 918 |
| stocks, fatigue failure of GR-S | XVIII, 407 |
| Trilinear compounding | XV, 349 |
| Tubes, Butyl inner | XX, 1086 |
| Two-dimensional rubber | XII, 755 |
| Two methods of protection against oxygen and the improvement which results from their combined use. | |
| I. Observations on the mechanism of protection | XX, 949 |
| II. Combination of the two modes of action | XX, 962 |
| modes of action of antioxidants in rubber | XVIII, 22 |
| Types of rubber, comparison | XIX, 848 |
| | |
| Ultrafiltration of rubber solutions | XII, 774 |
| Ultramicroscopic photographs of carbon blacks | XIV, 920 |
| Ultrarapid testing of rubber. Testing of its oxidizability in one-quarter of an hour | XII, 568 |
| Ultraviolet absorption and chlorine analysis of butadiene-*p*-chlorostyrene copolymers | XX, 313 |
| absorption spectra | XVIII, 637; XIX, 23 |
| irradiation of rubber | XIII, 549 |
| light absorption | XX, 55 |
| light, gelation of rubber sols in | XIX, 632 |
| light, influence of irradiation | XIV, 724 |
| microscopy of Hevea rubber latex | XI, 405 |
| spectrography | XIX, 1051, 1061; XVII, 941 |
| and sunlight | XV, 358 |
| Unaccelerated natural soft rubber | XVI, 297 |
| Uniform crude rubber | XII, 1 |
| Uniformity of carbon black manufacture | XI, 598 |
| Unsaponifiable portion of acetone extract of plantation rubber | XV, 91 |
| Unsaturated compounds, action on rubber | XX, 689 |
| Unsaturation of butadiene and related polymers as determined by iodine chloride addition | XVII, 61 |
| in Butyl rubber | XVIII, 887 |
| of polyisobutylenes and Butyl rubber. Reactions with nitrosobenzene, thiocyanogen, iodine monochloride and ozone | XVII, 679 |
| of synthetic rubberlike materials | XVI, 280 |
| of vulcanized rubber | XIX, 287 |
| Use and misuse of accelerated aging tests | XIX, 444 |
| of the pendulum in rubber testing | XII, 403 |
| of Shore durometer for measuring the hardness of synthetic and natural rubbers | XVII, 512 |
| of synthetic rubber in the automotive industry from the viewpoint of the rubber technologist | XIV, 211 |
| USF, a new crude rubber | XVI, 560 |
| Using the Mooney viscometer | XIX, 821 |
| | |
| Values of the physical constants of rubber | XII, 130 |
| Van Harpen's hydratant acid | XIV, 154 |
| Vapor pressure equations of solutions and the osmotic pressure of rubber | XVI, 805 |
| Variability, effect of, on vulcanization of rubber | XIII, 209 |
| of raw rubber | XII, 420 |
| Variation of composition of 40:60 isoprene copolymers with conversion | XX, 695 |
| in the composition and properties of fresh latex and subsequent changes on ammoniation | XII, 646 |
| in quality of raw rubber and latex | XIII, 185 |
| with temperature of the dynamic properties of rubber and synthetic rubberlike materials. II. Compounded rubbers | XVIII, 306; XVIII, 471 |
| Vibration, anti, material | XIII, 686 |
| characteristics | XVIII, 83 |
| methods, free and forced | XIX, 163 |
| properties of rubberlike materials. Dependence on temperature | XVI, 400 |
| rubber in | XV, 860 |
| and shock, sponge rubber for damping | XII, 105 |
| Vinyl compounds | XIX, 1029 |
| and diene polymers | XX, 903 |
| Viscometer, capillary | XIV, 137 |
| for measurements during thixotropic recovery. Results with compounded latex | XX, 585 |
| Mooney, factors affecting results | XIX, 808 |
| Mooney, using the | XIX, 821 |
| Viscometric studies of solutions of crepe rubber and of Buna | X, 372 |
| Viscosities of polyisobutylenes | XVI, 493 |
| Viscosity and cryoscopic data on polystyrene. Discussion of Staudinger's viscosity rule | XVI, 58 |
| dry rubber content and | XIII, 474 |
| of high polymer solutions | XV, 820 |
| intrinsic, and related functions | XIX, 1092 |
| of latex, formula for determining | XII, 112 |
| of latex, measurement of | XIV, 137 |
| of latex, temperature correction in formula | XIV, 176 |
| -molecular weight relation for natural rubber | XX, 78 |
| -molecular weight of rubber. Cryoscopic deviation of rubber solutions from Raoult's law | XV, 60 |
| and osmotic pressure of solutions of raw rubber | XV, 52 |
| and photogels of goldenrod rubber | XVIII, 685 |

| | Volume and Page |
|---|---|
| in polymeric rubberlike substances | XIII, 264 |
| of preserved and concentrated latex. | |
| I. Relationship between dry rubber content and viscosity | XII, 655; XIII, 474 |
| II. Viscosity-temperature relationship of latex | XII, 665 |
| III. Relationship of viscosity to temperature and dry-rubber content | XV, 301 |
| of rubber solutions | XI, 676 |
| and structure of rubber | XVI, 537 |
| studies of polyisobutylene | XVI, 69 |
| of various synthetic rubbers | XIV, 724 |
| Viscous behavior, elastic and | XVIII, 731 |
| Vistanex polybutene-rubber blends | XIV, 386 |
| Vulcanizable plasticizers and mixed polymers | XIV, 26 |
| Vulcanization, accelerated, of ebonite | XIX, 948 |
| accelerated, action during | XV, 590 |
| accelerators of organic | XIV, 914 |
| activating influence of metallic oxides | XI, 331 |
| of anhydride rubber | XIX, 319 |
| of Buna ebonites | XVII, 742 |
| of Buna-S | XIX, 534 |
| of Buna-S (GR-S) with organic sulfur compounds | XVII, 896 |
| II | XVIII, 110 |
| changes | XX, 353; XX, 341, 360 |
| chemical reactions during | XIII, 65; XV, 560 |
| chemistry of soft rubber | XI, 680 |
| colloidal aspects of | XIII, 275 |
| in connection with olefinic systems | XV, 774 |
| effect of hydrogen sulfide on | XIII, 918 |
| effect of, on rubber structure | XIII, 196 |
| effect on, of rubber variability | XIII, 209 |
| fluorescence of | XI, 310 |
| influence of crystallographic transformation | XI, 317 |
| influence on oxidizability | XI, 282; XII, 805 |
| kinetics and optimum phenomenon of | XX, 933 |
| of latex. Differences in the behavior of fresh, old and purified latex | XVI, 318 |
| measure of state of | XIII, 222 |
| mechanism of | XVI, 467 |
| of molecular fractions | XIX, 602 |
| non-sulfur | XIX, 652 |
| of oxidized rubbers | XII, 541 |
| by the Peachey process | XX, 182 |
| polarographic determination of organic accelerators of | XIV, 914 |
| polysulfide theory of accelerator action during | XV, 590 |
| process, mechanism of action of mercaptobenzothiazole | XVII, 56 |
| reactions in Butyl rubber. Action of dinitroso, dioxime and related compounds | XIX, 900 |
| and reënforcement | XIII, 103 |
| of rubber | XIII, 50 |
| of rubber compounds. Effect of hydrogen sulfide on rate of vulcanization | XIII, 918 |
| of rubber with *m*-dinitrobenzene | XI, 131 |
| of rubber by nitrogen compounds | XIV, 835 |
| of rubber, infrared studies | XIX, 66 |
| of rubber with phenolformaldehyde derivatives. Insufficiency of the chromane theory | XX, 173 |
| I and II | XVIII, 853 |
| of rubber in the presence of *m*-dinitrobenzene | XI, 319 |
| of rubber, reactions between compounding ingredients | XIV, 45 |
| of rubber, relation of mixed polymers and vulcanizable plasticizers | XIV, 826 |
| of rubber with sulfur | XI, 107 |
| of rubber with synthetic resins | XIX, 86 |
| of rubber in an ultra-high frequency field | XIII, 262 |
| or other heat treatment by electrical conduction | XVII, 188 |
| , structural studies, of rubber under stretch | XIII, 243 |
| with sulfur | XI, 107 |
| T-50 test | XIII, 389 |
| temperature coefficient | XIII, 101, 255 |
| testing of reclaim. Relation between results obtained in reclaim-sulfur and tire-tread mixes | XX, 301 |
| thermal effects during | XVII, 923 |
| Vulcanized rubber, compression tests | XI, 561 |
| rubber, crystallization | XIII, 48; XIV, 347 |
| rubber, determination of free sulfur | XIV, 520 |
| rubber, effect of strain on aging | XIV, 673 |
| rubber, effect of various sulfur-accelerator ratios | XIV, 356 |
| rubber, elastic behavior | XVIII, 62 |
| rubber, frosting | XII, 836 |
| rubber, hysteresis in crystallization | XIV, 27 |
| rubber, oxidation | XIII, 375 |
| rubber, oxidizability | XI, 268; XIII, 604 |
| rubber, soft, weathering | XIX, 712 |
| rubber, strength | XII, 509 |
| rubber, water absorption | XIII, 400 |
| Vulcanizing agents | XX, 775 |
| agents, control of | XIII, 249 |
| other than sulfur | XII, 805; XIX, 876 |
| from a thermodynamic viewpoint | XIII, 235 |

| | Volume and Page |
|---|---|
| of ebonite. Controlled curing of natural and synthetic rubber ebonites of large cross-section | XVII, 192 |
| Wanted—a new aging test | XIV, 749 |
| Waste rubber, distillation products from | XIV, 376 |
| Water absorption of crude rubber and of vulcanized rubber | XIII, 400 |
| absorption of, by hard rubber | XX, 149 |
| absorption of, by rubber | XII, 532; XV, 335 |
| diffusion, theory of | XII, 535 |
| permeability of organic substances | XII, 74 |
| resistance to, of Buna ebonites | XVII, 724 |
| resistance of Neoprene | XI, 383 |
| vapor, permeability of rubber to | XVI, 388 |
| Wax alcohols from Hevea latex | XIX, 788 |
| Weathering of soft vulcanized rubber | XIX, 712 |
| test for rubber | XX, 808 |
| Weber color test for the identification of natural rubber | XVIII, 902 |
| Wiegand rubber pendulum, an improved | XII, 529 |
| Wild rubber of tropical Africa | XVII, 240 |
| rubbers, characteristics of | XVI, 933 |
| Woolen hosiery, application of latex to | XV, 895 |
| $x$-Ray data, density of crystalline rubber calculated from | XV, 265 |
| data of hysteresis in crystallization of stretched rubber | XIV, 27 |
| diagram of a Buna-S vulcanizate | XVIII, 20 |
| diffraction, evaluation by, of carbon blacks | XIII, 655 |
| diffraction patterns of crystalline sol rubber prepared from ethereal solution | XII, 482 |
| diffraction patterns of Hevea, Manihot and other rubbers | XIII, 42 |
| diffraction patterns of sol, gel and total rubber when stretched, and when crystallized by freezing and from solutions | XI, 32 |
| investigation of the calender effect in rubber sheets | XIX, 403 |
| investigation of crystallinity of rubber | XII, 706 |
| methods, new, for determination of lattice of macromolecules | XII, 719 |
| structure of rubber | XVII, 640 |
| structure of rubber-carbon black mixtures | XIV, 85 |
| studies of effects of sulfur content and method of curing | XIV, 546 |
| studies of synthetic rubbers. Polychloroprene | XIX, 1088 |
| study of the proportion of crystalline and amorphous components in stretched rubber | XIV, 555 |
| study of reactions involving accelerators | XVI, 621 |
| study of rubber hydrochloride | XII, 210 |
| study of stretched rubber | XI, 352 |
| $x$-rays, investigation of synthetic linear polymers by | XIV, 323 |
| Xylene, autoöxidazability of alkyl groups | XVI, 85 |
| Yarns, cotton, impregnation with latex | XV, 323 |
| Young's modulus of elastomers | XVII, 421 |
| Zinc, determination of, in rubber compounds | XV, 382 |
| oxide, compounding ammonia-preserved latex with | XVI, 342 |
| oxide in compounding Government synthetic rubber | XVI, 650 |
| oxide compounds, T-50 test for | XI, 234 |
| oxide dispersion in rubber | XII, 317 |
| oxide. A product of complex physical and chemical properties | XIV, 259 |
| oxide in rubber latex | XII, 590 |
| in transparent rubber articles | XIII, 181 |